
Replacement Fans for AT&T

Provided By:



TAG INC.

Telecom Assistance Group, Inc.
856-753-8585
www.tagcords.com

5ESS FANS



DMS FANS & DPCC BLOWERS



→ **NEW DMS** ←
UNIVERSAL FAN TRAYS

(for NT3X90AA/AB, NT3X90AC & NT3X90AF units)
(NO MORE PADDLES)

OSP CABINET HX, TRAY FANS & ALARM BOARDS

(VRAD, 80 TYPE, SLC 2000 (4A/4B),
LUCENT 2A / 2B / 2C, MESA, LS2000,
PURCELL / EMERSON ALP & MORE)



**20 Items are Available
- UPFRONT REPAIRS -**

NEW

NEW



REFURBISHED FAN TRAYS

New TAG Fans & Alarm Boards are installed


ALCATEL FANS

(1000, 7300, ECS1, 1603 & 1631)




**CIENA, CISCO, LORAIN / MARCONI, LUCENT FANS (DAC3 III/ IV, CBX500),
NEC, NORTEL, STROMBERG CARLSON DCO, TELLABS UMC1000 & MORE !!**


856-753-8585




Part #	Description	PG #
5ESS FANS		
TF-5ESS-01P	KS22501L3 Equiv. 5ESS Fan w/ 3 Leads & AMP Connector (fan w/ power prongs)	HECI E5PQAM9 1
TF-5ESS-01F	KS22501L3 Equiv. 5ESS Fan w/ 3 Leads & Fastons (fan w/ power prongs)	HECI E5PQAM3 1
TF-5ESS-02P	KS23912L1A Equiv. 5ESS Fan w/ 5 Leads & AMP Connector w/ Internal Thermal Speed Control Sensor	HECI E5PQANE HECI E5PQANC 1
TF-5ESS-02F	KS23912L1A Equiv. 5ESS Fan w/ 5 Leads & Fastons w/ Internal Thermal Speed Control Sensor	HECI E5PQAM8 HECI E5PQAM6 1
TF-5ESS-03P	KS23912L2 Equiv. 5ESS Fan w/ 4 Leads & AMP Connector	HECI SPPQABJ 1
TF-5ESS-04P	KS22501L3A Equiv. 5ESS Fan w/ 5 Leads & AMP Connector	HECI E5PQAND 1
TF-5ESS-04F	KS22501L3A Equiv. 5ESS Fan w/ 5 Leads & Fastons	HECI E5PQAM7 1
TF-5ESS-05P	KS23912L1 Equiv. 5ESS Fan w/ 3 Leads & AMP Connector (w/ power prongs)	HECI E5PQANA 1
TF-5ESS-05F	KS23912L1 Equiv. 5ESS Fan w/ 3 Leads & Fastons (w/ power prongs)	HECI E5PQAM5 1
TF-5ESS-10P	KS23398L2 Equiv. 5ESS ISLU (Square) w/ 5 Leads & AMP Connector	HECI E5PQANG 1
ALCATEL FANS		
TF-ALC-01	Alcatel 1000 / 7300, 48V Fan w/ 3 Wire Plug & Tach (3EC 15478, 37933 & 36760)	ATT.200003125 2
TF-AL7300-02	Alcatel 7300, 48V Fan w/ 3 Wire Plug, Sensor & Tach (use in 3EC 16697 (XXXX))	ATT.200003124 2
TF-DSCECS1-01	DSC / Alcatel ECS1, 48V Fan w/ 3 Wire Plug	ATT.200000452 2
TF-ALC1603-01	Alcatel 1603, 48V Fan w/ 3 Wire Plug (use in Low-Volume Fan Tray # 625052-000-0XX)	2
TF-ALC1631-01	Alcatel 1631, 48V Fan w/ Power Prongs (use in Assembly # 695-3363-302)	ATT.200006515 3
TF-ALC1631-02	Alcatel 1631, 48V Fan w/ Pwr Prongs & Unterminated Tach (use in # 3AL45446AA)	ATT.200004402 3
TF-ALC1631-03	Alcatel 1631 APS, 48V Fan w/ Pwr Prongs & Untermin Tach (use in # 695-8489-001)	ATT.200009343 3
TF-ALC1680-01	Alcatel 1680 OGX, 48V Fan (Round) w/ Power Prongs & Tach Lead (use in #3EM04820AA)	3
CIENA / CISCO 15454 / CALIX E7 / KENTROX FANS		
TF-CN1600-01	Ciena 1600 DWDM, 48V Fan (fan only, mounting not included)	ATT.200003616 4
TF-DN7100-01	Ciena DN7100, 12V Fan w/ 3 Wire Plug	4
TF-DN7100-02	Ciena DN7100, 12V Fan w/ 3 Wire Plug	ATT.200008568 4
TF-C15454-01	Cisco ONS 15454, 48V Fan w/ 3 Wire Right Angle Connector	ATT.200005896 5
TF-CLXE7-01	Calix E7-2 FTA2 Fan Unit, 12V (40mm x 20mm) Fan for w/ 4 Wire Plug	5
TF-AI-180	Kentrox AISwitch Series 180, 48V Cooling Fan	5
DATAKIT / GALAXY RECTIFIER / FUJITSU FANS		
TF-DATAKIT-01	24V Fan for Datakit System w/ 3 Wire, 4 Pin Connector	ATT.200006911 6
TF-GLX595LTB-01	48V Fan for Galaxy 595LTB Rectifier w/ 4 Wire Plug	6
TF-FLM150-01	48V (80mm) Fan for Fujitsu FLM 150 Fan Tray w/ 3 Wire Plug	6
TF-FW4500-01	48V Fan for Flashwave 4500 Fan Unit w/ 4 Wire Plug (use in # FC9580FAN1, HECI: SNPQUG5AB)	6
LORAIN / MARCONI RECTIFIER FANS		
TFT-MRECT	New Fan Tray Assembly for Vortex Rectifier (Lorain/Marconi 104545) (V200D50)	ATT.200003632 7
TF-MREC-01	Vortex Rectifier (Lorain / Marconi) (V200D50), 24V Fan w/ 3 Wire Open End	7
TF-MREC-02	Vortex Rectifier (Lorain/Marconi), 24V Fan & 3 Wire Plug (use in V200E50)	ATT.200003622 7
TF-RHM400-01	RHM-400/800 Rectifier Unit (Lorain/Marconi), 220VAC Fan	ATT.200006518 8
TF-LRA50B50-01	Lorain Rectifier (A50B50), 48V Fan w/ 2 Wire Plug	ATT.200005884 8
TF-LRV50B50-01	Lorain Rectifier (V50B50), 24V Fan w/ 3 Wire Plug	8
LUCENT FANS (CBX500, DDM-2000, METROPOLIS, FT-2000, DACS III / IV)		
TF-CBX500-01	Lucent CBX500 OCD, 12V Cooling Fan w/ 3 Wire Pins	ATT.200003633 9
TF-FT201	Lucent FT-2000, 48V Fan w/ 3 Wire Plug	ATT.200005899 9
TF-DMXMET-01	Lucent Metropolis DMX, 48V Fan w/ 4 Wire Plug	ATT.200003131 9
TF-DMXMET-02	Lucent Metropolis DMX Access Multiplexer, 48V Fan w/ 4 Wire Black Plug	9
TF-DDM201	Lucent DDM-2000, 24V Fan	ATT.200003128 10
TF-DDM201-KIT1	Lucent DDM-2000, 24V Fan Kit w/ Mounting Plate	ATT.200003126 10
TF-DDM202	Lucent DDM-2000, 48V Fan (use in Nidec T35078-LUC 440233, Comcode: 408741205)	ATT.200003127 10
TF-DACS3/4-01	Lucent DACS III / IV, 48V Fan w/ 4 Wire Plug (Equiv. to KS23913L1)	ATT.200000453 11
TF-DACS3/4-02	Lucent DACS III / IV, 48V Fan w/ 5 Wire Plug (Equiv. to KS23913L1)	ATT.200004391 11
NEC FANS		
TF-NEC-01	NEC, 48V Fan (fan only) (FD-31201A / FD-32401A)	ATT.200003607 12
TF-NEC01-KIT1	NEC, 48V Fan Kit w/ Mounting & Grill (FD-31201A / FD-32401A)	ATT.200003623 12
TF-NEC-02	NEC, 48V Fan (fan only) (ITS-2400)	ATT.200003609 12
TF-NEC02-KIT1	NEC, 48V Fan Kit w/ Mounting & Grill (ITS-2400)	ATT.200003606 12
TF-NEC-03	NEC, 48V Fan (fan only) (ITS-2400V FL)	ATT.200003620 12




Part #	Description		PG #
NORTEL FANS (DMS, Carrier VoIP, DPCC SuperNode "Squirrel Cage" Blowers)			
TF-DMS01	DMS-100, 48V Fan w/ Power Prongs (use in NT3X90AC / NTB63AA fan trays)	ATT.200003630	13
TF-DMS02	DMS-1U, 48V Fan w/ Pwr Prongs (unthreaded) (use in NT3X90AC / NTB63AA trays)	ATT.200003608	13
TLMP-DMFA-10	DMS Fan Alarm Repl. Lamp, 24V ("Fan Fail" / "Frame Fail") (QTY of 10)	ATT.200008569	14
TLMP-DMFA-25	DMS Fan Alarm Repl. Lamp, 24V ("Fan Fail" / "Frame Fail") (QTY of 25)	ATT.200008570	14
TLMP-DMSA-10	DMS Aisle Alarm Repl. Lamp, 48V (QTY of 10)	ATT.200008572	14
TFT-DMS48KIT3	DMS-100 (NT3X90AA / NT3X90AB), 24VAC to 48VDC Fan Tray Conversion Kit 3	ATT.200005900	CALL
TFT-DMS48KIT4	DMS-100 (NT3X90AA / NT3X90AB), 24VAC to 48VDC Fan Tray Conversion Kit 4 (NEW KIT w/ Fan Control Board w/ built in Sensors (no paddles needed))	ATT.200006519	CALL
TFT-3X9013T ***NEW***	TAG Universal DMS-100 3X9013 Fan Tray (NEW TRAY is pre-assembled w/ (5) NEW fans, Alarm Board, Wiring Harness w/ Connector & Universal Mounting Holes for NT3X90AA, NT3X90AB, NT3X90AC & NT3X90AF cooling units) - No 24VAC Inverters - No Paddle Sensors	ATT.200010718	15-16
TF-DMS03	DMS-100, 48V Fan w/ TTL Tach & 3 Wire Plug (use in NT3X90AF fan trays)	ATT.200003614	17
TFC-3X90AF-01	DMS-100, Fan Alarm Board for the NT3X90AF Cooling Fan Unit	ATT.200006499	17
TF-DMS04AC	DMS-100, 24VAC Fan w/ Power Prongs (use in NT3X90AA / NT3X90AB fan trays)	ATT.200006516	17
TF-RX50FF-01	DMS SDM, 12V Fan w/ 3 Wire Plug & Speed Control (use in shelf # NTRX50FF)	ATT.200008573	18
TF-DMS-NTRX91	DMS-100, 48V Fan (use in NTRX91AA / NT0X91AA (MVIE & CSDM bays), CLEI: ENMYACM)	ATT.200008092	18
TF-DMS10-01	DMS-10, 48V Fan w/ Power Prongs	ATT.200008574	18
TF-DMS-FOS	Nortel IW SPM-IP, 48V Fan for NTLX56AA Fan Assemblies (fan only)	ATT.200008577	18
TF-MG9K-01	Nortel / GENBAND Media Gateway 9000, 48V Fan w/ 3 Wire Plug (use in NTTY18AA)	ATT.200008585	18
TF-DMSLGN6-01	DMS-500/250 DPCC (225mm) Impeller Fan for XA-Core Blower Drawer w/ 4 Wire Plug (fan only, use in existing tray # NTLX10AA, drawer # NTLX11AA)	ATT.200008590	19
TF-DMSMCL-02	DMS-100 Dual-Scroll Blower Replacement Unit (used in NT9X950 "w/ hanging blowers" (replaces # A0383325 & A0381714)) (found in DPCC / LIM / ENET bays)	ATT.200008095	20
TFC-DMSAPW-3	Alarm Board Replacement for DMS LIM / ENET Blower	ATT.200009341	20
TF-DMSLGN5A	DMS-100 DPCC XA-Core SuperNode Blower "Squirrel Cage" Replacement (includes 4 Wire Square Plug Adapter Cable) (use in NT9X01BC DPCC w/ Power Distribution Alarm Board (replaces A0345301))	ATT.200008587	21
TF-DMSLGN5	DMS-100 DPCC SuperNode Blower "Squirrel Cage" Replacement w/ Internal Sensor (use in NT9X01XX DPCC, (replaces A0345301))	ATT.100108587	21
SIEMENS EWSD FANS			
TF-EWSD-01	Siemens EWSD, Square 48V Fan w/ Power Prongs (fan only, use with existing grill)	ATT.200008579	22
TF-EWSD-02	Siemens EWSD, Round 48V Fan w/ Power Prongs (fan only, use with existing grill)	ATT.200008580	22
STROMBERG CARLSON DCO FANS			
TF-DCOCMF-01	48V Fan for Stromberg Carlson DCO CMF Bay w/ 3 Leads & Fastons		23
TF-DCODCF-01	48V Fan for Stromberg Carlson DCO DCF Bay w/ 3 Leads & Spade Lugs		23
TF-DCONHD-01	48V Fan for Stromberg Carlson DCO Non HD CMF Bay w/ 2 Wire Open End	ATT.200008581	23
TF-DCOMEF-01	48V Fan for Stromberg Carlson DCO MEF Bay (80mm x 45mm) w/ 3W Plug & Grill	ATT.200008583	23
TF-DCO-02	48V Fan for Stromberg Carlson DCO CMF / DTF Bay w/ 3 Leads & Fastons	ATT.200004392	23
STP RING NODE / WIDEBAND 3190 FANS			
TF-STPRN-01	STP Ring Node Frame/Cabinet, 48V Fan w/ 5 Wire Plug (use in Lucent J3F011AE fan unit, HECI E5DYAAC)	ATT.200006501	24
TF-WB3190	Wideband 3190, 48V Fan w/ 3 Wire Plug	ATT.200006508	24
TELCO SYSTEMS FANS			
TF-EL100	Edgelink 100, Fan (40mm)	ATT.200003129	25
TF-EL100-KIT2	Edgelink 100, Fan Kit (40mm)	ATT.200003143	25
TF-EL100-02	Edgelink 100, Fan (35mm)	ATT.200003130	25
TF-EL330-01	Edgelink AXX330G1, Fan (80mm) w/ 3 Wire Plug		25
OSP CABINET / TRAY FANS & ALARM CONTROL BOARDS			
TF-NTOPAC	48V Fan for Nortel Opac / OPM Cabinet w/ Round Weatherproof Connector	ATT.200002986	26
TF-NTOPAC-3	48V Fan for Nortel Opac / OPM Cabinet w/ 3 Wire Open End (no connector)	ATT.200002987	26
TF-NTOPAC-02	48V Fan for Nortel Opac / OPM Cabinet w/ Sealed 3 Pin Plug	ATT.200002988	26
TF-NTOPAC-04	48V Fan for Nortel Opac / OPM Cbnt w/ Sealed 3 Pin Plug (used with NT7A6986 adapter)	ATT.200008223	26
TF-NTOPAC-05F	48V Fan for Nortel Opac Access Node Tray w/ Pwr Prongs, Untermin. FPS	ATT.200008225	27
TF-NTOPAC-05	48V Fan for Nortel Opac Access Node Tray / 800A w/ 3W (FPS Lead) & 3 Pin	ATT.200008224	27
TF-NTANCFT-01	48V Fan for Nortel Access Node/Charles Fan Tray (w/ 3 Wire Plug)	ATT.200008228	27



Part #	Description		PG #
OSP CABINET / TRAY FANS & ALARM CONTROL BOARDS - continued from previous page			
TF-DMS06	48V Fan for BFU in DMS-100 OPM Cabinet w/ Power Prongs & Unterminated Tach <i>(also used in DMS-1 URBAN EMC RT BAY (fan unit NT4A44AA))</i>	ATT.200002989	28
TF-SLC201-02	48V Heat Exchanger for 80 Type Cabinet w/ Round Connector (KS23912L4)	ATT.200002995	29/30
TFC-114A-01	114A Fan Control Unit for 80 Type Cbnt Heat Exchangers (equiv. to 106894934)	ATT.200006506	29/30
TFC-LU4-01	Alarm Control Board for Lucent 4A/4B, 4G/SLC2000 Fan Trays & 114A	ATT.200004557	29/30
TF-SLCBC-01	48V Battery Cooling fan for 80 Type Cabinet w/ 3 Wire Plug	ATT.200006505	29/30
TFC-116A-01	Alarm Control Board for Lucent 116A Battery Fan Unit (customer supplied bkt)	ATT.200006502	29/30
TF-SLC201	48V Fan for SLC 2000 4A/4B Tray w/ 5 Wire Plug (KS23912L6)	ATT.200002993	29/30
TFCS-LU4APA-06	Power Cable for Lucent 4A/4B Fan Tray , (6')	ATT.200008566	29/30
TF-SLCAPW-01	(1) 48V Fan for SLC 2000 Cbnt Reltec / Mclean APW Tray (for UJB17H48S22)	ATT.200005892	31
TF-SLCAPW-04	(4) 48V Fans for SLC 2000 Cbnt Reltec / Mclean APW Tray (for UJB17H48S22)	ATT.200006511	31
TFC-SLCAPW-4	Alarm Control Board for Reltec / Mclean APW Fan Tray	ATT.200008220	31
TF-LU2A	48V Fan for Lucent 2A Fan Tray w/ 3 Leads & Fastons (KS22501L5)	ATT.200002994	32
TF-LU2B	48V Fan for Lucent 2B Fan Tray w/ 3 Wire Plug (KS22501L5A Equiv.)	ATT.200002996	33
TFC-LU2BC-01	Alarm Control Board for Lucent 2B & 2C Fan Trays (customer supplied fan trays)	ATT.200006513	33
TF-LU2C	48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug (KS22501L5A Equiv.)	ATT.200002997	33
TF-LU2C-02F	48V Fan for Lucent 2C Fan Tray w/ 3 Wires & Faston Connectors	ATT.200009333	33
TFCS-2BPWRY-01	Power Cable "Y" for Lucent 2B & 2C Fan Trays w/ 1 (M) Conn. to (F) "Y", (1')	ATT.200006909	33
TFCS-2BRS-08	Remote Sensing Daisy Chain Cable for Lucent 2B & 2C Fan Trays , (8')	ATT.200006910	33
TF-ES660-01	24V (60x25mm) Fan for Lucent ES660 Rectifier Unit w/ 2 Wire Plug		CALL
TFT-SLC96-AC01	110VAC Fan w/ Bracket Assembly for SLC96 (36 Type) Cabinet (KS22099L5)	ATT.200008234	35
TFT-SLC96-AC01L	110VAC Fan (Low Temp) w/ Bracket Assembly for SLC96 (36 Type) Cabinet (KS22099L5)	ATT.200008235	34
TF-SLC96-AC02	110VAC Fan (fan only) for SLC96 (36 Type) Cabinet (use in KS22099L5)	ATT.200004398	34
TF-ALC7330-4	Alcatel 7330 VRAD Fan Kit , (4) 48V Fans w/ Quick Install Template Plate	ATT.200002985	35
TF-ALC7330-C	(1) 48V Fan for Alcatel 7330 VRAD Tray w/ 3 Wire Open End (for splicing)	ATT.200002984	35
TF-ALC1218-01	24V Fan for Alcatel 1218 Cabinet Fan Tray w/ 2 Wire, 3 Pin Connector		CALL
TF-ALC1218-02	48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads		CALL
TF-PURALP-01	48V HX for ALP-248/448 (Purcell) Cbnt Door (Bottom) & Battery w/ 4W Plug	ATT.200006510	36
TF-PURALP-02	48V HX for ALP-248/448 (Purcell) Cbnt Door (Top) w/ 4 Wire Plug & Grommet	ATT.200009344	36
TFCS-PURVPWR-05	Power Cable for Purcell VRAD Cabinet , (5') (use w/ MAIP controllers)	ATT.200008096	CALL
TFCS-PURVPWR-06	Power Cable for Purcell VRAD Cabinet , (6') (use w/ MAIP controllers)	ATT.200008229	CALL
TF-PURALP148-01	48V HX for ALP-148E (Emerson) Cabinet Door (Top) w/ 4 Wire Male Plug	ATT.200006512	37
TFC-248E-01	Battery Vent Fan Control Board for (Emerson) ALP-248E/448E Cabinets	ATT.200009342	38
TFC-CALIX2KHX	Alarm Control Board for Calix ODC-2000 Cabinet HX Controller (alarm board only)		38
TFCS-CLX2KHX	Power Cable for Calix ODC-2000 Cabinet HX Controller (equiv. to 315-00420)		38
TF-COM6DF-01	48V Fan for CommScope Cbnt, 6D/F Bay, VAUCADY w/ internal sensor & 3 Wire, 6 Pin	ATT.200004404	39
TF-COM6DF-02	48V Fan for CommScope Cabinet, ALP HX Door w/ 5 Wire, 6 Pin Connector	ATT.200006509	39
TF-COM6DF-02R	48V Fan for CommScope 52/82 Cbnt, HX Door w/ 5 Wire, 6 Pin (w/ 10k thermistor cable)	ATT.200008219	39
TFCS-COM6TR	10k Thermistor Extension Cable for CommScope 52/82 Type Cabinet, HX Door Fan		39
TFCS-COM6TA-01	100k Thermistor Extension Cable for CommScope 52/82 Cbnt, HX Door Fan	ATT.200010346	39
TFCS-COM6X-01	Adapter Cable for CommScope 6F Fans , 3 Wire 6 Pin to 4 Pin	ATT.200010345	CALL
TF-COM6DF-04	48V Fan for CommScope Cbnt, 6D/F Bay, VAUCADY w/ internal sensor & 3 Wire, 4 Pin	ATT.200008221	39
TF-COM6BC-01	48V Fan for CommScope Cbnt, 6B/C Battery / ALP HX Door w/ 3 Wire, 4 Pin Conn	ATT.200005885	39
TF-COM52E-01	48V Fan for CommScope 52E Cbnt, Battery w/ (1) 2 Wire, 4 Pin Conn & (1) 2 Wire, 2 Pin	ATT.200008222	39
TFT-COM48B-01	"Salt Air Door Fan Tray" 3 Fan Stainless Steel Assembly for CommScope ALP 448/248 HX Door Fans (includes: (3) NEW 48V FANS & Grommet)	ATT.200010349	40
TFT-COM48B-02	Stainless Steel Plate for CommScope ALP 448/248 HX Door Fans (plate only)	ATT.200010350	40
TF-NP0402-01	48V HX for Noren Cooling Unit - Internal (6.71K) w/ 3 Wire Open End	ATT.200004561	41
TF-NP0414-02	48V HX for Noren Cooling Unit - External (8.45K) w/ 3 Wire Open End	ATT.200004560	41
TF-FUJ6200-01	48V Heat Exchanger for Fujitsu 6200 Cabinet w/ 5 Wire Plug	ATT.200002981	42
TF-FUJ6200-02	48V Fan for Fujitsu 6200 Cabinet Tray w/ Power Prongs	ATT.200008226	42
TF-FUJ6200-03	48V Fan for Fujitsu 6200 Cabinet Tray w/ 3 Wire Open End & Power Prongs	ATT.200009340	42
TF-AI-SCT-01	48V (80mm) Fan for AISCOUT w/ 3 Wire Right Angle Plug	ATT.200009336	43
TF-ALC7342-01	48V Fan for Nokia 7342 Roll Tray w/ 4 Wire Plug	ATT.200008582	43



Part #	Description		PG #
OSP CABINET / TRAY FANS & ALARM CONTROL BOARDS - continued from previous page			
TF-OPTI-01	12V Fan for Opti 6100 Trays w/ 3 Wire Plug (use in EFANM Fan Tray # 1184508L2)	ATT.200008589	43
TF-CN5150HX-01	48V HX for Telamon / Ciena 5150 EMUX Cbnt Door w/ 4 Wires & Seated Connector	ATT.200008097	43
TF-DISCSCPU-01	48V Cooling Fan for DISC*S CPU w/ 2 Wire Open End (includes (2) butt splices & cable ties) (fan only)		CALL
TF-LS2000-01	48V Fan for Litespan 2000 PDFA w/ 3 Wire Plug & Grill (use in # 500-1126-723)	ATT.200002982	44
TFC-PDFA-X2	Alarm Control Board for LS2000 PDFA Fan Trays (equiv. to # 300-8205-900)	ATT.200009885	44
TF-LS2000-02	48V Fan for Litespan 2000 HV PDFA w/ 3 Wire Connector (use in 509-0000-XXX)	ATT.200002983	44
TFC-PDFA-01	Alarm Control Board for Litespan 2000 High Velocity PDFA Fan Trays	ATT.200009332	44
TF-LS2000-03	48V Heat Exchanger for Litespan 2000 Cabinet w/ Unterminated Leads	ATT.200004394	45
TF-LS2KSB-01	48V Heat Exchanger for Litespan 2000 Cabinet Heat Stack w/ Power Prongs		45
TF-LS2000-44	Litespan 2000 DFA Fan Kit , includes: (4) 48V Fans & Harness (use in # 500-1100-XXX)	ATT.200004556	45
TF-LS2000-04	(1) 48V Fan for Litespan 2000 DFA w/ 3 Wire Open End	ATT.200004558	45
TFC-DFA-01	Alarm Control Board for Litespan 2000 DFA Fan Trays (use in # 500-1100-XXX)	ATT.200006507	45
TF-ACABTZ-01A	48V HX (Tarzan) for Litespan 2000 (LSC-2030) Cabinet w/ Adapter Cable	ATT.200003610	46
TF-ACABLHX-01	48V Heat Exchanger (Lower) for Litespan 2000 LSC-2030 Cabinet	ATT.200008231	46
TF-LRA25B50-01	24V Fan for A25B50 Rectifier Unit (Lorain / Marconi) w/ 3 Wire Plug		47
TF-LPCM-01	24V Fan (80mm) for Lorain V15F50/P Power Conversion Module (fan only)	ATT.200008584	47
TF-LPM-01	48V Fan for Lorain Power Module w/ Power Prongs (fan only - for 427215900)	ATT.200004559	47
TF-MESACL-01	48V Fan for Marconi Current Limiter w/ 3 Wire Plug	ATT.200008091	47
TF-MCABTZ-01	48V HX (Tarzan) for Marconi Mesa "Top" HX Cabinet w/ 3 Wire Plug	ATT.200003621	48
TFCS-MATP	Mesa Alarm Test Plug (PACK OF 6) (used to troubleshoot fans at the Mesa 6 ECU)	ATT.200010351	48
TF-MESA6-01	48V HX for Marconi Mesa "Bottom" HX Cabinet w/ 3 Wire Plug	ATT.200004564	48
TF-MARCTOP-01	48V Fan for Marconi Cabinet (Top/Inside) w/ Power Prongs		CALL
TFC-FA400-01	Alarm Control Board Replacement for Marconi Mesa Master Tray	ATT.200008571	49
TF-FA400-01	48V Fan for Marconi Mesa Cabinet Master Fan Tray w/ 3 Wire Plug	ATT.200005890	49
TF-FA400-02	48V Fan for Marconi Mesa Cabinet Slave Fan Tray w/ 3 Wire Plug	ATT.200005888	49
TFC-MARC6-01	6 Position Environmental Ctrl Unit (ECU) for Marconi Cbnt (support 6 HX fans)	ATT.200008567	50
TFC-WORX-FAM1	PowerWorx Front Access Fuse Panel (Equiv. to ADC # TFA-FAM)	ATT.200006504	51
TF-SPB-AC01	120VAC Fan for Seiscor / Pulsecom "B" Cabinet w/ Power Prongs		52
TF-SPD-AC01	110VAC Fan for Seiscor / Pulsecom "D" Cabinet w/ Power Prongs & Guard Grill		52
TF-DCORLS-01	48V Fan for Stromberg Carlsson DCO RLS Cabinet Tray w/ 3 Fastons & Power Prongs		52
TF-UMC1000-01	48V Fan (120mm) for Tellabs UMC1000 Tray w/ 3 Wire Plug (use in AFC Tray w/ 6 fans)	ATT.200006913	53
TFC-UMC1000-06	Alarm Control Board for Tellabs UMC1000 6 Fan Tray	ATT.200009886	53
TF-UMC1000-02	48V Fan (80mm) for Tellabs UMC1000 Tray w/ 3 Wire Plug (use in AFC Tray w/ 10 fans)	ATT.200008094	53
TF-UMC1000-03	48V Fan (120mm) for Tellabs UMC1000 Tray w/ 4 Wire Plug (use in Tellabs Tray w/ 8 fans)	ATT.200008233	53
TF-UMC672-01	48V Fan for UMC672 Cabinet w/ 2 Wire Plug (fan only, use with existing metal housing)		53
TF-MC133-02	(133mm) HX for Mesa 768 Cabinet w/ 3 Pin Plug (fan only)	ATT.200004405	54
TF-MC133-05	(133mm) HX for Mesa Sport Cabinet w/ 3 Pin Bulkhead Plug	ATT.200008236	54
TF-CSHX133-01	(133mm) HX for Mesa Sport Cabinet w/ 4 Pin Male Weatherproof Plug (fan only)	ATT.200006914	54
TF-MC133-01	(133mm) HX for Purcell FlexAir 741 Cbnt (Door) w/ 4 Leads & Fastons	ATT.200004388	55
TF-MC175-04	(175mm) HX for Purcell A009 Cabinet w/ Weatherproof Conn. (fan only)	ATT.200004555	55
TF-MC175-04-KIT	(175mm) HX KIT for Purcell A009 Cabinet w/ Wthrprf Connector & Bracket	ATT.200004577	55
TF-SRA200-01	(175mm) Heat Exchanger for SRA-200 Cabinet w/ 3 Wire Plug (fan only)		56
TF-MC175-02	(175mm) Heat Exchanger for Cell Site Mesa 4 NXT Cabinet w/ 3 Wire Plug	ATT.200004403	56
TF-MC175-03	(175mm) Heat Exchanger for Cabinet w/ 3 Pin Plug (fan only)	ATT.200004389	56
TF-MC175-01	(175mm) Heat Exchanger For Siemens 914EX Metro MXU Cabinet w/ 2 Wire Open End (fan only)		57
TF-914EHX-01	48V Heat Exchanger for Siemens 914E RT Cabinet w/ Power Prongs		57
TF-914EXMET-01	48V Fan for Siemens 914EX Metro MXU Fan Tray w/ Power Prongs		57
TF-HX175LP-01	(175mm) " Low Profile " HX for Calix ODC Cabinet Door w/ Grommet, 4 Leads & Fastons		58
TF-HX220LP-01	(220mm) " Low Profile " HX for Calix ODC-1000 Cbnt w/ 4 Leads & Fastons		58
TF-OPM640HX	(175mm) " Low Profile " HX for OPM 640 Cabinet (Retro Fit Roof) w/ 3 Wire, 4 Pin Plug		59
TF-AFCHX-01	(175mm) " Low Profile " HX for AFC Fan Unit found in OPM Cabinets w/ 2 Wire, 4 Pin Plug		59
TF-CATNHX-01	(175mm) " Low Profile " HX for Catena Cabinet w/ (1) 2 Wire Plug & (1) 3 Wire, 4 Pin Plug		59
TF-MC179-01A	Heat Exchanger for Mesa Bridge Cabinet (Upper - Internal) w/ 4W (F) Weatherproof Plug		60
TF-MC179-01	Heat Exch. for Mesa Bridge Cabinet (Lower - Door) w/ 4W (F) Wthrprf Plug	ATT.200006912	60
TF-CQ250-01	(250mm) Heat Exchanger for Ice Qube Cabinet w/ 4 Wire Open End	ATT.200009347	60
TF-AFC672-01	48V Fan for AFC Cabinet Heat Stack w/ Power Prongs	ATT.200008227	60



Part #	Description	PG #
OSP CABINET / TRAY FANS & ALARM CONTROL BOARDS - continued from previous page		
TF-CLX225-01	(225mm) HX Impeller Fan (Upper) for Calix ODC Cabinet w/ 4 Wire Female Plug, (14" cable)	61
TF-CLX225-02	(225mm) HX Impeller Fan (Upper) for Calix ODC Cabinet w/ 4 Wire Female Plug, (30" cable)	61
TF-CLX225-03	(225mm) HX Impeller Fan (Lower) for Calix ODC Cabinet w/ 4 Wire Male Plug, (30" cable)	61
TF-CLX133-01	(133mm) HX Impeller Fan (Upper/Lower) for Calix Cabinet w/ 4 Wire Plug	61
TF-CLXODC-01F	48V Heat Exchanger for Calix ODC Stack w/ 2 Wires & Fastons	62
TF-TX38HX-01	(225mm) HX for Mclean ClimaGuard Cabinet Cooler w/ 4 Wire Weatherproof Connector	62
TF-TX33HX-01	(175mm) HX for Mclean ClimaGuard Cabinet Cooler w/ 4 Wire Weatherproof Connector	62
TF-MCCHX-AC01	110VAC HX Blower for Reltec / McLean Cabinet w/ Power Plug & Adapter Plate (fan only)	63
TF-MCCHX-AC0R	110 VAC HX (Right) Blower for Reltec/McLean Cabinet w/ Power Plug & Adapter Plate (fan only)	63
TF-ES660-01	24V (60x25mm) Fan for Lucent ES660 Rectifier Unit w/ 2 Wire Plug	64
TF-RECARGUS-01	12V (80mm) Fan for Argus Rectifier w/ 2 Wire Plug	ATT.200009346 64
TF-RECARGUS-02	24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug	ATT.200009348 64
TF-RECARGUS-03	24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug (threaded inserts)	ATT.200009345 64
TF-RECARGUS-04	12V (120mm) Fan for Argus Rectifier w/ 2 Wire Open End	64
TF-MESA384-01	48V (Top External) HX for Mesa DSLAM 384 Cbnt w/ 4W Rnd (F) Wthprf Plug	ATT.200004565 65
TF-MESA384-02	48V (Internal) HX for MESA 384 Cbnt w/ 4 Wire Square Female Plug	ATT.200008230 65
TFC-MESA-04	4 Port ECU (used in Mesa 2 - DSLAM 192 & DSLAM 384 Type Cabinets)	ATT.200006902 65
TFC-MESA-02	2 Port Environmental Control Unit (ECU) (used in Mesa 2-DSLAM 192 Type Cabinet)	ATT.200006901 CALL
TFC-MESA246-01	6 Fan Environmental Control Unit (ECU) for Remote Cabinet Sites	ATT.200006905 66
TFCS-MESA246-08	Extension Cable for Mesa Fan Controllers found in Mesa, 52, 192 & 384 type cabinets	ATT.200006907 66
TFCS-M225TP	Extension Cable for Mesa 246 ECU to Upper Cabinet Fan, (20')	ATT.200009335 66
TF-MC225-01	(225mm) Heat Exch. for Mesa Cabinet (Top) w/ Round Wthprf Plug (fan only)	ATT.200002990 67
TF-MC225-02	(225mm) Heat Exchanger for Mesa Cabinet (Bottom) w/ 4 Wire Plug (fan only)	ATT.200002991 67
TF-MC225-02-KIT	(225mm) Heat Exch. KIT for Mesa Cabinet (Bottom) w/ 4 Wire Plug & Bracket	ATT.200002992 67
TFC-MESA-01	2 Port Mesa Cell Site Cabinet ECU (used in: XL, SOLE, Span XL, Bridge, Edge & Sport)	ATT.200008586 68
PCU REPAIRS	TAG Inc. REPAIRS MARCONI / RELTEC / TELLABS POWER CONTROL UNITS (PCU's) (power supply - type 1) CALL before ordering PID / OIN numbers	PID/OINs are available - CALL 69
T-DFAB-02	2 Channel (-48VDC) Fan Tray Alarm Converter (-48VDC to Ground Alarm)	ATT.200010348 CALL
T-DFAB-05	(+5VDC) Fan Tray Alarm Converter (+5VDC to Ground Alarm)	ATT.200010347 CALL
Refurbished Fan Trays – 20 New Items Available for AT&T (FOLLOW REPAIR PROCESS THROUGH UPFRONT)		
TFR-ALC7330-01	TAG Refurbishment, 7330 VRAD Fan Tray (3FE 24322 (XXXX) (HECI: VAPQAFZFAA,VAPQAFZFAB,VAPQAFZFC,VAPQAFZFAD))	UPFRONT REPAIRS 70
TFR-SLCAPW-01	TAG Refurbishment, Reltec/McLean SLC APW Fan Tray (UJB17H48S22)	UPFRONT REPAIRS 70
TFR-ALC1000-01	TAG Refurbishment, Alcatel 3EC15478 Fan Unit (HECI: VAMYAAMGAA)	UPFRONT REPAIRS 70
TFR-UMC1000-06	TAG Refurbishment, Tellabs UMC1000 Fan Tray - 6 Fans (AFC Tray # 0310-1716 or 8650-0414)	UPFRONT REPAIRS 71
TFR-UMC1000-08	TAG Refurbishment, Tellabs UMC1000 Fan Tray - 8 Fans (Tellabs Tray # 4125013, 4195091, 4515090)	UPFRONT REPAIRS 71
TFR-UMC1000-10	TAG Refurbishment, Tellabs UMC1000 Fan Tray - 10 Fans (AFC Fan Tray F10 # 0310-1716)	UPFRONT REPAIRS 71
TRR-LVD-01	TAG Refurbishment, Marconi / Reltec Low Voltage Disconnect Shelf (LVD) Repair (P/N # 73-16-598)	UPFRONT REPAIRS 71
TRR-GSB-48V	TAG Refurbishment, Midtronics String Charge-Control Device (# GSB-48V)	UPFRONT REPAIRS 71
TRR-MBC-5641	TAG Refurbishment, Marconi String Charge-Control Device (# MBC-5641)	UPFRONT REPAIRS 71
TFR-FA400-04	TAG Refurbishment, Marconi Master FA400 Fan Unit (# FA-400-175-001)	UPFRONT REPAIRS 71
TFR-MARC6-01	TAG Refurbishment, Marconi / Degree C ECU HX Fan Control Unit (P/N # ECU-105682, ECU-105683, ECU-105684)	UPFRONT REPAIRS 71
TFR-LU2A-01	TAG Refurbishment, Lucent 2A Fan Unit	UPFRONT REPAIRS 72
TFR-LU2B-01	TAG Refurbishment, Lucent 2B Fan Unit (COMCODE: 105550420)	UPFRONT REPAIRS 72
TFR-LU2C-01	TAG Refurbishment, Lucent 2C Fan Unit (COMCODE: 106382336/109198341)	UPFRONT REPAIRS 72
TFR-LU4A-01	TAG Refurbishment, Lucent 4A Fan Unit (COMCODE: 106526742)	UPFRONT REPAIRS 72
TFR-LU4B-01	TAG Refurbishment, Lucent 4B Fan Unit (COMCODE: 106527005)	UPFRONT REPAIRS 72
TFR-COM6F-01	TAG Refurbishment, CommScope 6F Fan Tray (HECI: VAUCADY(XXX))	UPFRONT REPAIRS 72
TFR-114A-01	TAG Refurbishment, 114A Fan Control Unit (COMCODE: 106894934)	UPFRONT REPAIRS 72
TFR-LS2000-02	TAG Refurbishment, Litespan 2000 HV PDFA Fan Tray (# 509-0000-086)	UPFRONT REPAIRS 72
TFR-LS2000-44	TAG Refurbishment, Litespan 2000 DFA Fan Tray (# 500-1100-400)	UPFRONT REPAIRS 72

Don't see the fan you are looking for? Send us a sample & we will find a match!

PLEASE CALL: 856-753-8585 or EMAIL: custsvcs@tagcords.com

5ESS Replacement Fans for AT&T



- ▶ All TAG Fans are NEW (No Refurbs)
- ▶ Exact Drop-in Replacements
- ▶ 48V --- DC 0.40A

KS23912L2 Model:

TF-5ESS-03P
5ESS Replacement Fan
w/ 4 Leads & AMP Connector



HECI SPPQABJ

KS22501L3A Models:

TF-5ESS-04F
5ESS Replacement Fan
w/ 5 Leads & Faston Connectors



HECI E5PQAM7

TF-5ESS-04P
5ESS Replacement Fan
w/ 5 Leads & AMP Connector



HECI E5PQAND

KS22501L3 Models:

TF-5ESS-01F
5ESS Replacement Fan
w/ 3 Leads & Faston Connectors
(fan w/ power prongs)



HECI E5PQAM3

TF-5ESS-01P
5ESS Replacement Fan
w/ 3 Leads & AMP Connector
(fan w/ power prongs)



HECI E5PQAM9

DC Fan Power Cords are available for KS22501L3 type fans
(order TAG MODEL # TF-DCPWR-01)

KS23912L1 Models:

TF-5ESS-05F
5ESS Replacement Fan
w/ 3 Leads & Faston Connectors
(fan w/ power prongs)



HECI E5PQAM5

TF-5ESS-05P
5ESS Replacement Fan
w/ 3 Leads & AMP Connector
(fan w/ power prongs)



HECI E5PQANA

KS23912L1A Models:

TF-5ESS-02F
5ESS Replacement Fan
w/ 5 Leads & Faston Connectors
w/ Internal Thermal Speed Control Sensor



HECI E5PQAM8

HECI E5PQAM6

TF-5ESS-02P
5ESS Replacement Fan
w/ 5 Leads & AMP Connector
w/ Internal Thermal Speed Control Sensor



HECI E5PQANE

HECI E5PQANC

KS23398L2 Model:

Square 5ESS Fans
are also available

TF-5ESS-10P
ISLU (Square Fan)
48V --- DC 0.13A
w/ 5 Leads &
AMP Connector



HECI E5PQANG

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Alcatel (1000 / 7300 / DSC ECS1 / 1603)* Replacement Fans

"Alcatel 1000 / 7300"

PN # TF-ALC-01

48V Replacement Fan for
Alcatel 1000 / 7300 Fan Tray
w/ Tach Output & 3 Wire Plug

(use in 3EC 15478 (XXXX), 3EC 37933 (XXXX)
& 3EC 36760 (XXXX) Fan Trays)

AT&T PID #
ATT.200003125



"Alcatel 7300"

PN # TF-AL7300-02

48V Replacement Fan for
Alcatel 7300 Fan Tray
w/ Internal Sensor, Tach Output & 3 Wire Plug
(use in 3EC 16697 (XXXX) Fan Trays)


AT&T PID # ATT.200003124

"DSC / Alcatel ECS1"

PN # TF-DSCECS1-01


48V Replacement Fan for
DSC / Alcatel ECS1 Fan Tray
w/ 3 Wire Plug

AT&T PID # ATT.200000452



"Alcatel 1603"

PN # TF-ALC1603-01
48V Replacement Fan for
Alcatel 1603 Low-Volume Fan Tray
w/ 3 Wire Plug



625052-000-0XX (w/ 4 EXISTING FANS)
(fan tray is not included)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group

Alcatel 1631 / 1680* Replacement Fans

"Alcatel 1631"

PN # TF-ALC1631-01
48V Replacement Fan for
Alcatel 1631 Blower Assembly
w/ Power Prongs

(use in # 695-3363-302 blower assembly)



*(fan only -
use with
existing
guard grill)*

AT&T PID # ATT.200006515

*(fan only -
use with
existing
guard grill)*



AT&T PID # ATT.200004402

"Alcatel 1631"

PN # TF-ALC1631-02
48V Replacement Fan for
Alcatel 1631 Blower Assembly

w/ Power Prongs,
Unterminated Tach Lead & (1) Butt Splice

(use in # 3AL45446AA blower assembly)

"Alcatel 1631"

PN # TF-ALC1631-03
48V Replacement Fan for
Alcatel 1631 APS Blower Assembly
w/ Power Prongs & Unterminated Tach Lead
(use in # 695-8489-001 blower assembly)



*(fan only -
use with existing
guard grill)*

AT&T PID # ATT.200009343

*(fan only -
use with
existing
guard grill)*



"Alcatel 1680"

PN # TF-ALC1680-01
48V Replacement Fan for
Alcatel 1680 OGX Blower Assembly
w/ Power Prongs,
Unterminated Tach Lead & (1) Butt Splice
*(use in # 3EM04820AA blower assembly,
HECI WMMYAA9FAA)*

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group

Ciena (1600 DWDM / DN7100) Replacement Fans

"1600 DWDM"



PN # TF-CN1600-01

Ciena 1600 DWDM


48 Volt Replacement Fan

(includes instruction sheet & (8) new plastic rivets)

(Fan only - use with existing mounting bracket)

AT&T PID #
ATT.200003616

INSTALL THE NEW TAG FAN INTO THE EXISTING MOUNTING BRACKET




"DN7100"

PN # TF-DN7100-01

Ciena DN7100, 12 Volt Replacement Fan

w/ 3 Wire Plug
(Small Fan)
(QTY of 1)



(2) **SMALL FANS**
(ORDER (2) of # TF-DN7100-01)

PN # TF-DN7100-02

Ciena DN7100, 12 Volt Replacement Fan

w/ 3 Wire Plug
(Medium Fan)
(QTY of 1)



(3) **MEDIUM FANS**
(ORDER (3) of # TF-DN7100-02)

AT&T PID #
ATT.200008568

CIENA DN7100 FAN ASSEMBLY
(w/ EXISTING FANS)
(TOP VIEW)



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Replacement Fans (Cisco ONS 15454 / Calix E7 / Kentrox)

PN # TF-C15454-01

48 Volt Replacement Fan for
Cisco ONS 15454 Fan Unit
w/ 3 Wire Right Angle Connector

(use in Fan Tray # 800-21448-02, HECI: WMMYAFEGAA)




CISCO ONS 15454 FAN UNIT (6 FANS)
(fan tray unit is not included)

"ONS 15454"



AT&T PID #
ATT.200005896

"Calix E7"



(40mm x 20mm)

PN # TF-CLXE7-01


12 Volt Replacement Fan for
Calix E7-2 FTA2 Fan Unit
w/ 4 Wire Plug



CALIX E7-2 FTA2 FAN UNIT w/ (4 FANS)
(fan unit is not included)

PN # TF-AI-180

48 Volt Replacement Cooling Fan for
Kentrox AISwitch Series 180 Fan Unit
w/ 3 Wire Right Angle Connector



AICOOL-48 FAN UNIT (8 FANS)
(fan tray unit is not included)

"AISwitch 180"



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Replacement Fans (Datakit / Galaxy Rectifier / Fujitsu)

"Datakit System"



AT&T PID #
ATT.200006911

PN # TF-DATAKIT-01
24 Volt Replacement Fan for
Datakit System
w/ 3 Wire, 4 Pin Connector

"Galaxy 595LTB"



PN # TF-GLX595LTB-01
48 Volt Replacement Fan for
Galaxy 595LTB Rectifier
w/ 4 Wire Plug

"Fujitsu FLM 150"



PN # TF-FLM150-01
48 Volt Replacement Fan for
Fujitsu FLM 150 Fan Tray
w/ 3 Wire Plug

"Fujitsu FW4500"



PN # TF-FW4500-01
48 Volt Replacement Fan for
Fujitsu Flashwave 4500 Fan Unit
w/ 4 Wire Plug

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

(Lorain / Marconi) Replacement Trays & Fans

Vortex V200D50

REPLACE LORAIN / MARCONI
104545 FAN TRAYS

NEW FAN TRY INCLUDES
(3) NEW FANS w/ WIRING HARNESS & CONNECTOR



Ordering Information:


		<u>AT&T PID #</u>
TFT-MRECT	TAG Fan Tray - New TAG Fan Tray Assembly for Vortex Rectifier (Lorain / Marconi 104545) <i>Includes: (1) NEW Fan Tray & (3) NEW 24 Volt Replacement Fans w/ Wiring Harness & Connector (Use in V200D50 Power Conversion Unit, HECI: PBP1FT0DAA, replaces Nidec Model # T34874-MAR)</i>	ATT.200003632
TF-MREC-01 (individual fan)	24V Fan for Vortex V200D50 Rectifier Fan Tray (Lorain / Marconi 104545) w/ 3 Wire Open End - (not shown)	

Vortex V200E50



(fan only - use with existing tray / metal housing)

(top view w/ 2 of the 3 fans removed)



VORTEX RECTIFIER FAN UNIT
w/ EXISTING FANS
(V200E50 type w/ (3) separate trays)

Ordering Information:

		<u>AT&T PID #</u>
TF-MREC-02	24V Fan for Vortex V200E50 Rectifier (Lorain / Marconi) w/ 4 threaded mounting locations & 3 Wire Plug <i>(Use in V200E50 Power Conversion Unit, HECI: PBPUG0V2AA (fan only - use with existing tray / metal housing))</i>	ATT.200003622

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645


Telecom Assistance Group

(Lorain / Marconi) Rectifier Unit Replacement Fans

"AC Fan"



"RHM-400/800 Rectifier"



POWER
PRONGS

Ordering Information:


		<u>AT&T PID #</u>
TF-RHM400-01	220VAC Fan for RHM-400/800 Rectifier Unit (Lorain / Marconi) w/ power prongs <i>(use in RHM400D50 & RHM800E50 Rectifier Units)</i>	ATT.200006518

"DC Fan"



"A50B50* Rectifier"

**V50B50 fans are also available -
see ordering information below*



2 WIRE PLUG

Ordering Information:

		<u>AT&T PID #</u>
TF-LRA50B50-01	48V Fan for A50B50 Rectifier Unit (Lorain / Marconi) w/ 2 Wire Plug	ATT.200005884
TF-LRV50B50-01	24V Fan for V50B50 Rectifier Unit (Lorain / Marconi) w/ 3 Wire Plug - <i>(not shown)</i>	

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Lucent Replacement Fans

"CBX500 OCD"



**AT&T PID #
ATT.200003633**

PN # TF-CBX500-01
12 Volt Replacement Cooling Fan for
CBX 500 OCD
w/ 3 Wire Pins

"FT-2000"



**AT&T PID #
ATT.200005899**

PN # TF-FT201
48 Volt Replacement Fan for
Lucent Fiber Terminal 2000 (FT-2000)
w/ 3 Wire Plug

"Metropolis DMX"



**AT&T PID #
ATT.200003131**

PN # TF-DMXMET-01
48 Volt Replacement Fan for
Lucent Metropolis DMX Fan Shelf
w/ 4 Wire Plug

*Used in Metropolis DMX Fan Shelf -
LUCENT COMCODE NO. 408769172*

"Metropolis DMX Multiplexer"



PN # TF-DMXMET-02
48 Volt Replacement Fan for
**Lucent Metropolis DMX
Access Multiplexer Fan Shelf**
w/ 4 Wire Black Plug

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091


www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Lucent DDM-2000 Replacement Fans

"DDM-2000 (24V)"



**AT&T PID #
ATT.200003126**

** fans can also be ordered without the mounting plate,
order # TF-DDM201, AT&T PID # ATT.200003128*

PN # TF-DDM201-KIT1 *
24 Volt Replacement Fan Kit for
Lucent DDM-2000

Kit includes:

(1) 24V Replacement Fan
&
(1) Mounting Plate



"DDM-2000 (48V)"

PN # TF-DDM202 **
48 Volt Replacement Fan for
Lucent DDM-2000

**AT&T PID #
ATT.200003127**

*(for use in Nidec T35078-LUC 440233,
Lucent Comcode: 408741205)*

*** fan only - this fan is used with the
existing mounting bracket*



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Lucent DACS III / IV* Replacement Fans



AT&T PID #
ATT.20000453



"DACS III / IV"

PN # TF-DACS3/4-01
48 Volt Replacement Fan for
Lucent DACS III / IV
w/ 4 Wire Plug

Equiv. to KS23913L1,

Used in Lucent Fan Assemblies:
DACS III (ED-2C816-30, G1 or ED-2C906-30)
DACS IV (WP92310L4)

DACS IV FAN ASSEMBLY

(WP92310, L4)
(fan assembly is not included)



(back / bottom view)

"DACS III / IV"

PN # TF-DACS3/4-02
48V Replacement Fan for
Lucent DACS III / IV
w/ 5 Wire Plug

Equiv. to KS23913L1,

Used in Lucent Fan Assemblies:
DACS III / IV (WP91473-L3B)



AT&T PID #
ATT.200004391

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

NEC Replacement Fans



← **PN # TF-NEC-01 ***
* Fan only -
For KIT, see ordering
information below


NEC →
**FD-31201A / FD-32401A
LINE TERMINATING
MULTIPLEXER UNIT**



Ordering Information:


TF-NEC-01 NEC 48 Volt Replacement Fan (*fan only*)
TF-NEC01-KIT1 NEC 48 Volt Replacement Fan Kit w/ Mounting Plate & Guard Grill (*not shown*)

AT&T PID #
ATT.200003607
ATT.200003623



← **PN # TF-NEC-02 ****
** Fan only -
For KIT, see ordering
information below

NEC →
**ITS-2400
INTELLIGENT
TRANSPORTER**



Ordering Information:

TF-NEC-02 NEC 48 Volt Replacement Fan (*fan only*)
TF-NEC02-KIT1 NEC 48 Volt Replacement Fan Kit w/ Mounting Plate & Guard Grill (*not shown*)

AT&T PID #
ATT.200003609
ATT.200003606



← **PN # TF-NEC-03 *****
*** Fan only -
this fan is used with
existing hardware

NEC →
**ITS-2400V FL
INTELLIGENT
TRANSPORTER**



Ordering Information:

TF-NEC-03 NEC 48 Volt Replacement Fan (*fan only*)

AT&T PID #
ATT.200003620

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

DMS-100 Replacement Fans

"DMS-100"

PN # TF-DMS01

48 Volt Replacement Fan for
DMS-100 NT3X90AC / NTB63AA
Fan Trays

w/ Power Prongs &
(4) Threaded* Mounting Holes
(screws included)




* also available unthreaded - see ordering information below

DO YOU HAVE BROKEN DMS SENSOR PADDLES THAT NEED TO BE REPLACED?

TAG HAS NEW OPTIONS (where you won't need paddles anymore)
call 856-753-8585 or email www.custsvcs@tagcords.com



EXISTING NT3X90AC FAN TRAY w/ NEW FANS



Ordering Information:

		<u>AT&T PID #</u>
TF-DMS01	48V Fan for DMS-100 NT3X90AC / NTB63AA Fan Trays w/ Power Prongs & (4) Threaded Mounting Holes (<i>screws included</i>)	ATT.200003630
TF-DMS02	48V Fan for DMS-1U NT3X90AC / NTB63AA Fan Trays w/ Power Prongs & (4) Clear, Unthreaded Mounting Holes (<i>not shown</i>)	ATT.200003608

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091


www.tagcords.com

Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group

DMS Fan Alarm Replacement Lamp




TLMP-DMFA-10
DMS Fan Alarm Replacement Lamp,
24V ("Fan Fail" / "Frame Fail")
(QTY of 10)

AT&T PID # ATT.200008569

TLMP-DMFA-25
DMS Fan Alarm Replacement Lamp,
24V ("Fan Fail" / "Frame Fail")
(QTY of 25)


AT&T PID # ATT.200008570

DMS Aisle Alarm Replacement Lamp



TLMP-DMSA-10
DMS Aisle Alarm Replacement Lamp, 48V
(QTY of 10)

AT&T PID # ATT.200008572



150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091


www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

TAG's Universal Fan Tray Replaces 3 Generations of DMS-100 NT3X90 Cooling Units

1. NT3X90AA/AB



"AA/AB" FAN TRAY



2. NT3X90AC



"AC" FAN TRAY



3. NT3X90AF



"AF" FAN TRAY



TAG UNIVERSAL FAN TRAY



TFT-3X9013T

- No 24VAC Inverters
- No Paddle Sensors



NT3X90AA/AB
INSTALLATION
VIDEO



NT3X90AC
INSTALLATION
VIDEO



NT3X90AF
INSTALLATION
VIDEO

TAG's Universal Tray Replaces:

- NT3X90AA/AB
- NT3X90AC
- NT3X90AF

AT&T PID # ATT.200010718

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group


Telephone: (856) 753-8585
Fax: (856) 768-7645

TAG DMS-100 3X9013 Universal Fan Tray


TFT-3X9013T

Universal 48VDC Fan Tray

- **No 24VAC Inverters**
(24VAC inverters cause heat concerns & major equipment failures)
- **No Mechanical Sensors**
(sensor paddles are known to bend & break)



- **Connectorized Universal metal tray with Fan Alarm Board** *(no sensor paddles)*
- **Pre-assembled & works with NT3X90AA, NT3X90AB, NT3X90AC & NT3X90AF Cooling Units**
- **Adapter cables* are supplied for NT3X90AA/AB & NT3X90AF Cooling Units**
**(adapter cables are not used with NT3X90AC)*



Ordering Information:	TAG Universal DMS-100 3X9013 Fan Tray	AT&T PID #
TFT-3X9013T	Includes: (1) Brand New Fan Tray w/ Universal Mounting Holes, (5) TF-DMS03, 48VDC Fans w/ TTL Tach & 3 Wire Plug, (1) Fan Control Board w/ Built in Sensors (no paddles needed), Wiring Labels, Mounting Hardware, (1) Wiring Harness w/ Connector, NT3X90AA/AB & NT3X90AF Adapter Cables & Installation Guide	ATT.200010718

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091


www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax: (856) 768-7645

DMS-100 Replacement Fans

AT&T PID #
ATT.200003614



*(use in Nortel
NT3X90AF
fan trays)*



PN # TF-DMS03
48V Replacement Fan for **DMS-100**
w/ TTL Tach & 3 Wire Plug

NEW Alarm Control Boards are also available,
order # TFC-3X90AF-01 (**AT&T PID # ATT.200006499**)

NORTEL NT3X90AF, →
DMS-100 SWITCH BAY (DC POWERED)
w/ EXISTING FANS (5 FANS PER TRAY)




NORTEL NT3X90AA / NT3X90AB, DMS-100 SWITCH BAY
(AC POWERED) w/ EXISTING FANS (5 FANS PER TRAY)



PN # TF-DMS04C
24 VAC Replacement Fan for **DMS-100**
w/ Power Prongs

*(use in Nortel NT3X90AA &
NT3X90AB fan trays)*

AT&T PID #
ATT.200006516




PN # TF-RX50FF-01
12V Replacement Fan for
Nortel DMS SDM
w/ 3 Wire Plug & Speed Control

AT&T PID #
ATT.200008573

2 FAN TRAYS
(3 FANS PER TRAY)

*(use in Nortel DMS SDM
shelf # NTRX50FF)*



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

DMS-100 / DMS-10 / Carrier VoIP Replacement Fans

AT&T PID #
ATT.200008092



"DMS-100"

PN # TF-DMS-NTRX91
DMS-100, 48 Volt Replacement Fan
w/ 3 Wire Plug

(use in NTRX91AA / NT0X91AA fan units)
(MVIE and CSDM bays), CLEI: ENMYACM


AT&T PID #
ATT.200008574



"DMS-10"

PN # TF-DMS10-01
DMS-10, 48 Volt Replacement Fan
w/ Power Prongs

(fan only,
use with existing mounting bracket)



(fan only,
arm assembly
is not included)

"Nortel IW SPM-IP"

AT&T PID #
ATT.200008577


PN # TF-DMS-FOS
Nortel IW SPM-IP
48 Volt Replacement Fan

(use in NTLX56AA fan assemblies,
found in Nortel IW SPM-IP NTLX55AA cooling units)

"Media Gateway 9000"

PN # TF-MG9K-01
Nortel / GENBAND Media Gateway 9000
48 Volt Replacement Fan
w/ 3 Wire Plug

(use in NTTY18AA Cooling Unit)



AT&T PID #
ATT.200008585

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

DMS-500/250 DPCC XA-Core Blower Drawer Impeller Replacement

"Impeller Fan for DMS Blower Drawer"

PN # TF-DMSLGN6-01


**(225mm) Replacement Impeller Fan for
DMS-500/250 DPCC XA-Core
Blower Drawer**

w/ 4 Wire Plug




*(fan only, use in existing
tray # NTLX10AA,
drawer # NTLX11AA)*

NT9X01JF DPCC



Existing 225mm Impeller Fan



**(3) BLOWER DRAWERS
LOCATED AT THE
BOTTOM OF THE BAY**

(tray # NTLX10AA, drawer # NTLX11AA)

Ordering Information:

TF-DMSLGN6-01

**(225mm) Replacement Impeller Fan for
DMS-500/250 DPCC XA-Core Blower Drawer
w/ 4 Wire Plug**

(fan only, use in existing tray # NTLX10AA, drawer # NTLX11AA)

AT&T PID #

ATT.200008590

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group

DMS-100 Dual-Scroll Blower Replacement Unit



► **NEW Drop-in Replacement**

**DMS-100 DUAL-SCROLL
REPLACEMENT BLOWERS**




(used in
NT9X950 "w/ hanging blowers"
(replaces # A0383325 & A0381714))

(Commonly found in
DPCC / LIM / ENET bays)

w/ (2) CONNECTORS:

- (1) 4 PIN PLUG
&
(1) 3 PIN PLUG*

*(includes adapter cable,
TFCs-DMSMCL3)



**NT9X950
HAS (3) BLOWER UNITS PER BAY**

Ordering Information:

TF-DMSMCL-02	DMS-100 Dual-Scroll Blower Replacement Unit w/ (1) 4 pin plug & (1) 3 pin plug <i>includes (1) 3 pin adapter cable (# TFCs-DMSMCL3) (used in NT9X950 "w/ hanging blowers" (replaces # A0383325 & A0381714)) (commonly found in DPCC / LIM / ENET bays)</i>	AT&T PID # ATT.200008095
TFC-DMSAPW-3	Alarm Board for DMS LIM/ENET Blower - (not shown)	ATT.200009341

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645


Telecom Assistance Group

DMS-100 DPCC SuperNode Blower "Squirrel Cage" Replacement

► **NEW Drop-in Replacement** **DMS DPCC XA-CORE** **SUPERNODE "SQUIRREL CAGE"** **REPLACEMENT BLOWERS**

(use in **NT9X01BC DPCC** w/ Power Distribution Alarm Board (replaces **A0345301**))


NT9X01BC DPCC



ALARM BOARD




CONTROL BOX w/ WIRING HARNESS



8" Adapter Cable
(connect the square plug to the power distribution alarm board)

NT9X01BC DPCC HAS (4) BLOWER UNITS PER BAY

"SQUIRREL CAGE" w/ INTEGRAL MOTOR



Ordering Information:

TF-DMSLGN5A DMS-100 DPCC XA-Core SuperNode Blower "Squirrel Cage" Replacement w/ 4 Wire Square Plug Adapter Cable (# *TFCS-DMSLGN5F2S*)
(use in NT9X01BC DPCC w/ Power Distribution Alarm Board (replaces A0345301))

AT&T PID #
ATT.200008587

TF-DMSLGN5 DMS-100 DPCC SuperNode Blower "Squirrel Cage" Replacement w/ Internal Sensor
(use in NT9X01XX DPCC, (replaces A0345301))

ATT.100108587

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Siemens EWSD* Replacement Fans

"Siemens EWSD"

PN # TF-EWSD-01

48V Replacement Fan for
Siemens EWSD Fan Tray


Square Fan w/ Power Prongs

(fan only, use with existing guard grill)

AT&T PID #
ATT.200008579



(connector view)



SIEMENS EWSD FAN TRAY (10 SQUARE FANS)
(S30050-B5681, fan tray is not included)

"Siemens EWSD"

AT&T PID #
ATT.200008580

PN # TF-EWSD-02


48V Replacement Fan for
Siemens EWSD Fan Tray

Round Fan w/ Power Prongs

(fan only, use with existing guard grill)



(connector view)



SIEMENS EWSD FAN TRAY (6 ROUND FANS)
(S30050-B5877, fan tray is not included)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645


Telecom Assistance Group

Stromberg Carlson DCO Replacement Fans



AT&T PID #
ATT.200008581

PN # TF-DCONHD-01
48 Volt Replacement Fan for
DCO Non High Density CMF Bay
w/ 2 Wire Open End (for splicing)
(Black -48V, Red +48 Return)
Includes: Guard Grill & (1) Butt Splice




AT&T PID #
ATT.200008583

PN # TF-DCOMEF-01
48 Volt Replacement Fan
for **DCO MEF Bay**
w/ 3 Wire Plug



AT&T PID #
ATT.200004392

PN # TF-DCO-02
48 Volt Replacement Fan for
DCO CMF / DTF Bay
w/ 3 Leads & Faston Connectors
(fan only - use with existing guard grill)



PN # TF-DCOCMF-01
48 Volt Fan for
DCO CMF Bay
w/ 3 Leads &
Faston Connectors



PN # TF-DCODCF-01
48 Volt Fan for
DCO DCF Bay
w/ 3 Leads &
Spade Lugs



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Replacement Fans (STP Ring Node / Wideband 3190)

"STP Ring Node"

PN # TF-STPRN-01
48V Replacement Fan for
STP Ring Node Frame/Cabinet
w/ 5 Wire Plug

(fan only, use with existing guard grill)

*(use in Lucent J3F011AE fan unit,
HECI E5DYAAC)*

AT&T PID #
ATT.200006501





"Wideband 3190"



PN # TF-WB3190
48V Replacement Fan for
Wideband 3190 Fan Tray
w/ 3 Wire Plug

AT&T PID #
ATT.200006508

**REPLACE ANY OF THE (3) FANS
IN A WIDEBAND 3190 FAN TRAY**
(fan tray is not included)



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Edgelink Replacement Fans (40mm, 35mm & 80mm)

40mm



PN # TF-EL100-KIT2 *
Edgelink 100 Replacement Fan Kit (40mm)

** Contents of this kit can be ordered separately, see ordering information below.*

Kit includes:

- (1) TF-EL100, Edgelink 100 Replacement Fan (40mm) &
- (1) TF-EL100DET, Edgelink 100 Replacement Detector PC Board (Equiv. to CCA591G1)

35mm




PN # TF-EL100-02
Edgelink 100
Replacement Fan (35mm)



80mm

PN # TF-EL330-01
Edgelink AXX330G1
Replacement Fan
(80mm)



Ordering Information:		<u>AT&T PID #</u>
TF-EL100-KIT2	Edgelink 100 Fan Kit includes: (1) TF-EL100, Edgelink 100 Fan (40mm) (1) TF-EL100DET, Detector PC Board	ATT.200003143
TF-EL100	Edgelink 100 Fan (40mm)	ATT.200003129
TF-EL100DET	Edgelink 100 Detector PC Board (Equiv. to CCA591G1)	
TF-EL100-02	Edgelink 100 Fan (35mm)	ATT.200003130
TF-EL330-01	Edgelink AXX330G1 Fan (80mm) w/ 3 Wire Plug	

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645


Telecom Assistance Group

OSP Cabinet Replacement Fans

"OPAC / OPM"

PN # TF-NTOPAC
 48 Volt Replacement Fan for
Nortel Opac / OPM Cabinet
 w/ Round Weatherproof Connector


*(Replaces Nortel # A0381740 / # A33230 (-51)),
 Fits first generation
 Access Node 800A heat exchangers
 (fan only - use with existing guard grill)*



**WEATHERPROOF
 CONNECTOR**
 on PN # TF-NTOPAC



Looking for fans w/ sealed 3 pin plugs?



Ordering Information:

		<u>AT&T PID #</u>
TF-NTOPAC	48 Volt Replacement Fan for Nortel Opac / OPM Cabinet w/ Round Weatherproof Connector <i>(Replaces Nortel # A0381740 / # A33230 (-51)), Fits first generation Access Node 800A heat exchangers</i>	ATT.200002986
TF-NTOPAC-3	48 Volt Replacement Fan for Nortel Opac / OPM Cabinet w/ 3 Wire Open End (no connector) - (not shown) <i>(Splicing Replacement option for both Access Node 800A & OPAC Cabinets)</i>	ATT.200002987
TF-NTOPAC-02	48 Volt Replacement Fan for Nortel Opac / OPM Cabinet w/ Sealed 3 Pin Plug <i>(Replaces Nortel # A0640820 / # A33230 (-51))</i>	ATT.200002988
TF-NTOPAC-04	48 Volt Replacement Fan for Nortel Opac / OPM Cabinet w/ Sealed 3 Pin Plug <i>(Used with NT7A6986 adapter)</i>	ATT.200008223
TFG-162KIT-01	Guard Grill Replacement Kit for Round 162mm Fans - (not shown) <i>(includes hardware)</i>	


150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Replacement Fans



"ACCESS NODE / 800A"

PN # TF-NTOPAC-05
48V Replacement Fan for
Nortel Opac Access Node Tray
/ 800A Cabinet

w/ 3 Wire (w/ Blue FPS Lead)
& 3 Pin Plug

(use in tray # NT4K0610)



NT4K0610 FAN TRAY (HAS (8) FANS)
(fan tray is not included)



(Charles Tray Fans (92-FAN840-X)
are also available
TF-NTANCFT-01 (ATT.200008228)

Ordering Information:

AT&T PID

TF-NTOPAC-05 (with plug)	48V Fan for Nortel Opac Access Node Tray / 800A Cabinet w/ 3 Wire (w/ Blue FPS Lead) & 3 Pin Plug (use in tray # NT4K0610)	ATT.200008224
TF-NTOPAC-05F (without plug)	48V Fan for Nortel Opac Access Node Tray / 800A Cabinet w/ Power Prongs, Unterminated FPS Lead & (1) Butt Splice (use in tray # NT4K0610)	ATT.200008225
TF-NTANCFT-01	48V Fan for Nortel Access Node / Charles Fan Tray w/ 3 Wire Plug (use in tray # 92-FAN840-X)	ATT.200008228

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Replacement Fans

"DMS-100 OPM BFU / DMS-1 URBAN"

(Not for use in Nortel Access Node Fan Trays)

PN # TF-DMS06

48V Replacement Fan for
Booster Fan Unit (BFU) found in
DMS-100 OPM Cabinets

w/ Power Prongs,
Unterminated Tach Lead
& (1) Butt Splice



UNTERMINATED
TACH LEAD

CAUTION
THIS LEAD
IS LIVE

CAUTION
THIS LEAD
IS LIVE

DO NOT
REMOVE
UNTIL
HOOKUP

DMS-100 OPM CABINET BOOSTER FAN UNIT (BFU) w/ EXISTING FANS



Also used in DMS-1
URBAN EMC RT BAY
(NT4A44AA fan unit)

Ordering Information:

TF-DMS06 **48V Fan for Booster Fan Unit (BFU)**
found in DMS-100 OPM Cabinets
w/ Power Prongs, Unterminated Tach Lead & (1) Butt Splice
(also used in DMS-1 URBAN EMC RT BAY (NT4A44AA fan unit))

AT&T PID #
ATT.200002989

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

80 Type / SLC 2000 Cabinet Solutions for AT&T

New Heat Exchanger, Fan & Alarm Control Replacements

Heat Exchangers




TAG # TF-SLC201-02
AT&T PID # ATT.200002995
 (NEW Heat Exchanger)
(2) MOUNTED ON CABINET SIDE (TOP & BOTTOM)



TAG # TFC-LU4-01
AT&T PID # ATT.200004557
 (NEW Alarm Control Board)

(1) ALARM BOARD PER TRAY

4A / 4B Fan Trays



TAG # TF-SLC201 (NEW 48V Fan)

AT&T PID # ATT.200002993


(2) FAN TRAYS SHOWN IN THIS CABINET (4 FANS TOTAL)

Fans are shown installed in existing fan tray, **the tray IS NOT included**

(NEW Power Cables for 4A/4B Fan Trays are available, order # **TFC-S-LU4APA-06** AT&T PID # **ATT.200008566**)



116A Control Unit (Battery)
 - reverse side of cabinet



116A Board
(1) PER CABINET

TAG # TF-SLCBC-01
AT&T PID # ATT.200006505
 (NEW Battery Cooling Fan)
(1) FAN PER CABINET



Battery Cooling

TAG # TFC-116A-01
AT&T PID # ATT.200006502
 (NEW Alarm Control Board for Lucent 116A Battery Unit)

80 TYPE CABINET (INSIDE VIEW)

114A Control Unit



TAG # TFC-114A-01*

AT&T PID # ATT.200006506

(NEW Heat Exchanger Control Unit)

* if metal housing is not needed,

order # **TFC-LU4-01**
AT&T PID # ATT.200004557











150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
 Fax: (856) 768-7645

80 Type / SLC 2000 Cabinet Solutions for AT&T

New Heat Exchanger, Fan & Alarm Control Replacements

Ordering Information:			
TF-SLC201-02 AT&T PID # ATT.200002995	48V Heat Exchanger for 80 Type Cabinet w/ Screw on Connector <i>(Equiv. to KS23912L4)</i> <i>(80 Type Cabinet - External)</i>	 	
TF-SLC201 AT&T PID # ATT.200002993	48V Fan for SLC 2000 4A / 4B Fan Trays w/ 5 Wire Plug <i>(Equiv. to KS23912L6)</i> <i>(80 Type Cabinet, SLC 2000 Tray - Internal)</i> <i>(Replacement Power Cables for Lucent 4A/4B Fan Trays are available, order # TFCS-LU4APA-06, AT&T PID # ATT.200008566)</i>	 	
TFC-114A-01 AT&T PID # ATT.200006506	114A Fan Control Unit Replacement for 80 Type Cabinet Heat Exchangers <i>(Equiv. to 106894934)</i> <i>(includes metal housing w/ alarm control board)</i>	# TFC-114A-01 	# TFC-LU4-01 
TFC-LU4-01 AT&T PID # ATT.200004557	Alarm Control Board Replacement for Lucent 4A/4B, 4G/SLC 2000 Fan Trays & 114A Control Units <i>(control board only - customer supplied fan trays / 114A housing)</i>		
TF-SLCBC-01 AT&T PID # ATT.200006505	48V Cooling Fan for 80 Type Cabinet Battery Compartment w/ 3 Wire Plug	# TF-SLCBC-01 	# TFC-116A-01 
TFC-116A-01 AT&T PID # ATT.200006502	Alarm Control Board for Lucent 116A Battery Fan Unit <i>(control board only - customer supplied metal housing)</i>	 	

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telecom Assistance Group

Telephone: (856) 753-8585

Fax: (856) 768-7645

OSP Cabinet Replacement Fans & Alarm Control Boards

"Reltec / Mclean APW"

PN # TF-SLCAPW-01

(1) Individual 48V Fan for **SLC 2000 Cabinet - Reltec / Mclean APW Tray**

w/ 3 Wire Open End
(includes (3) butt splices)



(use in existing tray # UJB17H48S22)

NEW Alarm Control Boards are also available, order # **TFC-SLCAPW-4 (ATT.200008220)**



RELTEC / MCLEAN APW FAN TRAY # UJB17H48S22 w/ EXISTING FANS
(FAN TRAY IS NOT INCLUDED)

Ordering Information:

AT&T PID #

TF-SLCAPW-01 (1 fan)	(1) Individual 48V Fan for SLC 2000 Cabinet - Reltec / Mclean APW Tray, w/ 3 Wire Open End & (3) butt splices <i>(use in existing tray # UJB17H48S22)</i>	ATT.200005892
TF-SLCAPW-04 (4 fans)	(4) Individual 48V Fans for SLC 2000 Cabinet - Reltec / Mclean APW Tray, w/ 3 Wire Open End & (12) butt splices <i>(use in existing tray # UJB17H48S22)</i>	ATT.200006511
TFC-SLCAPW-4	Alarm Control Board Replacement for Reltec / Mclean Fan Trays <i>(customer supplied fan tray)</i>	ATT.200008220

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Replacement Fans



(TOP VIEW)



**LUCENT 2A FAN TRAY
HAS (3) FANS (INSIDE VIEW)**
(fan tray is not included)


"Lucent 2A"

PN # TF-LU2A

48 Volt Replacement Fan for
Lucent 2A Fan Tray

w/ 3 Leads & Faston Connectors
(fan only, use with existing guard grills)

(Equiv. to KS22501L5)



***** Fan Tray Refurbs are Available,***
order # TFR-LU2A-01 in UPFRONT -
TAG Refurbishment, Lucent 2A Fan Unit**

**THERE ARE TWO TYPES
of 2A FAN TRAYS (BLUE / TAN)
(INSIDE VIEW of 80A/D CABINET)**

Ordering Information:

TF-LU2A **48 Volt Replacement Fan for Lucent 2A Fan Tray**
w/ 3 Leads & Faston Connectors
(fan only, use with existing guard grills) (Equiv. to KS22501L5)

AT&T PID #
ATT.200002994

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645



Telecom Assistance Group

OSP Cabinet Replacement Fans & Alarm Control Boards



*(Equiv. to
KS22501L5A)*

INSIDE VIEW OF 80A/D CABINET



LUCENT 2B FAN TRAY
w/ (3) EXISTING FANS (BOTTOM VIEW)
(fan tray is not included)

"Lucent 2B / 2C"

PN # TF-LU2B
48 Volt Replacement Fan for
Lucent 2B Fan Tray
w/ 3 Wire Plug

NEW Alarm Control Boards
are also available, order # **TFC-LU2BC-01**,
AT&T PID # ATT.200006513



Ordering Information:

		AT&T PID #
TF-LU2B	48V Fan for Lucent 2B Fan Tray w/ 3 Wire Plug <i>(Equiv. to KS22501L5A)</i>	ATT.200002996
TF-LU2C	48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug <i>(Equiv. to KS22501L5A) - (not shown)</i>	ATT.200002997
TF-LU2C-02F	48V Fan for Lucent 2C Fan Tray w/ 3 Leads & Faston Connectors - <i>(not shown)</i>	ATT.200009333
TFC-LU2BC-01	Alarm Control Board for Lucent 2B & 2C Fan Trays	ATT.200006513
TFCS-2BPWRY-01	Power Cable "Y" for Lucent 2B & 2C Fan Trays <i>w/ 1 Male Connector to Female "Y", (1') - (not shown)</i>	ATT.200006909
TFCS-2BRS-08	Remote Sensing Daisy Chain Cable for Lucent 2B & 2C Fan Trays <i>w/ 2 Wires & Connectors, (8') - (not shown)</i>	ATT.200006910

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Replacement Fans

"SLC96 (36 Type) Cabinet"

PN # TFT-SLC96-AC01
 110VAC Replacement Fan
 w/ Bracket Assembly for
SLC96 (36 Type) Cabinet

(Equiv. to Fan Assembly KS22099L5)

(1) 110VAC Replacement Fan * →

** fans can also be ordered
 separately (without mounting),
 see ordering information below*



&

(1) Mounting Bracket



**FAN ASSEMBLY
 IS FOUND INSIDE
 36 TYPE CABINETS**



Ordering Information:

TFT-SLC96-AC01	110VAC Fan w/ Bracket Assembly for SLC96 (36 Type) Cabinet <i>(Equiv. to Fan Assembly KS22099L5)</i>
TFT-SLC96-AC01L	110VAC (Low Temp) Fan w/ Bracket Assembly for SLC96 (36 Type) Cabinet <i>(Equiv. to Fan Assembly KS22099L5)</i>
TF-SLC96-AC02 (fan only)	110VAC Fan (fan only) for SLC96 (36 Type) Cabinet <i>(includes power wire, (3) butt splices & hardware)</i> <i>(use in Fan Assembly KS22099L5)</i>

AT&T PID

ATT.200008234
ATT.200008235
ATT.200004398

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Replacement Fans

NEW Upgraded Kit
 now includes "Quick Install" Template
 - SAVE TIME, FAST INSTALL -

"Alcatel 7330 VRAD* Fan Kit"

PN # TF-ALC7330-4
Alcatel 7330 VRAD Fan Kit
w/ Quick Install Template Plate



Quick Install Template Plate
 (Quick & Easy Installation -
 Flip this template over onto your fan tray)

Included w/ Kit:

- (4) NEW 48V Replacement Fans w/ Guard Grills
- (1) NEW Wiring Harness w/ Hardwired DB15F
 - includes spare mounting hardware

(use in 3FE 24322 (XXXX) Fan Trays, HECI: VAPQAFZFAD)



KIT SHOWN MOUNTED IN EXISTING VRAD FAN TRAY **
 **(VRAD FAN TRAY IS NOT INCLUDED)



VRAD CABINET -
3FE 24322 (XXXX) FAN TRAY



Ordering Information:

		<u>AT&T PID #</u>
TF-ALC7330-4	Alcatel 7330 VRAD Fan Kit w/ Quick Install Template Plate includes: (4) 48 Volt Replacement Fans w/ Guard Grills & (1) Wiring Harness w/ Hardwired DB15F	ATT.200002985
TF-ALC7330-C	Individual Alcatel 7330 VRAD 48 Volt Replacement Fan w/ 3 Wire Open End (for splicing) - (not shown)	ATT.200002984

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Heat Exchanger Fans

"Purcell ALP-248/448"


PN # TF-PURALP-01



PN # TF-PURALP-02



**PURCELL
ALP-248/448
CABINET**




TOTAL QTY of 13 FANS IN THIS CABINET

**TOP -
(6) FANS IN EACH CABINET
(ORDER TF-PURALP-02)**

**BOTTOM -
(6) FANS IN EACH CABINET
(ORDER TF-PURALP-01)**

**BATTERY
FAN**



**BATTERY -
(1) FAN IN EACH CABINET
(ORDER TF-PURALP-01)**

Ordering Information:

TF-PURALP-01	48V Heat Exchanger Fan for ALP-248/448 (Purcell) Cabinet Door (Bottom) / Battery Cooling w/ 4 Wire Plug (7')
TF-PURALP-02	48V Heat Exchanger Fan for ALP-248/448 (Purcell) Cabinet Door (Top) w/ 4 Wire Plug & Grommet

AT&T PID

ATT.200006510

ATT.200009344

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Heat Exchanger Fans




"Emerson ALP-148E"

PN # TF-PURALP148-01
 48 Volt Replacement Heat Exchanger
 for **ALP-148E (Emerson) Cabinet**
Door (Top)

w/ 4 Wire Male Plug*

**(please call if a female plug is needed)*

EMERSON ALP-148E CABINET



TOTAL QTY of 3
TF-PURALP148-01
CAN BE USED
IN THIS CABINET

TOP DOOR -
(3) FANS IN EACH CABINET

BOTTOM DOOR -
(3) FANS IN EACH CABINET

BATTERY -
(1) FAN IN EACH CABINET

PLEASE CALL
FOR
BOTTOM DOOR
&
BATTERY FANS

Ordering Information:

TF-PURALP148-01 48 Volt Replacement Heat Exchanger for
 ALP-148E (Emerson) Cabinet Door (Top)
 w/ 4 Wire Male Plug

AT&T PID

ATT.200006512

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091


www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Alarm Control Boards

CONTROL BOARD MOUNTED IN EXISTING HOUSING




EMERSON ALP-248E / 448E CABINET (INSIDE VIEW)

"Emerson ALP-248E / 448E"

PN # TFC-248E-01
Alarm Control Board for Emerson ALP-248E / 448E Cabinet Battery Compartment Vent Fan (includes (4) plastic rivets)
(Equiv. to TC05001)

AT&T PID # ATT.200009342



(control board only, use in existing metal housing)

"Calix ODC-2000"


PN # TFC-CALIX2KHx
Alarm Control Board for Calix ODC-2000 Cabinet HX Controller



(control board only, use in existing housing)

NEW HX Power Cables are also available, order # **TFCS-CLX2KHx** (call for pricing)

CONTROL BOARD MOUNTED IN EXISTING HOUSING



CALIX ODC-2000 CABINET (INSIDE VIEW)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Replacement Fans



"6D/F"

AT&T PID #
ATT.200004404

PN # TF-COM6DF-01

48V Fan for **CommScope Cabinet, 6D/F Bay, HECI VAUCADY(XXX)** w/ Internal Thermal Sensor & 3 Wire, 6 Pin Connector (4' cable)
(Commonly used w/ existing 6 pin to 4 pin adapter cable in fan tray)



"6D/F"

AT&T PID #
ATT.200008221

PN # TF-COM6DF-04

48V Fan for **CommScope Cabinet, 6D/F Bay, HECI VAUCADY(XXX)** w/ Internal Thermal Sensor & w/ 3 Wire, 4 Pin Connector (4' cable)
(Commonly used w/ existing 4 pin adapter cable in fan tray)



"ALP" (HX Door)

AT&T PID #
ATT.200006509

PN # TF-COM6DF-02

48V Fan for **CommScope Cabinet, ALP HX Door** w/ 5 Wire, 6 Pin Connector (4' cable)
(Commonly used w/ existing 100k thermistor extension cable)



"6B/C" (HX Door)

AT&T PID #
ATT.200005885

PN # TF-COM6BC-01

48V Fan for **CommScope Cabinet, 6B/C Battery / ALP HX Door** w/ 3 Wire, 4 Pin Connector (4' cable)



"52 or 82" (HX Door)

AT&T PID #
ATT.200008219

PN # TF-COM6DF-02R

48V Fan for **CommScope 52/82 Cabinet, HX Door** w/ 5 Wire, 6 Pin Connector (4' cable)

(includes 10k thermistor extension cable, # TFCS-COM6TR - (equiv. to 860 540 530), 5 Wire 6 Pin to 3 Wire 4 Pin)

100k thermistor cables (860 427 335) are also available, # TFCS-COM6TA-01 (AT&T PID # ATT.200010346)



"52E" (Battery)

AT&T PID #
ATT.200008222

PN # TF-COM52E-01

48V Fan for **CommScope 52E Cabinet, Battery** w/ (1) 2 Wire, 4 Pin Conn. & (1) 2 Wire, 2 Pin Conn. (4' cable)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telecom Assistance Group

Telephone: (856) 753-8585
Fax : (856) 768-7645

OSP Cabinet Replacement Salt Air Door Fan Tray

"CommScope ALP 448/248"

PN # TFT-COM48B-01


3 Fan Stainless Steel Assembly for CommScope ALP 448/248 HX Door Fans

(Replacement for HX FAN ASSY: CMMI860481399)



COMMSCOPE ALP 448/248 CABINET

Replace RUSTY Fan Assemblies Caused by SALT AIR



Ordering Information:

TFT-COM48B-01

3 Fan Stainless Steel Assembly for CommScope ALP 448/248 HX Door Fans
includes: (3) NEW 48V FANS (# TF-COM6DF-02B, w/ 5 Wire, 6 Pin Connectors) & Grommet

AT&T PID #

ATT.200010349

TFT-COM48B-02

Stainless Steel Plate for CommScope ALP 448/248 HX Door Fans (plate only)

ATT.200010350

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax : (856) 768-7645

OSP Cabinet Heat Exchanger Fans


"Noren Cooling Unit"

AT&T PID #
ATT.200004561



PN # TF-NP0402-01
48 Volt Replacement Heat Exchanger for
Noren Cooling Unit - Internal (6.71K)
w/ 3 Wire Open End & 3 Butt Splices

Internal fan (circulates the air inside the cabinet, located on lower half)



AT&T PID #
ATT.200004560



PN # TF-NP0414-02
48 Volt Replacement Heat Exchanger for
Noren Cooling Unit - External (8.45K)
w/ 3 Wire Open End & 3 Butt Splices

External fan (circulates the air outside the cabinet, located on top half)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Replacement Heat Exchangers / Fans

"Fujitsu 6200"



PN # TF-FUJ6200-01
 48V Replacement Heat Exchanger for
Fujitsu 6200 Cabinet
w/ 5 Wire Plug

AT&T PID # ATT.200002981

FUJITSU 6200 CABINET HAS (2) HEAT EXCHANGERS (LEFT & RIGHT SIDES)



PN # TF-FUJ6200-02
 48V Replacement Fan for
Fujitsu 6200 Cabinet Tray
w/ Power Prongs

AT&T PID # ATT.200008226



PN # TF-FUJ6200-03
 48V Replacement Fan for
Fujitsu 6200 Cabinet Tray
w/ 3 Wire Open End & Power Prongs

AT&T PID # ATT.200009340

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Fans & Heat Exchangers

"AISCOUT"



**48V
(80mm)**

PN # TF-AI-SCT-01
48V (80mm) Fan for
AISCOUT Shelf
w/ 3 Wire Right Angle Plug

**AT&T PID #
ATT.200009336**

"Opti 6100"




**12V
(120mm)**

PN # TF-OPTI-01
12V Fan for **Opti 6100 Fan Trays**
w/ 3 Wire Plug
(use in Adtran EFANM tray # 1184508L2)

**AT&T PID #
ATT.200008589**

"Nokia 7342 Rolt"



**48V
(120mm)**

PN # TF-ALC7342-01
48V Fan for
Nokia 7342 Rolt Fan Tray
w/ 4 Wire Plug

**AT&T PID #
ATT.200008582**

"Telamon / Ciena 5150"



**48V
(120mm)**

**AT&T PID #
ATT.200008097**

PN # TF-CN5150HX-01
48V Heat Exchanger for
Telamon / Ciena 5150
EMUX Cabinet Door
w/ 4 Wires & Seated Connector

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Replacement Fans & Alarm Control Boards

"Litespan PDFA"



PN # TF-LS2000-01


48 Volt Replacement Fan for
Litespan 2000 Power Distribution (PDFA)
w/ 3 Wire Plug & Guard Grill (includes plastic rivets)

AT&T PID # ATT.200002982

NEW Alarm Control Boards
are also available,
order # **TFC-PDFA-X2**,
AT&T PID # **ATT.200009885**




(2 ALARM CONTROL BOARDS
ARE USED IN EACH TRAY)



USE IN PDFA FAN ASSEMBLY,
FAN TRAY # 500-1126-723
(fan tray is not included)

PN # TF-LS2000-02
48 Volt Replacement Fan for
Litespan 2000 High Velocity PDFA
w/ 3 Wire Right Angle Connector
(includes plastic rivets)

"Litespan High Velocity PDFA"



NEW Alarm Control Boards
are also available,
order # **TFC-PDFA-01**,
AT&T PID # **ATT.200009332**



AT&T PID # ATT.200002983

HIGH VELOCITY PDFA FAN ASSEMBLY,
FAN TRAY # 509-0000-086 / 509-0000-163
(fan tray is not included)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Replacement Fans & Alarm Control Boards

"LS2000 Heat Exchangers"



AT&T PID #
ATT.200004394



PN # TF-LS2KSB-01
48V Heat Exchanger for
Litespan 2000
Cabinet Heat Stack
w/ Power Prongs

PN # TF-LS2000-03
48V Heat Exchanger for
Litespan 2000 Cabinet Heat Stack
w/ 3 Unterminated Leads -
Red (+48 Return), Black (-48V), Blue (Sensor)
Includes (3) Butt Splices

LS2000 CABINET (OUTSIDE VIEW)




"DFA Fans & Alarm Control Boards"

PN # TF-LS2000-44
Litespan 2000 DFA Fan Kit

AT&T PID #
ATT.200004556

Kit includes:

- (4) NEW 48V Fans w/ Guard Grills
- includes (16) plastic rivets & (4) zip ties
- (1) NEW Wiring Harness w/ 12 Wire Plug



KIT SHOWN INSTALLED IN EXISTING DFA FAN TRAY *
**(DFA FAN TRAY IS NOT INCLUDED)*

NEW Alarm Control Boards
are also available,
order # **TFC-DFA-01**,
AT&T PID # ATT.200006507



use in existing DFA,
DC Fan Assembly **500-1100-XXX**

*Individual fans (for splicing) can also be ordered,
for a qty of (1) fan, order # TF-LS2000-04
(AT&T PID # ATT.200004558)*

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645


Telecom Assistance Group

OSP Cabinet Heat Exchanger Fans


"LS2000 / 2030 - Tarzan"

PN # TF-ACABTZ-01A
48V Heat Exchanger (Tarzan) for
Litespan 2000 (LSC-2030)
Cabinet Heat Stack

AT&T PID #
ATT.200003610



Includes: (1) Adapter Cable (# TFCS-ACABTZX)
& (3) Butt Splices



w/ (1) - 2 Wire Amp Connector
(Power, red / black wires)
&
(1) - 1 Wire Amp Connector
(Alarm, blue wire)

DSC LITESPAN 2000
LSC-2030 CABINET
(INSIDE VIEW OF HEAT STACK)

"LS2000 / 2030 - Lower"

PN # TF-ACABLHX-01
48V Heat Exchanger (Lower) for
Litespan 2000 (LSC-2030) Cabinet

w/ (1) - 2 Wire Amp Connector
(Power, red (+) / black (-) wires)
&
(1) - 1 Wire Amp Connector
(Sensor, blue wire)



AT&T PID #
ATT.200008231

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091


www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group


OSP Cabinet Replacement Fans

"A25B50 Rectifier"



PN # TF-LRA25B50-01
 24 Volt Replacement Fan for
A25B50 Rectifier Unit
 (Lorain / Marconi)
 w/ 3 Wire Plug

"Current Limiter"



AT&T PID #
ATT.200008091

PN # TF-MESACL-01
 48 Volt Replacement Fan for
Marconi Current Limiter
 w/ 3 Wire Plug

"Power Conversion Module"



AT&T PID #
ATT.200008584

PN # TF-LPCM-01
 24 Volt Replacement Fan (80mm) for
Lorain Power Conversion Module
 w/ 3 Wire Male Plug
*(fan only - use in existing
 Lorain V15F50/P Power Conversion Module)*

"Power Module"



POWER PRONGS
 PLUG WIRES:
 YELLOW (+)
 BROWN (-)

AT&T PID #
ATT.200004559

PN # TF-LPM-01
 48 Volt Replacement Fan for
Lorain Power Module
 w/ Power Prongs
*(fan only - use in existing
 Lorain 427215900 Power Modules)*

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Heat Exchanger Fans

"Marconi Mesa (Top) - Tarzan"

PN # TF-MCABTZ-01

48 Volt Replacement Heat Exchanger for
Marconi Mesa "Top" HX Cabinet
(Tarzan)

w/ 3 Wire Plug
Includes (3) Butt Splices

AT&T PID #
ATT.200003621



PN # TFCS-MATP-06
Mesa Alarm Test Plug Kit

*(used to troubleshoot fans
at the Mesa 6 ECU)*



AT&T PID #
ATT.200010351

(Pack of 6)


"Marconi Mesa (Bottom)"

PN # TF-MESA6-01

48 Volt Replacement Heat Exchanger for
Marconi Mesa "Bottom" HX Cabinet

w/ 3 Wire Plug

AT&T PID #
ATT.200004564



**3 WIRE
PLUG**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Replacement Fans & Control Boards



AT&T PID # ATT.200008571

PN # TFC-FA400-01
Alarm Control Board
Replacement for
Marconi Mesa Master Tray

"Marconi Mesa Fan Tray - Master"

PN # TF-FA400-01
 48V Replacement Fan
 for **Marconi Mesa Master Fan Tray**
 w/ 3 Wire Plug

*(use in EBM -
 LP98638, Master Tray
 # FA-400-175-001)*
(fan tray is not included)



AT&T PID #
ATT.200005890



"Marconi Mesa Fan Tray - Slave"

PN # TF-FA400-02
 48V Replacement Fan
 for **Marconi Mesa Slave Fan Tray**
 w/ 3 Wire Plug

*(use in EBM / Papst -
 # FA-400-175-002)*
(fan tray is not included)



AT&T PID #
ATT.200005888



150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

6 Position Environmental Control Unit (ECU) Replacement for Marconi Cabinet

TFC-MARC6-01



MARCONI CABINET w/ ECU




- Drop-In Replacement for Remote Cabinet (Sites)
- Variable Speed Control 2, 4 or 6 HX Fans
- Battery Life Conservation
- Heat Exchanger Fan Life Conservation
- Reduces Energy Costs
- Plug & Play (no programming)
- Alarms for Fans, Fuses, High Temps & Intrusion

PN # TFC-MARC6-01
6 Position ECU
Environmental Control Unit
for Marconi Cabinet
(supports 6 HX fans)

(BACK VIEW)



(FRONT VIEW)



Ordering Information:

TFC-MARC6-01

6 Position Environmental Control Unit (ECU) for Marconi Cabinet
(supports 6 HX fans)

Includes: (2) # TFCS-MESA30-12, Temperature Sensors

AT&T PID #


ATT.200008567

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
 Fax : (856) 768-7645

PowerWorx Front Access Fuse Panel Replacement



PN # TFC-WORX-FAM1
PowerWorx Front Access
Fuse Panel Replacement
(Equiv. to ADC # TFA-FAM)

Used for:

Identification and rework defective alarm circuit board in the PowerWorx Fuse Panel (PWX-002FGCSD10PWDP)

Issue:

Defective Alarm Circuit Board in the PowerWorx Fuse Panel incorrectly sets remote power alarm. Alarm contact closure has a dead short across normally open and common contacts indicating power distribution or power bus trouble. This problem only affects the ability to monitor local or remote alarms in the ADC PowerWorx distribution panel.

Ordering Information:

TFC-WORX-FAM1 **PowerWorx Front Access Fuse Panel**
(Equiv. to ADC # TFA-FAM)
(used in Remote Cabinet Sites)

AT&T PID #
ATT.200006504

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Replacement Fans



"Seiscor / Pulsecom D"

PN # TF-SPD-AC01
 110VAC Replacement Fan for
 Seiscor / Pulsecom "D" Cabinet

w/ Power Prongs & Guard Grill

*(includes power wire,
 (3) butt splices & hardware)*

SEISCOR / PULSECOM "D" CABINET →
(INSIDE VIEW OF FAN MOUNTED IN THE CEILING)




*Fans are also available for the
 Seiscor / Pulsecom "B" Cabinet
 (order PN # TF-SPB-AC01)*

"Stromberg Carlson DCO RLS"

PN # TF-DCORLS-01
 48 Volt Replacement Fan for
 Stromberg Carlson DCO RLS
 Cabinet Fan Trays

*w/ 3 Leads, Faston Connectors
 & Power Prongs*



← **TOP VIEW OF DCO RLS
 CABINET FAN TRAY**
*(tray has (4) fans
 (fan tray is not included)*

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Replacement Fans & Alarm Control Boards

"UMC1000 (6-Fan Tray)"



PN # TF-UMC1000-01
 48V Fan (120mm) for
 Tellabs UMC1000 Fan Tray
 w/ 3 Wire Plug

(use in AFC Tray # 0310-1716 or 8650-0414)

NEW Alarm Control Boards
 are also available, order
 # TFC-UMC1000-06 (ATT.200009886)


"UMC1000 (8-Fan Tray)"



PN # TF-UMC1000-02
 48V Fan (80mm) for
 Tellabs UMC1000 Fan Tray
 w/ 3 Wire Plug

(use in AFC Fan Tray F10 # 0310-1716)

"UMC672 Cabinet"



PN # TF-UMC672-01
 48V Fan for
 Tellabs UMC672 Cabinet
 w/ 2 Wire Plug

(fan only, use with existing metal housing)

"UMC1000 (10-Fan Tray)"



PN # TF-UMC1000-03
 48V Fan (120mm) for
 Tellabs UMC1000 Fan Tray
 w/ 4 Wire Plug

(use in Tellabs Tray # 4125013, 4195091, 4515090)

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Heat Exchanger Fans

"Mesa 768 Cabinet"


(133mm)



**AT&T PID #
ATT.200004405**

*(fan only - use with existing
mounting bracket)*

PN # TF-MC133-02
**(133mm) Heat Exchanger for
Mesa 768 Cabinets**
w/ 3 Pin Plug



(133mm)



**AT&T PID #
ATT.200008236**

**3 PIN MALE
BULKHEAD PLUG**

"Mesa Sport Cabinet"

PN # TF-MC133-05
**(133mm) Heat Exchanger for
Mesa Sport Cabinets**
w/ 3 Pin Male Bulkhead Plug

*(fan only - use with existing
mounting bracket)*

"Mesa Sport Cabinet"

PN # TF-CSHX133-01
**(133mm) Heat Exchanger for
Cell Site Mesa Sport Cabinets**
w/ 4 Pin Male Weatherproof Plug

*(fan only - use with existing
mounting bracket)*

**AT&T PID #
ATT.200006914**

(133mm)



**4 PIN MALE
WEATHERPROOF PLUG**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Heat Exchanger Fans

" Purcell FlexAir 741 Cabinet "


(133mm)



AT&T PID #
ATT.200004388

*fan only -
use with existing bracket*

PN # TF-MC133-01
(133mm) Heat Exchanger for
Purcell FlexAir 741 Cabinet (Door)
w/ 4 Leads & Faston Connectors



**VIEW OF CABINET w/ THE DOOR OPEN
AND FAN COVER PLATE REMOVED**

PN # TF-MC175-04
(175mm) Heat Exchanger for
Purcell A009 Cabinet
w/ Weatherproof Connector



AT&T PID #
ATT.200004555

-(fan only)

AT&T PID #
ATT.200004577

-(Kit w/ Bracket)

(175mm)



*fan only, use with existing bracket -
(for Fan Kit with Bracket,
order # TF-MC175-04-KIT)*

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Heat Exchanger Fans

"SRA-200 Cabinet"

PN # TF-SRA200-01
(175mm) Heat Exchanger for
SRA-200 Cabinet
w/ 3 Wire Plug

*(fan only,
use with existing mounting bracket)*



(175mm)

AT&T PID #
ATT.200004403



(175mm)

"Mesa 4 NXT Cabinet"

PN # TF-MC175-02
(175mm) Heat Exchanger for
Mesa 4 NXT Cell Site Cabinet
w/ 3 Wire Plug


*(fan only,
use with existing fan assembly)*

(Common Fan Replacement for
Siemens ICN Assembly: 087-23500-10)

"OSP Cabinet"

PN # TF-MC175-03
(175mm) Heat Exchanger for
OSP Cabinet
w/ 3 Wire Plug

*(fan only,
use with existing fan assembly)*



(175mm)

AT&T PID #
ATT.200004389

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Replacement Heat Exchangers / Fans


"Siemens 914EX Metro MXU"



(175mm)

PN # TF-MC175-01
(175mm) Heat Exchanger for
Siemens 914EX Metro MXU Cabinet

w/ 2 Wire Open End &
(2) butt splices / hardware



NEW FAN
SHOWN INSTALLED ON
EXISTING ASSEMBLY BRACKET
(assembly bracket is not included)

"Siemens 914E RT "

PN # TF-914EHX-01
48V Heat Exchanger for
Siemens 914E RT Cabinet

w/ Power Prongs



"Siemens 914EX Metro MXU"



PN # TF-914EXMET-01
48V Replacement Fan for
Siemens 914EX Metro MXU Tray

w/ Power Prongs


150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Heat Exchanger Fans



(175mm)
low profile


"OPM 640 Cabinet (Retro Fit) HX"

PN # TF-OPM640HX
(175mm) "Low Profile" Heat Exchanger
OPM 640 Cabinet (Retro Fit Roof)


w/ 3 Wire, 4 Pin Plug

"OPM Cabinet HX"

PN # TF-AFCHX-01
(175mm) "Low Profile" Heat Exchanger
for AFC Roof Fan Unit in OPM Cabinets
w/ 2 Wire, 4 Pin Plug



(175mm)
low profile




**NEW TAG FAN
(# TF-AFCHX-01)**

"Catena Cabinet HX"

PN # TF-CATNHX-01
(175mm) "Low Profile" Heat Exchanger for
Catena Cabinet



(175mm)
low profile



w/ (1) 2 Wire Plug &
(1) 3 Wire, 4 Pin Plug


150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Heat Exchanger Fans



(175mm)
low profile

"ODC Cabinet Door HX"

PN # TF-HX175LP-01
(175mm) "Low Profile"
Heat Exchanger for
Calix ODC Cabinet Door

*w/ Grommet, 4 Leads
& Faston Connectors*



CALIX ODC CABINET (DOOR)


**(2) HEAT EXCHANGERS MOUNTED IN EACH DOOR
(4) FANS TOTAL**

"ODC 1000 Cabinet HX"

PN # TF-HX220LP-01
(220mm) "Low Profile"
Heat Exchanger for
Calix ODC 1000 Cabinet

w/ 4 Leads & Faston Connectors

*(fan only,
use with existing mounting bracket)*



(220mm)
low profile

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Replacement Heat Exchangers / Fans

"Mesa Bridge Cabinet"

PN # TF-MC179-01A (call for pricing)
Heat Exchanger Replacement for
Mesa Bridge Cabinet (Upper - Internal)
w/ 4 Wire Female Weatherproof Plug


PN # TF-MC179-01 (not shown)
Heat Exchanger Replacement for
Mesa Bridge Cabinet (Lower - Door)
w/ 4 Wire Female Weatherproof Plug

AT&T PID # ATT.200006912



(ECUs are also available for Mesa Bridge Cabinets, order # **TFC-MESA-01**, AT&T PID # ATT.200008586))

(250mm)



"Ice Qube Cabinet"


PN # TF-CQ250-01
(250mm) Heat Exchanger Replacement for
Ice Qube Cabinet
w/ 4 Wire Open End

AT&T PID # ATT.200009347

PN # TF-AFC672-01
48 Volt Replacement Fan for
AFC Cabinet Heat Stack
w/ Power Prongs

AT&T PID # ATT.200008227

"AFC Cabinet"



FAN IS LOCATED IN THE BACK (LOWER) SIDE OF THE HEAT STACK



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Heat Exchanger Fans

PN # TF-CLX225-01

(225mm) HX Impeller Fan (**Upper**) for **Calix ODC Cabinet**
w/ 4 Wire Female Snap on Plug, (14" cable)

PN # TF-CLX225-02

(225mm) HX Impeller Fan (**Upper**) for **Calix ODC Cabinet**
w/ 4 Wire Female Snap on Plug, (30" cable)

PN # TF-CLX225-03

(225mm) HX Impeller Fan (**Lower**) for **Calix ODC Cabinet**
w/ 4 Wire Male Snap on Plug, (30" cable)

"Calix ODC - 225mm"



(fan only,
mounting bracket
is not included)




(4) HEAT EXCHANGERS ARE MOUNTED IN THE HX UNITS ATTACHED TO THE DOORS

"Calix ODC - 133mm"

PN # TF-CLX133-01
(133mm) Heat Exchanger for **Calix ODC Cabinet**
w/ 4 Wire Open End*

**(includes (4) butt splices
& (1) 4 pin connector)*

(fan only,
mounting bracket
is not included)




150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group


OSP Cabinet Heat Exchanger Fans



"Calix ODC Stack"

PN # TF-CLXODC-01F
 48V Heat Exchanger for
Calix ODC Stack

*w/ 2 Wires &
 Faston Connectors*



"Mclean ClimaGuard"

(175mm or 225mm)



Ordering Information:

- | | | |
|---------------------|---|-------------------------|
| TF-TX38HX-01 | (225mm) Heat Exchanger for
Mclean ClimaGuard Cabinet Cooler
w/ 4 Wire Weatherproof Connector
<i>(use in TX38-5684-001 Cabinet Cooler)</i> | Call for Pricing |
| TF-TX33HX-01 | (175mm) Heat Exchanger for
Mclean ClimaGuard Cabinet Cooler
w/ 4 Wire Weatherproof Connector
<i>(use in TX33-2848-104 Cabinet Cooler)</i> | |

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Heat Exchanger Fans

"Reltec / McLEAN"


PN # TF-MCCHX-AC01
 110 VAC Replacement
 Heat Exchanger Blower
Reltec / McLean Cabinet

w/ 3 Prong Power Plug
 & Adapter Plate

*(use with existing
 metal mounting assembly)*

TF-MCCHX-AC01
 (HX BLOWER)

**ADAPTER
 PLATE**



RELTEC / MCLEAN CABINET



*(Equiv. to #1NB412R14 /
 9010307441, P/N 59616)*

Ordering Information:

TF-MCCHX-AC01	110 VAC Replacement Heat Exchanger Blower for Reltec / McLean Cabinet w/ 3 Prong Power Plug & Adapter Plate (use with existing metal mounting assembly)	Call for Pricing
TF-MCCHX-AC0R	110 VAC Replacement (Right) Heat Exchanger Blower for Reltec / McLean Cabinet w/ 3 Prong Power Plug & Adapter Plate (use with existing metal mounting assembly)	

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Replacement Fans

"ES660C Rectifier, 24V (60mm)"

24VDC
(60mm x 25mm)



PN # TF-ES660-01
24V (60mm x 25mm) Fan for
Lucent ES660C Rectifier Unit

w/ 2 Wire Plug

"Argus Rectifier, 12V (80mm)"

AT&T PID #
ATT.200009346

12VDC
(80mm)



PN # TF-RECARGUS-01
12V (80mm) Fan for
Argus Rectifier Cabinet

w/ 2 Wire Plug

"Argus Rectifier, 24V (80mm)"

24VDC
(80mm)



PN # TF-RECARGUS-02
24V (80mm) Fan for
Argus Rectifier Cabinet
w/ 2 Wire Right Angle Plug

AT&T PID # ATT.200009348

PN # TF-RECARGUS-03
24V (80mm) Fan for
Argus Rectifier Cabinet
w/ 2 Wire Right Angle Plug
& Threaded Inserts

AT&T PID # ATT.200009345

"Argus Rectifier, 12V (120mm)"

12VDC
(120mm)



PN # TF-RECARGUS-04
12V (120mm) Fan for
Argus Rectifier Cabinet

w/ 2 Wire Open End

(includes (2) butt splices)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group


OSP Cabinet Heat Exchangers & Environmental Control Unit (ECU)

"Mesa DSLAM 384 Cabinet"





PN # TF-MESA384-01
 48V (External) Heat Exchanger for
Mesa DSLAM 384 Cabinet
 w/ 4 Wire Round
 Female Weatherproof Plug

*(Internal Fans are also available,
 order # TF-MESA384-02
 (see ordering information below))*




(OUTSIDE - HEAT EXCHANGERS)



(INSIDE - HEAT EXCHANGERS & ECU)

**Need a Replacement
 ECU for this Cabinet ?**



PN # TFC-MESA-04
AT&T PID #
ATT.200006902

Ordering Information:

		<u>AT&T PID #</u>
TF-MESA384-01	48V Heat Exchanger for Mesa DSLAM 384 Cabinet w/ 4 Wire (Round) Female Weatherproof Plug <i>Top External Fans</i>	ATT.200004565
TF-MESA384-02	48V Heat Exchanger for Mesa DSLAM 384 Cabinet w/ 4 Wire (Square) Female Plug, (8' cable) <i>Lower Internal Fans</i>	ATT.200008230
TFC-MESA-04	4 Port Environmental Control Unit (ECU) Replacement <i>(used in Mesa 2 - DSLAM 192 & DSLAM 384 Type Cabinets)</i>	ATT.200006902

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

Fan Environmental Control Unit (ECU) Replacement for Remote Cabinet Sites


TFC-MESA246-01

REMOTE CABINET w/ ECU




- Drop-In Replacement for Remote Cabinet (Sites)
- Variable Speed Control 2, 4 or 6 Fans
- Battery Life Conservation
- Heat Exchanger Fan Life Conservation
- Reduces Energy Costs
- Plug & Play (no programming)
- Alarms for Fans, Fuses, High Temps & Intrusion


(BACK VIEW)



PN # TFC-MESA246-01
Fan Environmental Control Unit (ECU) Replacement for Remote Cabinet Sites



(FRONT VIEW)



Ordering Information:

		AT&T PID #
TFC-MESA246-01	Fan Environmental Control Unit (ECU) for Remote Cabinet Sites <i>Includes: (2) # TFCS-MESA30-12, Temperature Sensors</i>	ATT.200006905
TFCS-MESA246-08	Extension Cable for Mesa Fan Controllers found in Mesa, 52, 192 & 384 type cabinets (4 Wire Cable w/ 4 Pin Connectors (8'))	ATT.200006907
TFCS-M225TP	Extension Cable for Mesa 246 ECU to Upper Cabinet Fan, 20' - (not shown)	ATT.200009335

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091


www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
 Fax : (856) 768-7645

OSP Cabinet Heat Exchanger Fans

- ▶ **Commonly used in Mesa type Cabinets**
- ▶ **Common Replacements for** : EBM R1G225-AC73-XX (where XX=36,38,39,52)
 EBM R1G225-AF11-XX (where XX=13,14)
 EBM R1G225-AE07-11 EBM R1G225-AG39-10
 EBM R1F250-AQ00-XK EBM R1G225-AG15-AA
- ▶ **All TAG Fans are NEW (No Refurbs)**

TOP OF MESA CABINET
w/ EXISTING FAN
(ORDER PN # TF-MC225-01)



BOTTOM OF MESA CABINET
w/ EXISTING FAN
(ORDER PN # TF-MC225-02)



PN # TF-MC225-01 *
(225mm) Heat Exchanger for
Mesa Cabinet (Top)

w/ Round
Weatherproof Connector

** use with existing bracket*

*(Fans are accessed through
a panel on the solar shield)*

AT&T PID #
ATT.200002990



PN # TF-MC225-02 **
(225mm) Heat Exchanger for
Mesa Cabinet (Bottom)

w/ 4 Wire Plug

**** fan only, use with existing bracket -**
*(for Fan Kit with Bracket,
order # TF-MC225-02-KIT
(AT&T PID # ATT.200002992))*

AT&T PID #
ATT.200002991



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

OSP Cabinet Heat Exchanger & ECU

"Cell Site Mesa XL Cabinet"


PN # TF-MC225-01 *
(225mm) Cell Site Heat Exchanger for Emerson Mesa XL Cabinet Door
 w/ Round Weatherproof Connector




Common Replacement for:
 EBM R1G225-AF11-XX

** use with existing bracket*

MESA XL CABINET DOOR
 w/ OLD FANS



CELL SITE LOCATION



**Need a
 NEW Alarm Controller
 ECU for this Cabinet ?**
 (without replacing the whole door)

PN # TFC-MESA-01,
(AT&T PID # ATT.200008586)

Ordering Information:		AT&T PID #
TF-MC225-01	(225mm) Cell Site Heat Exchanger for Emerson Mesa XL Cabinet Door w/ Round Weatherproof Connector (Common Replacement for EBM R1G225-AF11-XX) (fan only - use with existing bracket)	ATT.200002990
TFC-MESA-01	2 Port Mesa Cabinet Environmental Control Unit (ECU) (used in Mesa Cell Site Cabinets: XL, SOLE, Span XL, Bridge, Edge & Sport)	ATT.200008586

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

TAG Inc. - (REPAIRS) MARCONI / RELTEC / TELLABS POWER CONTROL UNITS (PCU's)

- Trace Circuitry Testing & Repair


- Component Testing & Replacement

Repair Benefits:

- Save Engineering \$\$ on new OSP equipment

- Ease of Replacement "Swap out"

- Reduce down time & Simplex troubles



AT&T PID # *	Model # / Description
ATT.200008089	TRR-PCU-01 (power supply - type 1)
ATT.200008098	TRR-PCU-02 (power supply - type 2)
ATT.200008088	TRR-PCU-03 (diagonal connectors)
* CALL before ordering PID numbers	

**BEFORE ORDERING,
PLEASE CALL or EMAIL:**

856-753-8585
custsvcs@tagcords.com

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax : (856) 768-7645

FAN TRAY REFURBISHMENT SOLUTIONS AT&T UPFRONT

A digital copy of this document can also be found @ http://www.tagcords.com/ATT_Fans/UPFRONT.htm

Tool and Test Set Repair Ticket

Please complete the form below. If possible, include the Serial Number/Asset Tag of the unit.
The Ship To Address is required. **It will be the address that the unit will be returned to.**
Upon submission, a shipping label will be generated. This must be included on your return. You will be notified via email when the equipment is received by the Supplier and when the Repair has been completed.
Need Help? [Click here](#) for Training Document.

TAG refurbishment item is chosen from the dropdown menu

Tool/Test Set: TAG Refurbishment, Fan CommScope 6F Fan Tray (HECI: VAUCADYxxx)

Supplier: TAG INC.

TAG is chosen as the supplier

Serial Number:

Asset Tag:

Ship to Address: 1311 PROVIDENCE DR, LAWRENCEVILLE, GA 30044 [Lookup](#)

Manager ATTUID (Who Owns Equipment): RS781D [Lookup](#)

Contact ATTUID (To Be Called if Problem): RS781D

Problem Category: Other




Description of Problem: Refurbish CommScope 6F fan tray

Manufacturer: CommScope

Model #: 6F Fan Tray

Create Ticket will issue repair # and shipping label

[Main Menu](#) | [Order Material](#) | [My Orders](#) | [My Approvals](#) | [My Material](#) | [Order Status](#) | [Reports](#) | [Profile](#) | [View Cart](#) | [Help](#) | [Logout](#) | © AT&T Inc.

REPAIR VENDOR #	REFURBISHED FAN TRAY DESCRIPTION (New TAG Fans, New TAG Alarm Boards are Installed - New Switches, Connectors & Hardware are Supplied As Needed)	PICTURE OF TRAY
TFR-ALC7330-01	<p>TAG Refurbishment, Fan Tray Alcatel 7330 VRAD (HECI: VAPQAFZFxx) (3FE 24322 (XXXX))</p> <div style="background-color: #cccccc; padding: 5px; text-align: center; width: fit-content; margin: 0 auto;">7330 VRAD</div>	
TFR-SLCAPW-01	<p>TAG Refurbishment, Fan Tray Reltec/Mclean SLC APW (TRAY # UJB17H48S22)</p> <div style="background-color: #cccccc; padding: 5px; text-align: center; width: fit-content; margin: 0 auto;">SLC APW</div>	
TFR-ALC1000-01	<p>TAG Refurbishment, Fan Tray Alcatel 3EC15478 (HECI: VAMYAAMGAA)</p> <div style="background-color: #cccccc; padding: 5px; text-align: center; width: fit-content; margin: 0 auto;">ALCATEL 1000</div>	

FAN TRAY REFURBISHMENT SOLUTIONS AT&T UPFRONT

A digital copy of this document can also be found @
http://www.tagcords.com/ATT_Fans/UPFRONT.htm

REPAIR VENDOR #	REFURBISHED FAN TRAY DESCRIPTION (New TAG Fans, New TAG Alarm Boards are Installed - New Switches, Connectors & Hardware are Supplied As Needed)	PICTURE OF TRAY
TFR-UMC1000-06	<p>TAG Refurbishment, Fan Tray Tellabs UMC1000, 6 fan tray (Tray # 0310-1716 or 8650-0414)</p> <p style="text-align: center;">UMC1000 (6 FAN)</p>	
TFR-UMC1000-08	<p>TAG Refurbishment, Fan Tray Tellabs UMC1000, 8 fan tray (Tray # 4195091)</p> <p style="text-align: center;">UMC1000 (8 FAN)</p>	
TFR-UMC1000-10	<p>TAG Refurbishment, Fan Tray Tellabs UMC1000, 10 fan tray (Tray # 0310-1716)</p> <p style="text-align: center;">UMC1000 (10 FAN)</p>	
TRR-LVD-01	<p>TAG Refurbishment, Marconi/Reltec Low Voltage Disconnect (LVD) Shelf (P/N# 73-16-598)</p> <p style="text-align: center;">RELTEC LVD</p>	
TRR-GSB-48V	<p>TAG Refurbishment, Midtronics String Charge Control Device (P/N# GSB-48V)</p> <p style="text-align: center;">MIDTRONICS GSB-48V</p>	
TRR-MBC-5641	<p>TAG Refurbishment, Marconi String Charge Control Device (P/N# MBC-5641)</p> <p style="text-align: center;">MIDTRONICS MBC-5641</p>	
TFR-FA400-04	<p>TAG Refurbishment, Fan Tray Marconi FA400 (P/N# FA-400-175-001)</p> <p style="text-align: center;">MARCONI FA400</p>	
TFR-MARC6-01	<p>TAG Refurbishment, Marconi/Degree C ECU HX Fan Control Unit (P/N# ECU-05682, 105683, 105684)</p> <p style="text-align: center;">MARCONI ECU</p>	

FAN TRAY REFURBISHMENT SOLUTIONS AT&T UPFRONT

A digital copy of this document can also be found @
http://www.tagcords.com/ATT_Fans/UPFRONT.htm

REPAIR VENDOR #	REFURBISHED FAN TRAY DESCRIPTION (New TAG Fans, New TAG Alarm Boards are Installed - New Switches, Connectors & Hardware are Supplied As Needed)	PICTURE OF TRAY
TFR-LU2A-01	TAG Refurbishment, Fan Tray Lucent 2A LUCENT 2A	
TFR-LU2B-01	TAG Refurbishment, Fan Tray Lucent 2B (COMCODE: 105550420) LUCENT 2B	
TFR-LU2C-01	TAG Refurbishment, Fan Tray Lucent 2C (COMCODE: 106382336 / 109198341) LUCENT 2C	
TFR-LU4A-01	TAG Refurbishment, Fan Tray Lucent 4A (COMCODE: 106526742) LUCENT 4A	
TFR-LU4B-01	TAG Refurbishment, Fan Tray Lucent 4B (COMCODE: 106527005) LUCENT 4B	
TFR-COM6F-01	TAG Refurbishment, Fan Tray CommScope 6F (HECI: VAUCADYxxx) COMMSCOPE 6F	
TFR-114A-01	TAG Refurbishment, Fan Control 114A (COMCODE: 106894934) LUCENT 114A	
TFR-LS2000-02	TAG Refurbishment, Fan Tray Litespan 2000 High Velocity PDFA (TRAY# 509-0000-086) LS2000 HV PDFA	
TFR-LS2000-44	TAG Refurbishment, Fan Tray Litespan 2000 DFA (TRAY# 500-1100-400) LS2000 DFA	