Replacement Fans for Brightspeed



NEW DMS UNIVERSAL FAN TRAYS

(for NT3X90AA/AB, NT3X90AC & NT3X90AF units)

- No 24VAC Inverters
- No Paddle Sensors



5ESS FANS



DDM-2000 FANS



OSP CABINET / TRAY FANS

(NORTEL OPAC, ACCESS NODE, DMS, 80 TYPE, SLC 2000 (4A/4B), NOREN, SIEMENS, LUCENT 2A / 2B / 2C, MESA, TARZAN, LS2000, SLC96 & MORE)



OSP
ALARM CONTROL BOARDS




for LITESPAN 2000 DFA, PDFA & HV PDFA Fan Trays

ADTRAN, ALCATEL, CISCO, EDGELINK, GTD-5, KENTROX, LUCENT (CBX500, FT-2000, METROPOLIS DMX, DACS III / IV), STROMBERG CARLSON DCO, LORAIN / MARCONI, NORTEL & MORE!!

856-753-8585


www.tagcords.com REV02 (07-30-24)






www.tagc	ords.com	Available for Brightspeed			Sim
Part #	Description		Brightspeed MAT #	MAT#	PG#
		5ESS FANS	·		
TF-5ESS-01P	KS22501L3 Equiv.	5ESS Fan w/ 3 Leads & AMP Connector w/ power prongs		1341583	1
TF-5ESS-01F	KS22501L3 Equiv.	5ESS Fan w/ 3 Leads & Faston Connectors w/ power prongs		1341520	1
TF-5ESS-02P	KS23912L1A Equiv.	5ESS Fan w/ 5 Leads & AMP Connector	1330513	1330513	1
11 -3L33-02F	K323912L1A Equiv.	(w/ Internal Thermal Speed Control Sensor)	1330513	1330513	'
TF-5ESS-02F	KS23912L1A Equiv.	5ESS Fan w/ 5 Leads & Faston Connectors (w/ Internal Thermal Speed Control Sensor)		1330515	1
TF-5ESS-03P	KS23912L2 Equiv.	5ESS Fan w/ 4 Leads & AMP Connector	1338991	1338991	1
TF-5ESS-04P	KS22501L3A Equiv.	5ESS Fan w/ 5 Leads & AMP Connector	1341163	1341163	1
TF-5ESS-04F	KS22501L3A Equiv.	5ESS Fan w/ 5 Leads & Faston Connectors	1332759	1332759	1
TF-5ESS-10P	KS23398L2 Equiv.	5ESS ISLU (Square Fan) w/ 5 Leads & AMP Connector		1341565	1
		ADTRAN FANS			
TF-TA3000-01	Adtran TA3000, 48\	V Fan w/ 3 Wire Plug (use in HECI: M3PQ0AV, 1181006L1)		1479267	2
TF-TA5K-01	Adtran TA5000, 48\	/ Fan w/ 4 Wire Plug		1359596	2
TF-TA5K-02	Adtran TA5000, 48\	/ Fan w/ 3 Wire Plug	1359595	1359595	2
		ALCATEL FANS			
TF-ALC-01	Alcatel 1000/7300,	48V Fan w/ Tach (use in 3EC 15478, 3EC 37933 & 3EC 36760 Fan Trays)	1337633	1337633	3
TF-AL7300-02		an w/ Internal Sensor & Tach output (use in 3EC 16697 (XXXX))		1341521	3
TF-DSCECS1-01	DSC / Alcatel ECS1	I, 48V Fan		1341522	3
TF-ALC1603-01	Alcatel 1603, 48V F	an w/ 3 Wire Plug (use in Low-Volume Fan Tray # 625052-000-0XX)	1475327	1475327	3
TF-ALC1631-01	Alcatel 1631 , 48V F	fan (Square) w/ Power Prongs (use in Assembly # 695-3363-302)		1359594	4
TF-ALC1631-02	·	an (Round) w/ Power Prongs & Tach Lead (use in #3AL45446AA)		1359611	4
TF-ALC1631-03		48V Fan (Square) w/ Pwr Prongs & Tach Lead (use in #695-8489-001)			4
TF-ALC1680-01	Alcatel 1680 OGX,	48V Fan (Round) w/ Pwr Prongs & Tach Lead (use in #3EM04820AA)			4
		BIGBAND / ADC FANS			
TF-BIGBND-01	BigBand, 12V w/ 3	Wire Open End Fan (w/ Speed Control)		1341523	CALL
TF-BIGBND-03SR	BigBand Shelf / Do	or Repair		7005999	CALL
TF-BIGBPS-01	12V Fan (40mm) w/	3 Wire Plug for BigBand (FTTP bays) & ADC RF Worx Power Supplies			CALL
		CIENA FANS			
TF-CN1600-01	Ciena 1600 DWDM	, 48V Fan (fan only, mounting bracket is not included)		1341524	CALL
TF-DN7100-01	Ciena DN7100, 12V				CALL
TF-DN7100-02	Ciena DN7100, 12V Fan w/ 3 Wire Plug				CALL
11 211 100 02	Gloria Bitt 100, 121	DSC DEX600E FANS			V / 1.22
TE DEVI AD 01	DEVCOOF MCD Dow			1341525	CALL
TF-DEXLAP-01	DEX600E MSP Bay				1
TF-DEXDSI-01		Fan (DSI (FAIC) type cards)		1341526	1
TF-DEXDTI-01		Fan (DTI (AMM) type cards)		1341527	_
TF-DEXCS3-01	DEX600E CS3, 48V			1341528	CALL
		CISCO 15454 / CALIX E7 / KENTROX FANS			
TF-C15454-01	Cisco ONS 15454,	48V Fan w/ 3 Wire Right Angle Connector		1356197	5
TF-CLXE7-01	Calix E7-2 FTA2 Fa	n Unit, 12V (40mm x 20mm) Fan for w/ 4 Wire Plug	1490737	1490737	5
TF-AI-180	Kentrox AlSwitch S	Series 180, 48V Cooling Fan		1437966	5
		DATAKIT / FUJITSU / GALAXY RECTIFIER FANS			
TF-DATAKIT-01	24V Fan for Datakit	System w/ 3 Wire, 4 Pin Connector			CALL
TF-FW4500-01	48V Fan for Flashw	ave 4500 Fan Unit w/ 4 Wire Plug (for # FC9580FAN1, SNPQCUG5AB)			CALL
TF-FLM150-01	48V (80mm) Fan for	Fujitsu FLM 150 Fan Tray w/ 3 Wire Plug			CALL
TF-GLX595LTB-01	` ′	595LTB Rectifier w/ 4 Wire Plug		1462387	+
		LORAIN / MARCONI RECTIFIER FANS			
TFT-MRECT	New Fan Trav Asse	embly for Vortex Rectifier (Lorain/Marconi 104545) (V200D50)		1341614	6
TF-MREC-01	<u> </u>	prain / Marconi) (V200D50), 24V Fan w/ 3 Wire Open End		10-1014	6
TF-MREC-02	·	prain/Marconi), 24V Fan & 3 Wire Plug (use in V200E50)		1341615	_
TF-RHM400-01		fier Unit (Lorain/Marconi), 220VAC Fan		1341529	+
TF-LRA50B50-01		50B50) , 48V Fan w/ 2 Wire Plug		1444636	1
TF-LRV50B50-01		50B50) , 24V Fan w/ 3 Wire Plug			7
	<u> </u>	-	•	•	






www.tagc	ords.com Available for Brightspeed			Bes
Part #	Description	Brightspeed MAT #	MAT#	PG#
	LUCENT FANS (CBX500, DDM-2000, FT-2000, METROPOLIS, DACS III / IV)	IVIA I #		
TF-DDM201	Lucent DDM-2000, 24V Fan	1341530	1341530	8
TF-DDM201-KIT1	Lucent DDM-2000, 24V Fan Kit w/ Mounting Plate	1341531	1341531	8
TF-DDM202	Lucent DDM-2000, 48V Fan (fan only, mounting not included)		1359610	8
TF-CBX500-01	Lucent CBX500 OCD, 12V Cooling Fan w/ 3 Wire Pins		1336683	+
TF-FT201	Lucent FT-2000, 48V Fan w/ 3 Wire Plug		1341533	9
TF-DMXMET-01	Lucent Metropolis DMX, 48V Fan w/ 4 Wire Plug		1341532	9
TF-DMXMET-02	Lucent Metropolis DMX Access Multiplexer, 48V Fan w/ 4 Wire Black Plug			9
TF-DACS3/4-01	Lucent DACS III / IV, 48V Fan w/ 4 Wire Plug (Equiv. to KS23913L1)		1341534	10
TF-DACS3/4-02	Lucent DACS III / IV, 48V Fan w/ 5 Wire Plug (Equiv. to KS23913L1)		1359609	10
	NEC FANS			
TF-NEC-01	NEC, 48V Fan (fan only) (FD-31201A / FD-32401A)		1341428	CALL
TF-NEC01-KIT1	NEC, 48V Fan Kit w/ Mounting & Guard Grill (FD-31201A / FD-32401A)		1341429	CALL
TF-NEC-02	NEC, 48V Fan (fan only) (ITS-2400)		1341500	CALL
TF-NEC02-KIT1	NEC, 48V Fan Kit w/ Mounting & Guard Grill (ITS-2400)		1341501	CALL
TF-NEC-03	NEC, 48V Fan (fan only) (ITS-2400V FL)		1341502	CALL
	NORTEL FANS (DMS, Carrier VoIP, DPCC SuperNode "Squirrel Cage" Blowers	s)		
	TAG Universal DMS-100 3X9013 Fan Tray			
TFT-3X9013T ** NEW **	(NEW TRAY is pre-assembled w/ (5) NEW fans, Alarm Board, Wiring Harness w/ Connector & Universal Mounting Holes for NT3X90AA, NT3X90AB, NT3X90AC & NT3X90AF cooling units) - No 24VAC Inverters - No Paddle Sensors	1492217	1492217	11-12
TF-DMS01	DMS-100, 48V Fan w/ Power Prongs (use in NT3X90AC / NTBX63AA fan trays)	1330636	1330636	
TF-DMS02	DMS-1U, 48V Fan Pwr Prongs w/ 4 clear, unthreaded (use in NT3X90AC / NTBX63AA trays)		1341504	13
TF-DMS03	DMS-100, 48V Fan w/ TTL Tach & 3 Wire Plug (use in NT3X90AF fan trays)	1330361	1330361	14
TFC-3X90AF-01	DMS-100, Fan Alarm Board for the NT3X90AF Cooling Fan Unit		1475822	14
TF-DMS04AC	DMS-100, 24VAC Fan w/ Power Prongs	1341495	1341495	14
TF-RX50FF-01	DMS SDM, 12V Fan w/ 3 Wire Plug & Speed Control (use in Nortel shelf # NTRX50FF)			14
TF-DMS-NTRX91	DMS-100, 48V Fan (use in NTRX91AA / NT0X91AA, CLEI: ENMYACM)	1349234	1349234	15
TF-DMS10-01	DMS-10, 48V Fan w/ Power Prongs	1341506	1341506	15
TF-DMS-FOS	Nortel IW SPM-IP, 48V Fan for NTLX56AA Fan Assemblies (fan only)		1341507	15
TF-MG9K-01	Nortel / GENBAND Media Gateway 9000, 48V Fan w/ 3 Wire Plug (for NTNY18AA)		1359401	15
TLMP-DMFA-10	DMS Fan Alarm Repl. Lamp ("Fan Fail" / "Frame Fail") (QTY of 10)		1474165	16
TLMP-DMFA-25	DMS Fan Alarm Repl. Lamp ("Fan Fail" / "Frame Fail") (QTY of 25)		1474166	16
TLMP-DMSA-10	DMS Aisle Alarm Repl. Lamp (QTY of 10)		1474167	16
TF-DMSLGN6-01	DMS-500/250 DPCC (225mm) Impeller Fan for XA-Core Blower Drawer w/ 4 Wire Plug (fan only, use in existing tray # NTLX10AA, drawer # NTLX11AA)			CALL
TF-DMSMCL-02	DMS-100 Dual-Scroll Blower Replacement Unit w/ (1) 4 pin plug & (1) 3 pin plug (includes (1) 3 pin adapter cable (used in NT9X950 "w/ hanging blowers" (replaces # A0383325 & A0381714))(commonly found in DPCC / LIM / ENET bays)	1490298		17
TFC-DMSAPW-3	Alarm Board Replacement for DMS LIM / ENET Blower			17
TF-DMSLGN5	DMS-100 DPCC SuperNode Blower "Squirrel Cage" Replacement w/ Internal Sensor (use in NT9X01XX DPCC, (replaces A0345301))	1355241	1355241	18
TF-DMSLGN5A	DMS-100 DPCC XA-Core SuperNode Blower "Squirrel Cage" Replacement w/ 4 Wire Square Plug Adapter Cable (# TFCS-DMSLGN5F2S) (use in NT9X01BC DPCC w/ Power Distribution Alarm Board (replaces A0345301))			18
	SIEMENS EWSD FANS			
TF-EWSD-01	Siemens EWSD, Square 48V Fan w/ Power Prongs (fan only, use with existing guard grill)		1341508	CALL
TF-EWSD-02	Siemens EWSD, Round 48V Fan w/ Power Prongs (fan only, use with existing guard grill)			CALL
	STP RING NODE / PATHTRACK (JDSU) / TELLABS FANS			
TF-STPRN-01	STP Ring Node Frame/Cabinet, 48V Fan w/ 5 Wire Plug			CALL
TF-HCU1500-01	JDSU PathTrak HCU 1500, 24V Fan w/ 2 Wire Plug			CALL
TF-TL6500-01	Tellabs 6500, 12V Fan w/ 4 Wire Plug			CALL






TF-DCOCNF-01	www.tagco	ords.com Available for Brightspeed		•	(A)
TF-DCCOKF-01	Part #	Description		MAT#	PG#
TF-DCONED-01		STROMBERG CARLSON DCO FANS			
TF-DCOMF-01	TF-DCOCMF-01	48V Fan for Stromberg Carlson DCO CMF Bay w/ 3 Leads & Fastons			19
TF-DCOMEF-01	TF-DCODCF-01	48V Fan for Stromberg Carlson DCO DCF Bay w/ 3 Leads & Spade Lugs			19
TF-DCO-02	TF-DCONHD-01	48V Fan for Stromberg Carlson DCO Non-HD CMF Bay w/ 2 Wire Open End		1441092	19
TF-EL100 Edgelink 100, Fan (40mm) 1341510 20 17-EL100DET Edgelink 100, Fan (40mm) 1341512 20 17-EL100-KIT2 Edgelink 100, Fan Kit (40mm) 1341512 20 17-EL100-KIT2 Edgelink 100, Fan Kit (40mm) 1341512 20 17-EL100-KIT2 Edgelink 100, Fan Kit (40mm) 1341512 20 17-EL130-01 Edgelink AXX330G1, Fan (80mm) w/3 Wire Plug 1341513 341513 20 20 17-EL1500-01 Tolco Systems M560 Fibor Optic Terminal, 48V Fan 1341519 Aux SYSTAR / WINDBANAD \$190 FANS 1341514 CALL FANDS	TF-DCOMEF-01	48V Fan for Stromberg Carlson DCO MEF Bay (80mm x 45mm) w/ 3 Wire Plug		1441093	19
TF-EL100 Edgelink 100, Fan (40mm) 1341510 20	TF-DCO-02	48V Fan for Stromberg Carlson DCO CMF / DTF Bay w/ 3 Leads & Fastons	1439624	1439624	19
TF-EL100DET		TELCO SYSTEMS FANS (EDGELINK 100 / AXX330G1, M560)			
TF-EL100-KIT2	TF-EL100	Edgelink 100, Fan (40mm)	1341510	1341510	20
TF-EL100-02 Edgelink 100, Fan (38mm) 20 20 20 20 20 20 20 2	TF-EL100DET	Edgelink 100, Detector PC Board (Equiv. to CCA591G1)		1341511	20
TF-EL330-01 Edgelink AXX330G1, Fan (80mm) w/ 3 Wire Plug	TF-EL100-KIT2	Edgelink 100, Fan Kit (40mm)		1341512	20
TF-NSTR-01 WaveStar TDM 100, 48V Fan w 3 Wire Plug 1341514 CALL	TF-EL100-02	Edgelink 100, Fan (35mm)	1341513	1341513	20
### Westar TDM 10G, 48V Fan w' 3 Wire Plug ### OFFICE OF THE STATE OF	TF-EL330-01	Edgelink AXX330G1, Fan (80mm) w/ 3 Wire Plug			20
TF-WSTR-01 Wavestar TDM 10G, 48V Fan w/ 3 Wire Plug	TF-TEL560-01	Telco Systems M560 Fiber Optic Terminal, 48V Fan		1341509	CALL
TF-NTOPAC		WAVESTAR / WIDEBAND 3190 FANS			
OSP CABINET / TRAY FANS & ALARM CONTROL BOARDS 1337634 1337634 21	TF-WSTR-01	WaveStar TDM 10G, 48V Fan w/ 3 Wire Plug		1341514	CALL
TF-NTOPAC	TF-WB3190	Wideband 3190, 48V Fan w/ 3 Wire Plug		1341515	CALL
TF-NTOPAC-02		OSP CABINET / TRAY FANS & ALARM CONTROL BOARDS			
TF-NTOPAC-3	TF-NTOPAC	48V Fan for Nortel Opac / OPM Cabinet w/ Round Weatherproof Connector	1337634	1337634	21
TF-NTOPAC-04	TF-NTOPAC-02	48V Fan for Nortel Opac / OPM Cabinet w/ Sealed 3 Pin Plug	1337635	1337635	21
TFG-162KIT-01 Guard Grill Repl. Kit for Round 162mm Fans (includes hardware) 21	TF-NTOPAC-3	48V Fan for Nortel Opac / OPM Cabinet w/ 3 Wire Open End (no connector)	1341516	1341516	21
TF-NTOPAC-05 48V Fan for Nortel Opac Access Node Tray / 800A w/ 3 Wire (FPS Lead) & 3 Pin 7017863 22 TF-NTOPAC-05F 48V Fan for Nortel Opac Access Node Tray w/ Power Prongs, Untermin. FPS Lead 22 TF-NTANCFT-01 48V Fan for Nortel Access Node/Charles Fan Tray (92-FAN840-X) w/ 3 Wire Plug 22 TF-DMS06 48V Fan for Nortel Access Node/Charles Fan Tray (92-FAN840-X) w/ 3 Wire Plug 1359400 23 TF-BNS06ABT Tray Refurbish-Paddleless Alarm Conversion Upgrade for DMS OPM NT8X06AB CALL CALL TF-SLCAPW-01 (1) 48V Fan for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End 1358928 24 TF-SLCAPW-04 (4) 48V Fans for SLC 2000 Cabinet - Reltec/Mclean APW Fan Tray 1358928 14 TF-SLCAPW-4 Alarm Control Board for Reltec/Mclean APW Fan Tray 1337731<	TF-NTOPAC-04	48V Fan for Nortel Opac / OPM Cabinet w/ Sealed 3 Pin Plug		1341517	21
TF-NTOPAC-05F 48V Fan for Nortel Opac Access Node Tray w/ Power Prongs, Untermin. FPS Lead 22 TF-NTANCFT-01 48V Fan for Nortel Access Node/Charles Fan Tray (92-FAN840-X) w/ 3 Wire Plug 22 TF-DMS06 48V Fan for BFU in DMS-100 OPM Cbnt w/ Pwr Prongs & Unterminated Tach Lead 1359400 23 TF-SLCAPW-01 (1) 48V Fan for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End 1358928 24 TF-SLCAPW-04 (4) 48V Fan for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End 1358928 1358928 24 TF-SLCAPW-04 Alarm Control Board for Reltec/Mclean APW Fan Tray 1358928 1358928 24 TF-SLCAPW-4 Alarm Control Board for Reltec/Mclean APW Fan Tray 1337731 1337731 1337731 123	TFG-162KIT-01	Guard Grill Repl. Kit for Round 162mm Fans (includes hardware)			21
TF-NTANCFT-01 48V Fan for Nortel Access Node/Charles Fan Tray (92-FAN840-X) w/ 3 Wire Plug 22 TF-DMS06 48V Fan for BFU in DMS-100 OPM Cbnt w/ Pwr Prongs & Unterminated Tach Lead 1359400 23 TFR-SX06ABT Tray Refurbish-Paddleless Alarm Conversion Upgrade for DMS OPM NT8X06AB CALL TF-SLCAPW-01 (1) 48V Fan for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End 1358927 24 TF-SLCAPW-04 (4) 48V Fans for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End 1358928 24 TF-SLCAPW-04 Alarm Control Board for Reltec/Mclean APW Fan Tray 1459111 24 TF-SLC201-02 48V Heat Exchanger for 80 Type Cabinet W/ Round Screw on Connector (KS23912L4) 1337731 1337731 2526 TFC-114A-01 114A Fan Control Unit for 80 Type Cabinet Heat Exchangers (equiv. to 106894934) 1355243 2526 TFC-114A-01 Alarm Control Board for Lucent 4A/4B, AG/SLC2000 Trays & 114A Control Units 1355244 2526 TFC-114A-01 Alarm Control Board for Lucent 14A/4B, Tray w/ 3 Wire Plug (KS23912L6 equiv.) 145078 2526 TFC-114A-01 Alarm Control Board for Lucent 14A/4B Tray w/ 5 Wire Plug (KS23912L6 equiv.) 1336047 1336047 2526	TF-NTOPAC-05	48V Fan for Nortel Opac Access Node Tray / 800A w/ 3 Wire (FPS Lead) & 3 Pin		7017863	22
TF-NTANCFT-01 48V Fan for Nortel Access Node/Charles Fan Tray (92-FAN840-X) w/ 3 Wire Plug 22 TF-DMS06 48V Fan for BFU in DMS-100 OPM Cbnt w/ Pwr Prongs & Unterminated Tach Lead 1359400 23 TFR-SX06ABT Tray Refurbish-Paddleless Alarm Conversion Upgrade for DMS OPM NT8X06AB CALL TF-SLCAPW-01 (1) 48V Fan for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End 1358927 24 TF-SLCAPW-04 (4) 48V Fans for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End 1358928 24 TF-SLCAPW-04 Alarm Control Board for Reltec/Mclean APW Fan Tray 1459111 24 TF-SLC201-02 48V Heat Exchanger for 80 Type Cabinet W/ Round Screw on Connector (KS23912L4) 1337731 1337731 2526 TFC-114A-01 114A Fan Control Unit for 80 Type Cabinet Heat Exchangers (equiv. to 106894934) 1355243 2526 TFC-114A-01 Alarm Control Board for Lucent 4A/4B, AG/SLC2000 Trays & 114A Control Units 1355244 2526 TFC-114A-01 Alarm Control Board for Lucent 14A/4B, Tray w/ 3 Wire Plug (KS23912L6 equiv.) 145078 2526 TFC-114A-01 Alarm Control Board for Lucent 14A/4B Tray w/ 5 Wire Plug (KS23912L6 equiv.) 1336047 1336047 2526	TF-NTOPAC-05F	48V Fan for Nortel Opac Access Node Tray w/ Power Prongs, Untermin. FPS Lead			22
TF-DMS06 48V Fan for BFU in DMS-100 OPM Cbnt w/ Pwr Prongs & Unterminated Tach Lead 1359400 23 TFR-8X06ABT Tray Refurbish-Paddleless Alarm Conversion Upgrade for DMS OPM NT8X06AB CALL TF-SLCAPW-01 (1) 48V Fan for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End 1358928 24 TF-SLCAPW-04 (4) 48V Fans for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End 1358928 1459111 24 TFC-SLCAPW-4 Alarm Control Board for Reltec/Mclean APW Fan Tray 1459111 24 TFC-SLCAPW-4 Alarm Control Board for Reltec/Mclean APW Fan Tray 1337731 1337731 TFS-SLC201-02 48V Heat Exchanger for 80 Type Cabinet Heat Exchangers (equiv. to 106894934) 1337731 1337731 TFC-114A-01 114A Fan Control Unit for 80 Type Cabinet Heat Exchangers (equiv. to 106894934) 1355243 2526 TF-SLCBC-01 48V Battery Cooling fan for 80 Type Cabinet W 3 Wire Plug 1456143 2526 TF-SLCBC-01 48V Battery Cooling fan for 80 Type Cabinet W 3 Wire Plug (KS23912L6 equiv.) 1336047 2526 TF-SLCBC-01 48V Battery Cooling fan for 80 Type Cabinet W 3 Wire Plug (KS23912L6 equiv.) 1336047 1336047 2526 </td <td>TF-NTANCFT-01</td> <td></td> <td></td> <td></td> <td>22</td>	TF-NTANCFT-01				22
TFR-8X06ABT Tray Refurbish-Paddleless Alarm Conversion Upgrade for DMS OPM NT8X06AB CALL TF-SLCAPW-01 (1) 48V Fan for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End 1358927 24 TF-SLCAPW-04 (4) 48V Fans for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End 1358928 1358928 24 TFC-SLCAPW-4 Alarm Control Board for Reltec/Mclean APW Fan Tray 1459111 24 TF-SLC201-02 48V Heat Exchanger for 80 Type Cabinet W Round Screw on Connector (KS23912L4) 1337731 1337731 2512 TFC-114A-01 114A Fan Control Unit for 80 Type Cabinet W Round Screw on Connector (KS23912L4) 1337731 1337731 2512<				1359400	-
TF-SLCAPW-01 (1) 48V Fan for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End 1358927 24 TF-SLCAPW-04 (4) 48V Fans for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End 1358928 1358928 24 TFC-SLCAPW-4 Alarm Control Board for Reltec/Mclean APW Fan Tray 1459111 24 TFS-LC201-02 48V Heat Exchanger for 80 Type Cabinet W Round Screw on Connector (KS23912L4) 1337731 1337731 2526 TFC-LU4-01 114A Fan Control Unit for 80 Type Cabinet Heat Exchangers (equiv. to 106894934) 1355243 2526 TFC-LU4-01 Alarm Control Board for Lucent 4A/4B, 4G/SLC2000 Trays & 114A Control Units 1355244 2526 TFC-LU4-01 48V Battery Cooling fan for 80 Type Cabinet W 3 Wire Plug (KS2391266 equiv.) 1461343 2526 TF-SLCBC-01 48V Battery Cooling fan for 80 Type Cabinet W 3 Wire Plug (KS239126 equiv.) 1459078 2526 TFC-116A-01 Alarm Control Board for Lucent 116A Battery Fan Unit (customer supplied bracket) 1459078 2526 TF-LU2A 48V Fan for SLC 2000 - Lucent 4A/4B Tray w/ 5 Wire Plug (KS239126 equiv.) 1336047 1336047 2526 TF-LU2B 48V Fan for Lucent 2B Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.	TFR-8X06ABT	· ·			CALL
TF-SLCAPW-04 (4) 48V Fans for SLC 2000 Cabinet - Reltec/Mclean APW Tray w/ 3 Wire Open End 1358928 24 TFC-SLCAPW-4 Alarm Control Board for Reltec/Mclean APW Fan Tray 1459111 24 TF-SLC201-02 48V Heat Exchanger for 80 Type Cabinet w/ Round Screw on Connector (KS23912L4) 1337731 1337731 2502 TFC-114A-01 114A Fan Control Unit for 80 Type Cabinet Heat Exchangers (equiv. to 106894934) 1355243 2502 TFC-114A-01 Alarm Control Board for Lucent 4A/4B, 4G/SLC2000 Trays & 114A Control Units 1355244 2502 TFC-116A-01 Alarm Control Board for Lucent 116A Battery Fan Unit (customer supplied bracket) 1461343 2502 TFC-116A-01 Alarm Control Board for Lucent 116A Battery Fan Unit (customer supplied bracket) 1459078 2502 TFC-116A-01 Alarm Control Board for Lucent 14A/4B Tray w/ 5 Wire Plug (KS23912L6 equiv.) 1336047 1336047 2502 TF-LU2A 48V Fan for Lucent 2B Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336047 2502 2502 TF-LU2B 48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336049 28 TF-LU2C-02F 48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.)				1358927	1
TFC-SLCAPW-4 Alarm Control Board for Reltec/Mclean APW Fan Tray 1459111 24 TF-SLC201-02 48V Heat Exchanger for 80 Type Cabinet w/ Round Screw on Connector (KS23912L4) 1337731 1337731 25/26 TFC-114A-01 114A Fan Control Unit for 80 Type Cabinet Heat Exchangers (equiv. to 106894934) 1355243 25/26 TFC-LU4-01 Alarm Control Board for Lucent 4A/4B, 4G/SLC2000 Trays & 114A Control Units 1355244 25/26 TF-SLCBC-01 48V Battery Cooling fan for 80 Type Cabinet w/ 3 Wire Plug 1461343 25/26 TF-SLCBC-01 Alarm Control Board for Lucent 116A Battery Fan Unit (customer supplied bracket) 1459078 25/26 TF-SLC201 48V Fan for SLC 2000 - Lucent 4A/4B Tray w/ 5 Wire Plug (KS229126 equiv.) 1336047 1336047 1336047 1336047 1336047 1336047 1336048 27 TF-LU2A 48V Fan for Lucent 2B Fan Tray w/ 3 Leads & Fastons (KS22501L5 equiv.) 1336049 1336048 27 TF-LU2B 48V Fan for Lucent 2B Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336049 1336049 28 TF-LU2C - 48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336060 28 TF-LU2C-			1358928		
TF-SLC201-02 48V Heat Exchanger for 80 Type Cabinet w/ Round Screw on Connector (KS23912L4) 1337731 1337731 2526 TFC-114A-01 114A Fan Control Unit for 80 Type Cabinet Heat Exchangers (equiv. to 106894934) 1355243 2526 TFC-LU4-01 Alarm Control Board for Lucent 4A/4B, 4G/SLC2000 Trays & 114A Control Units 1355244 2526 TF-SLCBC-01 48V Battery Cooling fan for 80 Type Cabinet w/ 3 Wire Plug 1461343 2526 TFC-116A-01 Alarm Control Board for Lucent 116A Battery Fan Unit (customer supplied bracket) 1459078 2526 TF-SLC201 48V Fan for SLC 2000 - Lucent 4A/4B Tray w/ 5 Wire Plug (KS23912L6 equiv.) 1336047 1336047 2526 TF-LU2A 48V Fan for Lucent 2A Fan Tray w/ 3 Leads & Fastons (KS22501L5 equiv.) 1336048 27 TF-LU2B 48V Fan for Lucent 2B Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336049 28 TF-LU2C 48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336060 28 TF-LU2C-02F 48V Fan for Lucent 2C Fan Tray w/ 3 Wires & Faston Connectors CALL CALL TF-ES660-01 24V (60x25mm) Fan for Argus Rectifier w/ 2 Wire Plug 29 14774133 29 <td></td> <td></td> <td>1000020</td> <td></td> <td>↓ = -</td>			1000020		↓ = -
TFC-114A-01 114A Fan Control Unit for 80 Type Cabinet Heat Exchangers (equiv. to 106894934) 1355243 2526 TFC-LU4-01 Alarm Control Board for Lucent 4A/4B, 4G/SLC2000 Trays & 114A Control Units 1355244 25/26 TF-SLCBC-01 48V Battery Cooling fan for 80 Type Cabinet w/ 3 Wire Plug 1461343 25/26 TFC-116A-01 Alarm Control Board for Lucent 116A Battery Fan Unit (customer supplied bracket) 1459078 25/26 TF-SLC201 48V Fan for SLC 2000 - Lucent 4A/4B Tray w/ 5 Wire Plug (KS23912L6 equiv.) 1336047 1336047 25/26 TF-LU2A 48V Fan for Lucent 2A Fan Tray w/ 3 Leads & Fastons (KS22501L5 equiv.) 1336047 1336048 27 TF-LU2B 48V Fan for Lucent 2B Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336049 28 TF-LU2C 48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336060 28 TF-LU2C-02F 48V Fan for Lucent 2C Fan Tray w/ 3 Wires & Faston Connectors 1458909 28 TF-ES660-01 24V (60x25mm) Fan for Lucent ES660 Rectifier Unit w/ 2 Wire Plug 29 TF-RECARGUS-03 12V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug & Threaded Inserts 1474133 29 TF-R		,	1337731		-
TFC-LU4-01 Alarm Control Board for Lucent 4A/4B, 4G/SLC2000 Trays & 114A Control Units 1355244 25/26 TF-SLCBC-01 48V Battery Cooling fan for 80 Type Cabinet w/ 3 Wire Plug 1461343 25/26 TFC-116A-01 Alarm Control Board for Lucent 116A Battery Fan Unit (customer supplied bracket) 1459078 25/26 TF-SLC201 48V Fan for SLC 2000 - Lucent 4A/4B Tray w/ 5 Wire Plug (KS23912L6 equiv.) 1336047 1336047 25/26 TF-LU2A 48V Fan for Lucent 2A Fan Tray w/ 3 Leads & Fastons (KS22501L5 equiv.) 1336048 27 TF-LU2B 48V Fan for Lucent 2B Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336049 28 TF-LU2C 48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336060 28 TFC-LU2BC-01 Alarm Control Board for Lucent 2B & 2C Fan Trays 1458909 28 TF-LU2C-02F 48V Fan for Lucent 2C Fan Tray w/ 3 Wires & Faston Connectors CALL TF-RECARGUS-01 12V (60x25mm) Fan for Lucent ES660 Rectifier Unit w/ 2 Wire Plug 29 TF-RECARGUS-03 12V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug & Threaded Inserts 1474133 29 TF-RECARGUS-04 12V (120mm) Fan for Argus Rectifier w/ 2 Wire Rig			1007701		
TF-SLCBC-01 48V Battery Cooling fan for 80 Type Cabinet w/ 3 Wire Plug 1461343 25/26 TFC-116A-01 Alarm Control Board for Lucent 116A Battery Fan Unit (customer supplied bracket) 1459078 25/26 TF-SLC201 48V Fan for SLC 2000 - Lucent 4A/4B Tray w/ 5 Wire Plug (KS23912L6 equiv.) 1336047 1336047 25/26 TF-LU2A 48V Fan for Lucent 2A Fan Tray w/ 3 Leads & Fastons (KS22501L5 equiv.) 1336048 27 TF-LU2B 48V Fan for Lucent 2B Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336049 28 TF-LU2C 48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336060 28 TFC-LU2BC-01 Alarm Control Board for Lucent 2B & 2C Fan Trays 1458909 28 TF-LU2C-02F 48V Fan for Lucent 2C Fan Tray w/ 3 Wires & Faston Connectors CALL TF-ES660-01 24V (60x25mm) Fan for Lucent ES660 Rectifier Unit w/ 2 Wire Plug 29 TF-RECARGUS-03 12V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug 1474133 29 TF-RECARGUS-03 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug & Threaded Inserts 29 TF-RECARGUS-04 12V (120mm) Fan for Argus Rectifier w/ 2 Wire Open End 29 TF-ALC7330-4 Alcatel 7330 VRAD Fan Kit w/ Quic					
TFC-116A-01 Alarm Control Board for Lucent 116A Battery Fan Unit (customer supplied bracket) 1459078 25/26 TF-SLC201 48V Fan for SLC 2000 - Lucent 4A/4B Tray w/ 5 Wire Plug (KS23912L6 equiv.) 1336047 1336047 25/26 TF-LU2A 48V Fan for Lucent 2A Fan Tray w/ 3 Leads & Fastons (KS22501L5A equiv.) 1336048 27 TF-LU2B 48V Fan for Lucent 2B Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336049 28 TF-LU2C 48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336060 28 TF-LU2C-02F Alarm Control Board for Lucent 2B & 2C Fan Trays 1458909 28 TF-LU2C-02F 48V Fan for Lucent 2C Fan Tray w/ 3 Wires & Faston Connectors CALL TF-ES660-01 24V (60x25mm) Fan for Lucent ES660 Rectifier Unit w/ 2 Wire Plug 29 TF-RECARGUS-01 12V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug 1474133 29 TF-RECARGUS-02 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug & Threaded Inserts 29 1474133 29 TF-RECARGUS-04 12V (120mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug & Threaded Inserts 29 1541518 24 TF-ALC7330-4 Alca					1
TF-SLC201 48V Fan for SLC 2000 - Lucent 4A/4B Tray w/ 5 Wire Plug (KS23912L6 equiv.) 1336047 25/26 TF-LU2A 48V Fan for Lucent 2A Fan Tray w/ 3 Leads & Fastons (KS22501L5 equiv.) 1336048 27 TF-LU2B 48V Fan for Lucent 2B Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336049 28 TF-LU2C 48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336060 28 TFC-LU2BC-01 Alarm Control Board for Lucent 2B & 2C Fan Trays 1458909 28 TF-LU2C-02F 48V Fan for Lucent 2C Fan Tray w/ 3 Wires & Faston Connectors CALL TF-ES660-01 24V (60x25mm) Fan for Lucent ES660 Rectifier Unit w/ 2 Wire Plug 29 TF-RECARGUS-01 12V (80mm) Fan for Argus Rectifier w/ 2 Wire Plug 1474133 29 TF-RECARGUS-02 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug 1474133 29 TF-RECARGUS-03 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Open End 29 TF-RECARGUS-04 12V (120mm) Fan for Argus Rectifier w/ 2 Wire Open End 29 TF-ALC7330-4 Alcatel 7330 VRAD Fan Kit w/ Quick Install Template Plate 1341518 CALL TF-ALC7218-01 24V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin Connector CALL					
TF-LU2A 48V Fan for Lucent 2A Fan Tray w/ 3 Leads & Fastons (KS22501L5 equiv.) 1336048 27 TF-LU2B 48V Fan for Lucent 2B Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336049 28 TF-LU2C 48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336060 28 TFC-LU2BC-01 Alarm Control Board for Lucent 2B & 2C Fan Trays 1458909 28 TF-LU2C-02F 48V Fan for Lucent 2C Fan Tray w/ 3 Wires & Faston Connectors CALL TF-ES660-01 24V (60x25mm) Fan for Lucent ES660 Rectifier Unit w/ 2 Wire Plug 29 TF-RECARGUS-01 12V (80mm) Fan for Argus Rectifier w/ 2 Wire Plug 1474133 29 TF-RECARGUS-02 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug 1474133 29 TF-RECARGUS-04 12V (120mm) Fan for Argus Rectifier w/ 2 Wire Open End 29 TF-ALC7330-4 Alcatel 7330 VRAD Fan Kit w/ Quick Install Template Plate 1341518 CALL TF-ALC1218-01 24V Fan for Alcatel 7330 VRAD Tray w/ 3 Wire Open End (for splicing) 1341616 CALL TF-ALC1218-02 48V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin Connector CALL			4000047		
TF-LU2B 48V Fan for Lucent 2B Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336049 28 TF-LU2C 48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336060 28 TFC-LU2BC-01 Alarm Control Board for Lucent 2B & 2C Fan Trays 1458909 28 TF-LU2C-02F 48V Fan for Lucent 2C Fan Tray w/ 3 Wires & Faston Connectors CALL TF-ES660-01 24V (60x25mm) Fan for Lucent ES660 Rectifier Unit w/ 2 Wire Plug 29 TF-RECARGUS-01 12V (80mm) Fan for Argus Rectifier w/ 2 Wire Plug 1474133 TF-RECARGUS-02 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug 1474133 29 TF-RECARGUS-03 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug & Threaded Inserts 29 TF-RECARGUS-04 12V (120mm) Fan for Argus Rectifier w/ 2 Wire Open End 29 TF-ALC7330-4 Alcatel 7330 VRAD Fan Kit w/ Quick Install Template Plate 1341518 CALL TF-ALC7330-C (1) 48V Fan for Alcatel 7330 VRAD Tray w/ 3 Wire Open End (for splicing) 1341616 CALL TF-ALC1218-01 24V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin Connector CALL TF-ALC1218-02 48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads CALL			1336047		-
TF-LU2C 48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug (KS22501L5A equiv.) 1336060 28 TFC-LU2BC-01 Alarm Control Board for Lucent 2B & 2C Fan Trays 1458909 28 TF-LU2C-02F 48V Fan for Lucent 2C Fan Tray w/ 3 Wires & Faston Connectors CALL TF-ES660-01 24V (60x25mm) Fan for Lucent ES660 Rectifier Unit w/ 2 Wire Plug 29 TF-RECARGUS-01 12V (80mm) Fan for Argus Rectifier w/ 2 Wire Plug 29 TF-RECARGUS-02 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug 1474133 29 TF-RECARGUS-03 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug & Threaded Inserts 29 TF-RECARGUS-04 12V (120mm) Fan for Argus Rectifier w/ 2 Wire Open End 29 TF-ALC7330-4 Alcatel 7330 VRAD Fan Kit w/ Quick Install Template Plate 1341518 CALL TF-ALC7330-C (1) 48V Fan for Alcatel 7330 VRAD Tray w/ 3 Wire Open End (for splicing) 1341616 CALL TF-ALC1218-01 24V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin Connector CALL TF-ALC1218-02 48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads CALL		• • • • • • • • • • • • • • • • • • • •			
TFC-LU2BC-01 Alarm Control Board for Lucent 2B & 2C Fan Trays TF-LU2C-02F 48V Fan for Lucent 2C Fan Tray w/ 3 Wires & Faston Connectors TF-ES660-01 24V (60x25mm) Fan for Lucent ES660 Rectifier Unit w/ 2 Wire Plug TF-RECARGUS-01 12V (80mm) Fan for Argus Rectifier w/ 2 Wire Plug TF-RECARGUS-02 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug TF-RECARGUS-03 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug & Threaded Inserts TF-RECARGUS-04 12V (120mm) Fan for Argus Rectifier w/ 2 Wire Open End TF-ALC7330-4 Alcatel 7330 VRAD Fan Kit w/ Quick Install Template Plate TF-ALC7330-C (1) 48V Fan for Alcatel 7330 VRAD Tray w/ 3 Wire Open End (for splicing) TF-ALC1218-01 24V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin Connector TF-ALC1218-02 48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads CALL					
TF-LU2C-02F 48V Fan for Lucent 2C Fan Tray w/ 3 Wires & Faston Connectors TF-ES660-01 24V (60x25mm) Fan for Lucent ES660 Rectifier Unit w/ 2 Wire Plug TF-RECARGUS-01 12V (80mm) Fan for Argus Rectifier w/ 2 Wire Plug TF-RECARGUS-02 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug TF-RECARGUS-03 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug & Threaded Inserts TF-RECARGUS-04 12V (120mm) Fan for Argus Rectifier w/ 2 Wire Open End TF-ALC7330-4 Alcatel 7330 VRAD Fan Kit w/ Quick Install Template Plate TF-ALC7330-C (1) 48V Fan for Alcatel 7330 VRAD Tray w/ 3 Wire Open End (for splicing) TF-ALC1218-01 24V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin Connector TF-ALC1218-02 48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads CALL CALL TF-ALC1218-02 48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads					
TF-ES660-01 24V (60x25mm) Fan for Lucent ES660 Rectifier Unit w/ 2 Wire Plug 29 TF-RECARGUS-01 12V (80mm) Fan for Argus Rectifier w/ 2 Wire Plug 29 TF-RECARGUS-02 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug 1474133 29 TF-RECARGUS-03 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug & Threaded Inserts 29 TF-RECARGUS-04 12V (120mm) Fan for Argus Rectifier w/ 2 Wire Open End 29 TF-ALC7330-4 Alcatel 7330 VRAD Fan Kit w/ Quick Install Template Plate 1341518 CALL TF-ALC7330-C (1) 48V Fan for Alcatel 7330 VRAD Tray w/ 3 Wire Open End (for splicing) 1341616 CALL TF-ALC1218-01 24V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin Connector CALL TF-ALC1218-02 48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads CALL		·		1458909	1
TF-RECARGUS-01 12V (80mm) Fan for Argus Rectifier w/ 2 Wire Plug 29 TF-RECARGUS-02 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug 1474133 29 TF-RECARGUS-03 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug & Threaded Inserts 29 TF-RECARGUS-04 12V (120mm) Fan for Argus Rectifier w/ 2 Wire Open End 29 TF-ALC7330-4 Alcatel 7330 VRAD Fan Kit w/ Quick Install Template Plate 1341518 CALL TF-ALC7330-C (1) 48V Fan for Alcatel 7330 VRAD Tray w/ 3 Wire Open End (for splicing) 1341616 CALL TF-ALC1218-01 24V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin Connector CALL TF-ALC1218-02 48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads CALL	TF-LU2C-02F				CALL
TF-RECARGUS-02 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug 29 TF-RECARGUS-03 24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug & Threaded Inserts 29 TF-RECARGUS-04 12V (120mm) Fan for Argus Rectifier w/ 2 Wire Open End 29 TF-ALC7330-4 Alcatel 7330 VRAD Fan Kit w/ Quick Install Template Plate 1341518 CALL TF-ALC7330-C (1) 48V Fan for Alcatel 7330 VRAD Tray w/ 3 Wire Open End (for splicing) 1341616 CALL TF-ALC1218-01 24V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin Connector CALL TF-ALC1218-02 48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads CALL					-
TF-RECARGUS-0324V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug & Threaded Inserts29TF-RECARGUS-0412V (120mm) Fan for Argus Rectifier w/ 2 Wire Open End29TF-ALC7330-4Alcatel 7330 VRAD Fan Kit w/ Quick Install Template Plate1341518 CALLTF-ALC7330-C(1) 48V Fan for Alcatel 7330 VRAD Tray w/ 3 Wire Open End (for splicing)1341616 CALLTF-ALC1218-0124V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin ConnectorCALLTF-ALC1218-0248V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated LeadsCALL		12V (80mm) Fan for Argus Rectifier w/ 2 Wire Plug			29
TF-RECARGUS-04 12V (120mm) Fan for Argus Rectifier w/ 2 Wire Open End 29 TF-ALC7330-4 Alcatel 7330 VRAD Fan Kit w/ Quick Install Template Plate 1341518 CALL TF-ALC7330-C (1) 48V Fan for Alcatel 7330 VRAD Tray w/ 3 Wire Open End (for splicing) 1341616 CALL TF-ALC1218-01 24V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin Connector CALL TF-ALC1218-02 48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads CALL	TF-RECARGUS-02			1474133	29
TF-ALC7330-4 Alcatel 7330 VRAD Fan Kit w/ Quick Install Template Plate TF-ALC7330-C (1) 48V Fan for Alcatel 7330 VRAD Tray w/ 3 Wire Open End (for splicing) 1341616 CALL TF-ALC1218-01 24V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin Connector CALL TF-ALC1218-02 48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads CALL	TF-RECARGUS-03	24V (80mm) Fan for Argus Rectifier w/ 2 Wire Right Angle Plug & Threaded Inserts			29
TF-ALC7330-C (1) 48V Fan for Alcatel 7330 VRAD Tray w/ 3 Wire Open End (for splicing) TF-ALC1218-01 24V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin Connector TF-ALC1218-02 48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads CALL	TF-RECARGUS-04	12V (120mm) Fan for Argus Rectifier w/ 2 Wire Open End			29
TF-ALC1218-01 24V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin Connector TF-ALC1218-02 48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads CALL	TF-ALC7330-4	Alcatel 7330 VRAD Fan Kit w/ Quick Install Template Plate		1341518	CALL
TF-ALC1218-02 48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads CALL	TF-ALC7330-C	(1) 48V Fan for Alcatel 7330 VRAD Tray w/ 3 Wire Open End (for splicing)		1341616	CALL
	TF-ALC1218-01	24V Fan for Alcatel 1218 Cabinet Fan Trays w/ 2 Wire, 3 Pin Connector			CALL
	TF-ALC1218-02	48V Fan for Alcatel 1218 Cabinet Roof w/ 2 Unterminated Leads			CALL
	TF-ALC7342-01				CALL





www.tagc	ords.com		0	E
Part #	Description	Brightspeed MAT #	MAT#	PG#
OSP CABINET / TRAY FANS & ALARM CONTROL BOARDS - continued from previous page				
TF-COM6DF-01	48V Fan for CommScope Cbnt, 6D/F Bay w/ Internal Thermal Sensor & 3W, 6 Pin		1355242	30
TF-COM6DF-02	48V Fan for CommScope Cabinet, ALP HX Door w/ 5 Wire, 6 Pin Connector			30
TF-COM6DF-02R	48V Fan for CommScope 52/82 Cbnt, HX Door w/ 5W, 6 Pin (w/10k thermistor cbl)		1465437	30
TF-COM6DF-04	48V Fan for CommScope Cabinet, 6D/F Bay w/ Internal Therm Sensor & 3W, 4 Pin		1466315	30
TF-COM6BC-01	48V Fan for CommScope Cabinet, 6B/C Battery/ALP HX Door w/ 3 Wire, 4 Pin		1439621	30
TF-COM52E-01	48V Fan for CommScope 52E Cabinet, Battery w/ (1) 2W, 4 Pin & (1) 2W, 2 Pin		1466728	30
TFT-COM48B-01	"Salt Air Door Fan Tray" 3-Fan Stainless Steel Assembly for CommScope ALP 448/248 HX Door Fans (includes: (3) NEW 48V FANS (# TF-COM6DF-02B) & Grommet)			CALL
TF-FUJ6200-01	48V Heat Exchanger for Fujitsu 6200 Cabinet w/ 5 Wire Plug		1359018	31
TF-FUJ6200-02	48V Fan for Fujitsu 6200 Cabinet Tray w/ Power Prongs			31
TF-FUJ6200-03	48V Fan for Fujitsu 6200 Cabinet Tray w/ 3 Wire Open End & Power Prongs			31
TF-CREX-01	48V Fan for NEC C-REX Cabinet w/ 4 Wire Plug (use in Zhone ISC-303 trays)		1355199	32
TF-CREX-02	48V Fan for NEC C-REX Cabinet w/ 2 Wire Open End (use in # F2876A)		1355240	+
TFC-F2876A	Alarm Control Board Replacement for NEC Fan Shelf # F2876A		1479394	_
TF-CREX-03	48V Fan for NEC C-REX Cabinet ECU w/ 3 Wire Open End (use in NEC Y4899A/74884A)		1461017	_
TF-AI-SCT-01	48V (80mm) Fan for AISCOUT w/ 3 Wire Right Angle Plug			33
TF-DISCSCPU-01	48V Cooling Fan for DISC*S CPU w/ 2 Wire Open End (fan only, use with existing bracket)		1479944	_
TF-OPTI-01	12V Fan for Opti 6100 Fan Trays w/ 3 Wire Plug (use in EFANM Fan Tray # 1184508L2)	1444322	1444322	_
TF-CN5150HX-01	48V HX for Telamon / Ciena 5150 EMUX Cbnt Door w/ 4 Wires & Sealed Connector	1444022	1444022	33
TFT-SLC96-AC01	110VAC Fan w/ Bracket Assembly for SLC96 (36 Type) Cabinet (KS22099L5 Equiv.)	1356198	1356198	
TFT-SLC96-AC01L	110VAC (Low Temp) Fan w/ Bkt Assembly for SLC96 (36 Type) Cabinet (KS22099L5)	1330130	1330130	34
			1256100	_
TF-SLC96-AC02	110VAC Fan (fan only) for SLC96 (36 Type) Cabinet (use in KS22099L5)		1356199	+
TF-LS2000-01	48V Fan for Litespan 2000 PDFA w/ 3 Wire Plug & Guard Grill (use in # 500-1126-723)		1341519	+
TF L 00000 00	Alarm Control Board for Litespan 2000 PDFA Trays (use in Fan Tray # 500-1126-723)		4050400	35
TF-LS2000-02	48V Fan for Litespan 2000 High Velocity PDFA w/ 3 Wire Connector		1356400	_
TFC-PDFA-01	Alarm Control Board for Litespan 2000 HV PDFA Fan Trays (use in # 509-0000-086/163)		4050000	35
TF-LS2000-03	48V Heat Exchanger for Litespan 2000 Cabinet w/ Unterminated Leads		1359389	_
TF-LS2KSB-01	48V Heat Exchanger for Litespan 2000 Cabinet Heat Stack w/ Power Prongs		1496549	
TF-LS2000-44	Litespan 2000 DFA Fan Kit (w/ (4) 48V Fans & Wiring Harness w/ 12 Wire Plug)		1445489	_
TF-LS2000-04	(1) Individual 48V Fan for Litespan 2000 DFA Tray w/ 3 Wire Open End (for splicing)		1445620	_
TFC-DFA-01	Alarm Control Board for Litespan 2000 DFA Fan Trays (use in tray # 500-1100-XXX)		1458948	+
TF-ACABTZ-01A	48V HX (Tarzan) for Litespan 2000 (LSC-2030) Cabinet (includes Adapter Cable)		1359388	37
TF-ACABLHX-01	48V Heat Exchanger (Lower) for Litespan 2000 (LSC-2030) Cabinet		1460436	37
TF-LRA25B50-01	24V Fan for A25B50 Rectifier Unit (Lorain / Marconi) w/ 3 Wire Plug			38
TF-LPCM-01	24V Fan (80mm) for V15F50/P Lorain Power Conversion Module w/ 3W Male Plug			38
TF-LPM-01	48V Fan for Lorain Power Module w/ Power Prongs (fan only - use in # 427215900)			38
TF-MESACL-01	48V Fan for Marconi Current Limiter w/ 3 Wire Plug			38
TF-MCABTZ-01	48V Heat Exchanger (Tarzan) for Marconi Mesa "Top" HX Cabinet w/ 3 Wire Plug	1359387	1359387	39
TF-MESA6-01	48V Heat Exchanger for Marconi Mesa "Bottom" HX Cabinet w/ 3 Wire Plug	1359091	1359091	39
TF-MARCTOP-01	48V Fan for Marconi Cabinet (Top/Inside) w/ Power Prongs			CALL
TFC-FA400-01	Alarm Control Board Replacement for Marconi Mesa Master Tray		1479565	40
TF-FA400-01	48V Fan for Marconi Mesa Cabinet Master Fan Tray w/ 3 Wire Plug	1439622	1439622	40
TF-FA400-02	48V Fan for Marconi Mesa Cabinet Slave Fan Tray w/ 3 Wire Plug	1439623	1439623	40
TFC-MARC6-01	6 Position Environmental Control Unit (ECU) for Marconi Cabinet (supports 6 HX fans)		1461075	41
TF-MESA384-01	48V (External) HX for Mesa DSLAM 384 Cbnt w/ 4 Wire (Round)(F) Wthrproof Plug			CALL
TF-MESA384-02	48V (Internal) HX for Mesa DSLAM 384 Cbnt w/ 4 Wire (Square) Female Plug			CALL
TFC-MESA-04	4 Port Environmental Control Unit (ECU) (used in Mesa 2 - DSLAM 192 & 384)			CALL
TFC-MESA-02	2 Port Environmental Control Unit (ECU) (used in Mesa 2 - DSLAM 192 Type Cabinets)			CALL
TFC-MESA246-01	6 Fan Environmental Control Unit (ECU) for Remote Cabinet Sites		1461124	42
1				+
TFCS-MESA246-08	Extension Cable for Mesa Fan Controllers, (8')		1475550	42





www.tagco	ords.com		0	Bill
Part #	Description	Brightspeed MAT #	MAT#	PG#
0	SP CABINET / TRAY FANS & ALARM CONTROL BOARDS - continued from previo			
TFT-NXWDL-02	TAG Universal 19/23 "Harsh Environment" Cabinet Fan Tray (fits 19" & 23" bays)		1472248	43
TFT-NXTLEV-03MC	TAG Fan Tray for Next Level Cabinet (includes NEW Fan Tray & (3) NEW 48V Fans)		1444040	1
TF-NXTLEV-03	48V Fan Assembly for Next Level Cabinet Fan Trays (includes (3) 3 Wire Fans)		1358901	43
TF-DCORLS-01	48V Fan for Stromberg Carlson DCO RLS Cabinet Tray w/ 3 Fastons & Power Prongs		1481914	+
TF-SPB-AC01	120VAC Fan for Seiscor / Pulsecom "B" Cabinet w/ Power Prongs			44
TF-SPD-AC01	110VAC Fan for Seiscor / Pulsecom "D" Cabinet w/ Power Prongs & Guard Grill			44
TF-UMC1000-01	48V Fan (120mm) for Tellabs UMC1000 Tray w/ 3 Wire Plug (use in AFC Tray w/ 6 fans)		1466657	45
TFC-UMC1000-06	Alarm Control Board for Tellabs UMC1000 Tray (use in AFC tray w/ 6 fans)			45
TF-UMC1000-02	48V Fan (80mm) for Tellabs UMC1000 Tray w/ 3 Wire Plug (use in AFC Tray w/ 10 fans)		1466656	1
TF-UMC1000-03	48V Fan (120mm) for Tellabs UMC1000 Tray w/ 4 Wire Plug (use in AFC Tray w/ 8 fans)		1466761	45
TF-UMC672-01	48V Fan for UMC672 Cabinet w/ 2 Wire Plug (fan only, use with existing metal housing)			45
TF-MC133-02	(133mm) Heat Exchanger for Mesa 768 Cabinet w/ 3 Pin Plug	1355448	1355448	1
TF-MC133-05	(133mm) Heat Exchanger for Mesa Sport Cabinet w/ 3 Pin Bulkhead Plug	1482855	1482855	+
TF-CSHX133-01	(133mm) Heat Exchanger for Cell Site Mesa Sport w/ 4 Pin Male Weatherproof Plug	1402000	1402000	46
TF-MC133-01	(133mm) Heat Exchanger for Purcell FlexAir 741 (Door) w/ 4 Leads & Fastons	1358926	1358926	1
TF-MC175-04	(175mm) Heat Exchanger for Purcell A009 Cabinet w/ Weatherproof Connector	1000020	1000020	47
TF-MC175-04-KIT	(175mm) Heat Exchanger for Parcell A009 Cabinet w/ Weatherproof Conn. & Bracket			47
TF-SRA200-01			1492655	1
TF-MC175-02	(175mm) Heat Exchanger for SRA-200 Cabinet w/ 3 Wire Plug (fan only) (175mm) Heat Exchanger for Mesa 4 NXT Cabinet (for Siemens ICN 087-23500-10)		1358925	+
	,			+
TF-MC175-03	(175mm) Heat Exchanger for OSP Cabinet w/ 3 Pin Plug		1358924	1
TF-MC175-03W	(175mm) HX for Tellabs 1000 w/ 3 Leads	4.407.400	1458675	1
TF-MC175-01	(175mm) Heat Exchanger for Siemens 914EX Metro MXU Cabinet	1467133	1467133	1
TF-914EHX-01	48V HX for Siemens 914E RT Cbnt w/ Pwr Prongs	1490825	4050045	49
TF-914EXMET-01	48V Fan for Siemens 914EX Metro MXU Fan Tray w/ Power Prongs	4.50005	1359017	+
TF-HX175LP-01	(175mm) "Low Profile" HX for Calix ODC Cabinet Door	1452035	1452035	1
TF-HX220LP-01	(220mm) "Low Profile" HX for Calix ODC-1000 w/ 4 Leads & Fastons		1477798	1
TF-OPM640HX	(175mm) "Low Profile" Impeller for OPM 640 Cbnt (Retro Fit Roof) w/ 3 Wire, 4 Pin Plug			51
TF-AFCHX-01	(175mm) "Low Profile" Heat Exchanger for AFC Fan Unit found in OPM Cabinets		1475725	-
TF-CATNHX-01	(175mm) "Low Profile" Heat Exchanger for Catena Cabinet			51
TF-MC179-01A	HX for Mesa Bridge Cabinet (Upper - Internal) w/ 4 Wire Female Weatherproof Plug		1490468	
TF-MC179-01	HX for Mesa Bridge Cabinet (Lower - Door) w/ 4 Wire Female Weatherproof Plug			52
TF-CQ250-01	(250mm) HX for Ice Qube Cabinet w/ 4 Wire Open End			52
TF-AFC672-01	48V Fan for AFC Cabinet Heat Stack w/ Power Prongs		1456851	52
TF-CLXODC-01F	48V Heat Exchanger for Calix ODC Stack w/ 2 Wires & Fastons		1456478	53
TFC-CALIX2KHX	Alarm Control Board for Calix ODC-2000 Cabinet HX Controller (alarm board only)		1481590	1
TF-CLX225-01	(225mm) HX Impeller Fan (Upper) for Calix ODC Cbnt w/ 4W (F) Snap on Plug, (14")	1490321		54
TF-CLX225-02	(225mm) HX Impeller Fan (Upper) for Calix ODC Cbnt w/ 4 Wire Female Plug (30")		1492772	54
TF-CLX225-03	(225mm) HX Impeller Fan (Lower) for Calix ODC Cabinet w/ 4 Wire Male Plug (30")		1492619	54
TF-CLX133-01	(133mm) HX Impeller Fan (Upper/Lower) for Calix Cabinet w/ 4 Wire Plug	1490163	1490163	+
TF-MCCHX-AC01	110VAC HX Blower for Reltec / McLean Cbnt w/ Pwr Plug & Adapter Plate (fan only)		1481410	+
TF-MCCHX-AC0R	110VAC (Right)HX Blower for Reltec/McLean Cbnt w/ Pwr Plug & Plate (fan only)		1493505	55
TF-TX33HX-01	(175mm) HX for Mclean ClimaGuard Cabinet Cooler w/ 4 Wire Weatherproof Conn.		1473428	55
TF-TX38HX-01	(225mm) HX for Mclean ClimaGuard Cabinet Cooler w/ 4 Wire Weatherproof Conn.		1473110	55
TF-NP0402-01	48V Heat Exch. for Noren Cooling Unit - Internal (6.71K) w/ 3 Wire Open End	1359090	1359090	56
TF-NP0414-02	48V Heat Exch. for Noren Cooling Unit - External (8.45K) w/ 3 Wire Open End		1359019	56
TF-MC225-01	(225mm) Heat Exchanger for Mesa Cabinet (Top) w/ Round Weatherproof Connector	1345222	1345222	57
TF-MC225-02	(225mm) Heat Exchanger for Mesa Cabinet (Bottom) w/ 4 Wire Plug (fan only)	1345223	1345223	57
TF-MC225-02-KIT	(225mm) Heat Exchanger KIT for Mesa Cabinet (Bottom) w/ 4 Wire Plug & Bracket		1451725	57
TFB-MC225-02	Mounting Bracket & Hardware for Mesa Cabinet 225mm Bottom Heat Exchanger		1451078	57
TFC-MESA-01	2 Port Mesa Cabinet ECU (Cell Site: XL, SOLE, Span XL, Bridge, Edge & Sport)	1492180		58
	the seather from the control of the	- 4 - I- I	_	

5ESS Replacement Fans

- ► All TAG Fans are <u>NEW</u> (No Refurbs)
- ► Exact Drop-in Replacements
- ▶ 48V == DC 0.40A

DON'T SEE THE FAN YOU NEED?

Send us a Sample & we will Find a Match!

KS22501L3 Models:

PN # TF-5ESS-01F

5ESS Replacement Fan w/ 3 Leads & Faston Connectors (fan w/ power prongs)



PN # TF-5ESS-01P 5ESS Replacement Fan

w/ 3 Leads & AMP Connector (fan w/ power prongs)

MAT # 1341583

DC Fan Power Cords are available for KS22501L3 type fans (order TAG MODEL # TF-DCPWR-01, call for pricing)



KS23912L1A Models:

PN # TF-5ESS-02F

5ESS Replacement Fan w/ 5 Leads & Faston Connectors *w/ Internal Thermal Speed Control Sensor*

MAT # 1330515

PN # TF-5ESS-02P

5ESS Replacement Fan w/ 5 Leads & AMP Connector w/ Internal Thermal Speed Control Sensor

Brightspeed MAT # 1330513





KS23912L2 Model:

PN # TF-5ESS-03P

5ESS Replacement Fan w/ 4 Leads & AMP Connector

Brightspeed MAT # 1338991



KS22501L3A Models:

PN # TF-5ESS-04F

5ESS Replacement Fan w/ 5 Leads & Faston Connectors

Brightspeed MAT # 1332759

PN # TF-5ESS-04P

5ESS Replacement Fan w/ 5 Leads & AMP Connector

Brightspeed MAT # 1341163



KS23398L2 Model:

PN # TF-5ESS-10P

ISLU (Square Fan) 48V --- DC 0.13A w/ 5 Leads & AMP Connector

MAT # 1341565



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

Adtran TA3000 / TA5000 Replacement Fans


"TA3000"



PN # TF-TA3000-01 48 Volt Replacement Fan for Adtran TA3000, Total Access Fan Module w/3 Wire Plug

(use in TA3000 Module, HECI: M3PQ0AV, PN: 1181006L1)


MAT # 1479267



"TA5000"



PN # TF-TA5K-01 48 Volt Replacement Fan for Adtran TA5000 w/ 4 Wire Plug




MAT # 1359596

"TA5000"



PN # TF-TA5K-02 48 Volt Replacement Fan for Adtran TA5000 w/ 3 Wire Plug



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

1359595

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Alcatel (1000 / 7300 / DSC ECS1 / 1603)* Replacement Fans

"Alcatel 1000 / 7300"

PN # TF-ALC-01

48V Replacement Fan for Alcatel 1000 / 7300 Fan Tray w/ Tach Output & 3 Wire Plug

(use in **3EC 15478** (XXXX), **3EC 37933** (XXXX) & **3EC 36760** (XXXX) Fan Trays)











"Alcatel 7300"

PN # TF-AL7300-02

48V Replacement Fan for Alcatel 7300 Fan Tray

w/ Internal Sensor, Tach Output & 3 Wire Plug (use in **3EC 16697** (XXXX) Fan Trays)


MAT # 1341521

"DSC / Alcatel ECS1"

PN # TF-DSCECS1-01

48V Replacement Fan for DSC / Alcatel ECS1 Fan Tray w/ 3 Wire Plug

MAT # 1341522





"Alcatel 1603"



PN # TF-ALC1603-01 48V Replacement Fan for Alcatel 1603 Low-Volume Fan Tray w/ 3 Wire Plug



625052-000-0XX (w/ 4 EXISTING FANS) (fan tray is not included)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091 Telephone: (856) 753-8585 Fax : (856) 768-7645

www.tagcords.com

Alcatel 1631 / 1680* Replacement Fans

"Alcatel 1631"

PN # TF-ALC1631-01

48V Replacement Fan for Alcatel <u>1631</u> Blower Assembly w/ Power Prongs

(use in # 695-3363-302 blower assembly)



(fan only use with existing guard grill)

Lumen/CLK MAT # 1359594

(fan only use with existing guard grill)



<u>Lumen/CLK MAT #</u> 1359611

"Alcatel 1631"

PN # TF-ALC1631-02

48V Replacement Fan for

Alcatel 1631 Blower Assembly

w/ Power Prongs, Unterminated Tach Lead & (1) Butt Splice

(use in # 3AL45446AA blower assembly)

"Alcatel 1631"

PN # TF-ALC1631-03

48V Replacement Fan for Alcatel 1631 APS Blower Assembly

w/ Power Prongs & Unterminated Tach Lead

(use in # 695-8489-001 blower assembly)



(fan only use with existing guard grill)



(fan only use with existing guard grill)



"Alcatel 1680"

PN # TF-ALC1680-01

48V Replacement Fan for

Alcatel <u>1680</u> OGX Blower Assembly

w/ Power Prongs, Unterminated Tach Lead & (1) Butt Splice

(use in # 3EM04820AA blower assembly, HECI WMMYAA9FAA)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Replacement Fans (Cisco ONS 15454 / Calix E7 / Kentrox)

PN # TF-C15454-01

48 Volt Replacement Fan for Cisco ONS 15454 Fan Unit w/ 3 Wire Right Angle Connector

(use in Fan Trav # 800-21448-02. HECI: WMMYAFEGAA)



CISCO ONS 15454 FAN UNIT (6 FANS)

(fan tray unit is not included)

"ONS 15454"



MAT # 1356197

"Calix E7"

Brightspeed MAT # 1490737

PN # TF-CLXE7-01

12 Volt Replacement Fan for Calix E7-2 FTA2 Fan Unit w/ 4 Wire Plug






CALIX E7-2 FTA2 FAN UNIT w/ (4 FANS)

(fan unit is not included)

PN # TF-AI-180

48 Volt Replacement Cooling Fan for **Kentrox AlSwitch Series 180 Fan Unit** w/ 3 Wire Right Angle Connector



AICOOL-48 FAN UNIT (8 FANS)

(fan tray unit is not included)

"AISwitch 180"



MAT # 1437966

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Lorain / Marconi Replacement Trays & Fans

Vortex V200D50

REPLACE LORAIN / MARCONI **104545 FAN TRAYS**

NEW FAN TRY INCLUDES (3) NEW FANS w/ WIRING HARNESS & CONNECTOR



Ordering Information:

Lumen/CLK MAT #

TFT-MRECT TAG Fan Tray - New TAG Fan Tray Assembly 1341614

for Vortex Rectifier (Lorain / Marconi 104545)

Includes: (1) NEW Fan Tray & (3) NEW 24 Volt Replacement Fans w/ Wiring Harness & Connector (Use in **V200D50** Power Conversion Unit, HECI: PBP1FT0DAA, replaces Nidec Model # T34874-MAR)

TF-MREC-01

24V Fan for Vortex V200D50 Rectifier Fan Tray

(individual fan)

(Lorain / Marconi 104545) w/ 3 Wire Open End - (not shown)

Vortex V200E50

(top view w/ 2 of the 3 fans removed)



VORTEX RECTIFIER FAN UNIT w/ EXISTING FANS (V200E50 type w/ (3) separate trays)

(fan only - use with existing tray / metal housing)

Ordering Information:

Lumen/CLK MAT # 1341615

TF-MREC-02

24V Fan for Vortex V200E50 Rectifier (Lorain / Marconi) w/ 4 threaded mounting locations & 3 Wire Plug

(Use in V200E50 Power Conversion Unit, HECI: PBPUG0V2AA

www.tagcords.com

(fan only - use with existing tray / metal housing)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

Telephone: (856) 753-8585


Fax: (856) 768-7645

Lorain / Marconi Rectifier Unit Replacement Fans

"AC Fan"



"RHM-400/800 Rectifier"



Ordering Information:

Lumen/CLK MAT #

TF-RHM400-01 220VAC Fan for RHM-400/800 Rectifier Unit

1341529

(Lorain / Marconi) w/ power prongs


(use in RHM400D50 & RHM800E50 Rectifier Units)

"DC Fan"



"A50B50* Rectifier"

*V50B50 fans are also available - see ordering information below



Ordering Information:

Lumen/CLK MAT #

TF-LRA50B50-01 48V Fan for A50B50 Rectifier Unit

(Lorain / Marconi) w/ 2 Wire Plug

1444636

TF-LRV50B50-01 24V Fan for V50B50 Rectifier Unit

(Lorain / Marconi) w/ 3 Wire Plug - (not shown)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Lucent DDM-2000 Replacement Fans

"DDM-2000 (24V)"

PN # TF-DDM201-KIT1 *

24 Volt Replacement Fan **Kit** for **Lucent DDM-2000**


Kit includes:

(1) 24V Replacement Fan

&

(1) Mounting Plate





* fans can also be ordered without the mounting plate, order # TF-DDM201, Brightspeed MAT # 1341530

1341531

"DDM-2000 (48V)"

PN # TF-DDM202 **

48 Volt Replacement Fan for Lucent DDM-2000

MAT # 1359610

(for use in Nidec T35078-LUC 440233, Lucent Comcode: 408741205)

** fan only - this fan is used with the existing mounting bracket



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Lucent Replacement Fans

"CBX500 OCD"



PN # TF-CBX500-01

12 Volt Replacement Cooling Fan for CBX 500 OCD

w/ 3 Wire Pins

"FT-2000"



PN # TF-FT201

48 Volt Replacement Fan for **Lucent Fiber Terminal 2000 (FT-2000)** w/ 3 Wire Plug

"Metropolis DMX"



PN # TF-DMXMET-01

48 Volt Replacement Fan for **Lucent Metropolis DMX Fan Shelf** w/ 4 Wire Plug

Used in Metropolis DMX Fan Shelf -LUCENT COMCODE NO. 408769172

"Metropolis DMX Multiplexer"



PN # TF-DMXMET-02

48 Volt Replacement Fan for Lucent Metropolis DMX Access Multiplexer Fan Shelf w/ 4 Wire Black Plug

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Lucent DACS III / IV* Replacement Fans



"DACS III / IV"

PN # TF-DACS3/4-01

48 Volt Replacement Fan for Lucent DACS III / IV w/ 4 Wire Plug

Equiv. to KS23913L1,

Used in Lucent Fan Assemblies:


DACS III (ED-2C816-30, G1 or ED-2C906-30) DACS IV (WP92310L4)

DACS IV FAN ASSEMBLY

(WP92310, L4)

(fan assembly is not included)







"DACS III / IV"

PN # TF-DACS3/4-02

48V Replacement Fan for Lucent DACS III / IV

w/ 5 Wire Plug

Equiv. to KS23913L1,

Used in Lucent Fan Assemblies: DACS III / IV (WP91473-L3B) Lumen/CLK MAT # 1359609



150 Cooper Rd. (F-15) W. Berlin, NJ 08091


www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

TAG's Universal Fan Tray Replaces 3 Generations of DMS-100 NT3X90 Cooling Units

1. NT3X90AA/AB



"AA/AB" FAN TRAY



2. NT3X90AC



"AC" FAN TRAY



3. NT3X90AF



"AF" FAN TRAY



TAG UNIVERSAL FAN TRAY

- No 24VAC Inverters
- No Paddle Sensors



NT3X90AA/AB INSTALLATION VIDEO



NT3X90AC INSTALLATION VIDEO



NT3X90AF INSTALLATION VIDEO



TFT-3X9013T

TAG's Universal Tray Replaces:

- NT3X90AA/AB
 - NT3X90AC
 - NT3X90AF

Brightspeed MAT # 1492217

150 Cooper Rd. (F-15) W. Berlin, NJ 08091 www.tagcords.com

Telecom Assistance Group

Telephone:

: (856) 753-8585

Fax: (856) 768-7645

TAG DMS-100 3X9013 Universal Fan Tray

TFT-3X9013T

Universal 48VDC Fan Tray


- <u>No</u> 24VAC Inverters (24VAC inverters cause heat concerns

- No Mechanical Sensors

& major equipment failures)

(sensor paddles are known to bend & break)

UNIVERSAL MOUNTING HOLES



- Connectorized Universal metal tray with Fan Alarm Board (no sensor paddles)
- Pre-assembled & works with NT3X90AA, NT3X90AB, NT3X90AC & NT3X90AF Cooling Units
- Adapter cables* are supplied for NT3X90AA/AB & NT3X90AF Cooling Units *(adapter cables are not used with NT3X90AC)

Ordering Information:

TAG Universal DMS-100 3X9013 Fan Tray

Brightspeed MAT # 1492217

Includes: (1) Brand New Fan Tray w/ Universal Mounting Holes, (5) TF-DMS03, 48VDC Fans w/ TTL Tach & 3 Wire Plug,

(1) Fan Control Board w/ Built in Sensors (no paddles needed), Wiring Labels, Mounting Hardware,

(1) Wiring Harness w/ Connector, NT3X90AA/AB & NT3X90AF Adapter Cables & Installation Guide

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

TFT-3X9013T

www.tagcords.com

Telecom Assistance Group

Telephone: (856) 753-8585

Fax: (856) 768-7645


DMS-100 Replacement Fans

"DMS-100"

PN # TF-DMS01

48 Volt Replacement Fan for DMS-100 NT3X90AC / NTBX63AA Fan Trays

w/ Power Prongs &
(4) Threaded* Mounting Holes
(screws included)





DO YOU HAVE BROKEN DMS SENSOR PADDLES THAT NEED TO BE REPLACED?

TAG HAS NEW OPTIONS (where you won't need paddles anymore) call 856-753-8585 or email www.custsvcs@tagcords.com



EXISTING NT3X90AC FAN TRAY w/ NEW FANS



Ordering Information:

TF-DMS01

48V Fan for DMS-100 NT3X90AC / NTBX63AA

Fan Trays w/ Power Prongs &

(4) Threaded Mounting Holes (screws included)

TF-DMS02 48V Fan for DMS-1U NT3X90AC / NTBX63AA

Fan Trays w/ Power Prongs & (4) Clear, Unthreaded Mounting Holes (not shown)

Brightspeed MAT #

1330636

MAT#

1341504

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645


DMS-100 Replacement Fans



NORTEL NT3X90AF,
DMS-100 SWITCH BAY (DC POWERED)
w/ EXISTING FANS (5 FANS PER TRAY)

PN # TF-DMS03 DMS-100, 48 Volt Replacement Fan w/ TTL Tach & 3 Wire Plug

<u>NEW</u> Alarm Control Boards are also available, order # TFC-3X90AF-01 (MAT # 1475822)





NORTEL NT3X90AA / NT3X90AB, DMS-100 SWITCH BAY (AC POWERED) w/ EXISTING FANS (5 FANS PER TRAY)



DMS-100, 24 VAC Replacement Fan w/ Power Prongs

(use in Nortel NT3X90AA & NT3X90AB fan trays)


Brightspeed MAT # 1341495



PN # TF-RX50FF-01*
DMS SDM,
12 Volt Replacement Fan
w/ 3 Wire Plug &
Speed Control
*(call for pricing)

2 FAN TRAYS — (3 FANS PER TRAY)

(use in Nortel DMS SDM shelf # NTRX50FF)



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

DMS-100 / DMS-10 / Carrier VolP Replacement Fans

"DMS-100"



PN # TF-DMS-NTRX91

DMS-100, 48 Volt Replacement Fan w/ 3 Wire Plug

(use in NTRX91AA / NT0X91AA fan units) (MVIE and CSDM bays), CLEI: ENMYACM




"DMS-10"

Brightspeed MAT # 1341506

PN # TF-DMS10-01

DMS-10, 48 Volt Replacement Fan w/ Power Prongs

(fan only. use with existing mounting bracket)



MAT # 1341507

"Nortel IW SPM-IP"

PN # TF-DMS-FOS **Nortel IW SPM-IP** 48 Volt Replacement Fan

(use in NTLX56AA fan assemblies, found in Nortel IW SPM-IP NTLX55AA cooling units)

"Media Gateway 9000"

PN # TF-MG9K-01

Nortel / GENBAND Media Gateway 9000 48 Volt Replacement Fan

w/ 3 Wire Plug

(use in NTNY18AA Cooling Unit)



MAT # 1359401



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

DMS Fan Alarm Replacement Lamp





#TI MP-DMFA-10

DMS Fan Alarm Replacement Lamp, 24V ("Fan Fail" / "Frame Fail") (QTY of 10)

Lumen/CLK MAT # 1474165

#TLMP-DMFA-25

DMS Fan Alarm Replacement Lamp, 24V ("Fan Fail" / "Frame Fail") (QTY of 25)

Lumen/CLK MAT # 1474166

DMS Aisle Alarm Replacement Lamp




150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

DMS-100 Dual-Scroll Blower Replacement Unit




► NEW Drop-in Replacement

DMS-100 DUAL-SCROLL REPLACEMENT BLOWERS

(used in NT9X950 "w/ hanging blowers" (replaces # A0383325 & A0381714))

(Commonly found in DPCC / LIM / ENET bays)



NT9X950 HAS (3) BLOWER UNITS PER BAY

Ordering Information:

Brightspeed MAT #

TF-DMSMCL-02 **DMS-100 Dual-Scroll Blower Replacement Unit** 1490298

w/ (1) 4 pin plug & (1) 3 pin plug

includes (1) 3 pin adapter cable (# TFCS-DMSMCL3) (used in NT9X950 "w/ hanging blowers" (replaces # A0383325 & A0381714)) (commonly found in DPCC / LIM / ENET bays)

TFC-DMSAPW-3 Alarm Board for DMS LIM/ENET Blower - (not shown)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

Telephone: (856) 753-8585

Fax: (856) 768-7645

Telecom Assistance Group

www.tagcords.com

DMS-100 DPCC SuperNode Blower "Squirrel Cage" Replacement

► <u>NEW</u> Drop-in Replacement

DMS DPCC SUPERNODE
"SQUIRREL CAGE"

REPLACEMENT BLOWERS

(use in NT9X01XX DPCC, (replaces A0345301))


CONTROL BOX w/ INTERNAL SENSOR, WIRING HARNESS & PLUG

TF-DMSLGNS DMS SUPERNOR SPACISION ROOM RP 102-000 RP 10

NT9X01XX DPCC



"SQUIRREL CAGE" w/ INTEGRAL MOTOR



NT9X01XX DPCC HAS
(4) BLOWER UNITS PER BAY

Ordering Information:

Brightspeed MAT # 1355241

TF-DMSLGN5 DMS-100 DPCC SuperNode Blower

"Squirrel Cage" Replacement w/ Internal Sensor

(use in NT9X01XX DPCC, (replaces A0345301))

TF-DMSLGN5A DMS-100 DPCC XA-Core SuperNode Blower

"Squirrel Cage" Replacement

w/ 4 Wire Square Plug Adapter Cable (# TFCS-DMSLGN5F2S) - (not shown)

(use in NT9X01BC DPCC w/ Power Distribution Alarm Board (replaces A0345301))

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Stromberg Carlson DCO Replacement Fans



PN # TF-DCO-02
48 Volt Replacement Fan for DCO CMF / DTF Bay

w/ 3 Leads & Faston Connectors (fan only - use with existing guard grill)



PN # TF-DCOMEF-01 48 Volt Replacement Fan for DCO MEF Bay

w/ 3 Wire Plug



PN # TF-DCONHD-01

48 Volt Replacement Fan for **DCO Non High Density CMF Bay**


w/ 2 Wire Open End (for splicing) (Black -48V, Red +48 Return) Includes: Guard Grill & (1) Butt Splice







w/ 3 Leads & Faston Connectors



PN # TF-DCODCF-01 48 Volt Fan for DCO DCF Bay

w/ 3 Leads & Spade Lugs

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Fax: (856) 768-7645

Telephone: (856) 753-8585

Edgelink Replacement Fans (40mm, 35mm & 80mm)

40mm

PN # TF-EL100-KIT2 *

Edgelink 100 Replacement Fan Kit (40mm)

* Contents of this kit can be ordered separately. see ordering information below.

Kit includes:

(1) TF-EL100, Edgelink 100 Replacement Fan (40mm) &

(1) TF-EL100DET, Edgelink 100 Replacement Detector PC Board (Equiv. to CCA591G1)



35mm



PN # TF-EL100-02

Edgelink 100

Replacement Fan (35mm)

Brightspeed MAT # 1341513

80mm





Ordering Information:

TF-EL100-KIT2 1341512 Edgelink 100 Fan Kit

> includes: (1) TF-EL100, Edgelink 100 Fan (40mm) (1) TF-EL100DET, Detector PC Board

Brightspeed MAT # 1341510 TF-EL100 Edgelink 100 Fan (40mm)

Edgelink 100 Detector PC Board (Equiv. to CCA591G1) TF-EL100DET 1341511

TF-EL100-02 Edgelink 100 Fan (35mm) Brightspeed MAT # 1341513

TF-EL330-01 Edgelink AXX330G1 Fan (80mm)

w/ 3 Wire Plug

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645


"OPAC / OPM"

PN # TF-NTOPAC

48 Volt Replacement Fan for Nortel Opac / OPM Cabinet w/ Round Weatherproof Connector

(Replaces Nortel # A0381740 / # A33230 (-51)), Fits first generation Access Node 800A heat exchangers

(fan only - use with existing guard grill)



WEATHERPROOF CONNECTOR on PN # TF-NTOPAC



Looking for fans w/ sealed 3 pin plugs?



Ordering Info	ormation:	Brightspeed MAT #
TF-NTOPAC	48 Volt Replacement Fan for Nortel Opac / OPM Cabinet w/ Round Weatherproof Connector (Replaces Nortel # A0381740 / # A33230 (-51)), Fits first generation Access Node 800A heat exchangers	1337634
TF-NTOPAC-02	48 Volt Replacement Fan for Nortel Opac / OPM Cabinet w/ Sealed 3 Pin Plug (Replaces Nortel # A0640820 / # A33230 (-51	1337635
TF-NTOPAC-3	48 Volt Replacement Fan for Nortel Opac / OPM Cabinet - w/ 3 Wire Open End (no connector) (Splicing Replacement option for both Access Node 800A & OPAC Cab	,
TF-NTOPAC-04	48 Volt Replacement Fan for Nortel Opac / OPM Cabinet w/ Sealed 3 Pin Plug (Used with NT7A6986 adapter)	MAT # 1341517
TFG-162KIT-01	Guard Grill Replacement Kit for Round 162mm Fans - (not s (includes hardware)	hown)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645



"ACCESS NODE / 800A"


PN # TF-NTOPAC-05

48V Replacement Fan for Nortel Opac Access Node Tray / 800A Cabinet

w/ 3 Wire (w/ Blue FPS Lead) & 3 Pin Plug

(use in tray # NT4K0610)





NT4K0610 FAN TRAY (HAS (8) FANS) (fan tray is not included)



Ordering Information:

Lumen/CLK MAT #

TF-NTOPAC-05 48V Fan for Nortel Opac Access Node Tray / 800A Cabinet

7017863

(with plug) w/ 3 Wire (w/ Blue FPS Lead) & 3 Pin Plug

(use in tray # NT4K0610)

TF-NTOPAC-05F 48V Fan fo

(without plug)

48V Fan for Nortel Opac Access Node Tray / 800A Cabinet - (not shown)

w/ Power Prongs, Unterminated FPS Lead & (1) Butt Splice

(use in tray # NT4K0610)

TF-NTANCFT-01 48V Fan for Nortel Access Node / Charles Fan Tray

w/ 3 Wire Plug (use in tray # 92-FAN840-X)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

Telephone: (856) 753-8585

Fax: (856) 768-7645

Telecom Assistance Group

www.tagcords.com


"DMS-100 OPM BFU / DMS-1 URBAN"

(Not for use in Nortel Access Node Fan Trays)

PN # TF-DMS06

48V Replacement Fan for Booster Fan Unit (BFU) found in DMS-100 OPM Cabinets

w/ Power Prongs, Unterminated Tach Lead & (1) Butt Splice



DMS-100 OPM CABINET BOOSTER FAN UNIT (BFU) w/ EXISTING FANS

Also used in DMS-1 URBAN EMC RT BAY (NT4A44AA fan unit)



Ordering Information:

<u>Lumen/CLK MAT #</u> 1359400

TF-DMS06 48V Fan for Booster Fan Unit (BFU)

found in DMS-100 OPM Cabinets

w/ Power Prongs, Unterminated Tach Lead & (1) Butt Splice (also used in DMS-1 URBAN EMC RT BAY (NT4A44AA fan unit))

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

Telephone: (856) 753-8585

Fax: (856) 768-7645

Telecom Assistance Group

www.tagcords.com

OSP Cabinet Replacement Fans & Alarm Control Boards

"Reltec / Mclean APW"

PN # TF-SLCAPW-04

(4) Individual 48V Fans for SLC 2000 Cabinet -Reltec / Mclean APW Tray


> w/ 3 Wire Open End (includes (12) butt splices)

NEW Alarm Control Boards are also available. order # TFC-SLCAPW-4, MAT # 1459111





(use in existing tray # UJB17H48S22)



RELTEC / MCLEAN APW FAN TRAY # UJB17H48S22 w/ EXISTING FANS (FAN TRAY IS NOT INCLUDED)

Ordering Information:

Brightspeed MAT #

TF-SLCAPW-04

(4) Individual 48V Fans for SLC 2000 Cabinet -

1358928

(4 fans)

Reltec / Mclean APW Tray,

w/ 3 Wire Open End & (12) butt splices (use in existing tray # UJB17H48S22)

TF-SLCAPW-01

(1) Individual 48V Fan for SLC 2000 Cabinet -

MAT#

(1 fan)

Reltec / Mclean APW Tray,

1358927

w/ 3 Wire Open End & (3) butt splices (use in existing tray # UJB17H48S22)

TFC-SLCAPW-4

Alarm Control Board Replacement for

1459111

Reltec / Mclean Fan Trays

(customer supplied fan tray)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585

Fax: (856) 768-7645

80 Type/SLC 2000 Cabinet Solutions for Brightspeed

Battery Cooling

New Heat Exchanger, Fan & Alarm Control Replacements



150 Cooper Rd. (F-15) W. Berlin, NJ 08091 www.tagcords.com

(1) PER CABINET

Telecom Assistance Group

MAT # 1459078

Telephone:

(856) 753-8585

MAT # 1355244

Fax: (856) 768-7645

MAT # 1461343

80 Type/SLC 2000 Cabinet Solutions for Brightspeed

New Heat Exchanger, Fan & Alarm Control Replacements

Ordering Informa	ation:	
TF-SLC201-02 <u>Brightspeed MAT #</u> 1337731	48V Heat Exchanger for 80 Type Cabinet w/ Screw on Connector (Equiv. to KS23912L4) (80 Type Cabinet - External)	TF-GLC20 6-22 -en-co-co-co-co-co-co-co-co-co-co-co-co-co-
TF-SLC201 Brightspeed MAT # 1336047	48V Fan for SLC 2000 4A / 4B Fan Trays w/ 5 Wire Plug (Equiv. to KS23912L6) (80 Type Cabinet, SLC 2000 Tray - Internal) (Replacement Power Cables for Lucent 4A/4B Fan Trays are available, order # TFCS-LU4APA-06 - call for pricing)	TF-SCCBH SPYTTOC BASA (TAG INC.) NA CC
TFC-114A-01 MAT # 1355243	114A Fan Control Unit Replacement for 80 Type Cabinet Heat Exchangers (Equiv. to 106894934) (includes metal housing w/ alarm control board)	# TFC-114A-01 # TFC-LU4-01
TFC-LU4-01 MAT # 1355244	Alarm Control Board Replacement for Lucent 4A/4B, 4G/SLC 2000 Fan Trays & 114A Control Units (control board only - customer supplied fan trays / 114A housing)	
TF-SLCBC-01 MAT # 1461343	48V Cooling Fan for 80 Type Cabinet Battery Compartment w/ 3 Wire Plug	# TF-SLCBC-01 # TFC-116A-01
TFC-116A-01 MAT # 1459078	Alarm Control Board for Lucent 116A Battery Fan Unit (control board only - customer supplied metal housing)	

150 Cooper Rd. (F-15) W. Berlin, NJ 08091 www.tagcords.com

Telecom Assistance Group

Telephone: Fax :

x: (856) 768-7645

(856) 753-8585



"Lucent 2A"

PN # TF-LU2A


48 Volt Replacement Fan for Lucent <u>2A</u> Fan Tray

w/ 3 Leads & Faston Connectors (fan only, use with existing guard grills)

(Equiv. to KS22501L5)


LUCENT <u>2A</u> FAN TRAY
HAS (3) FANS (INSIDE VIEW)
(fan tray is not included)







*** NEW - ERT Fan Tray Repairs *** order # <u>TFR-LU2A-01</u> FAN TRAY REPAIR, Lucent 2A Fan Unit



THERE ARE TWO TYPES of <u>2A</u> FAN TRAYS (BLUE / TAN) (INSIDE VIEW of 80A/D CABINET)

Ordering Information:

Lumen/CLK MAT #

TF-LU2A

48 Volt Replacement Fan for Lucent <u>2A</u> Fan Tray w/ 3 Leads & Faston Connectors

(fan only, use with existing guard grills) (Equiv. to KS22501L5)

1336048

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

OSP Cabinet Replacement Fans & Alarm Control Boards



"Lucent 2B / 2C"

PN # TF-LU2B

48 Volt Replacement Fan for Lucent <u>2B</u> Fan Tray


w/ 3 Wire Plug


(Equiv. to KS22501L5A)

NEW Alarm Control Boards are also available, order # TFC-LU2BC-01, MAT # 1458909



INSIDE VIEW OF 80A/D CABINET





LUCENT <u>2B</u> FAN TRAY w/ (3) EXISTING FANS (BOTTOM VIEW) (fan tray is not included)

Ordering Information:

Lumen/CLK MAT #

TF-LU2B 48VFan for Lucent <u>2B</u> Fan Tray w/ 3 Wire Plug

1336049

(Equiv. to KS22501L5A)

TF-LU2C

48V Fan for Lucent 2C Fan Tray w/ 3 Wire Plug

1336060

(Equiv. to KS22501L5A) - (not shown)

TFC-LU2BC-01

Alarm Control Board for Lucent 2B & 2C Fan Trays

1458909

(customer supplied fan trays)

TFCS-2BPWRY-01

Power Cable "Y" for Lucent $\underline{2B}$ & $\underline{2C}$ Fan Trays

w/ 1 Male Connector to Female "Y", (1') - (not shown)

TFCS-2BRS-08

Remote Sensing Daisy Chain Cable for Lucent

2B & 2C Fan Trays w/ 2 Wires & Connectors, (8') - (not shown)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

"ES660C Rectifier, 24V (60mm)"



PN # TF-ES660-01

24V (60mm x 25mm) Fan for **Lucent ES660C Rectifier Unit**

w/ 2 Wire Plug

"Argus Rectifier, 12V (80mm)"



12VDC (80mm)

PN # TF-RECARGUS-01

12V (80mm) Fan for **Argus Rectifier Cabinet**

w/ 2 Wire Plug

"Argus Rectifier, 24V (80mm)"



PN # TF-RECARGUS-02

24V (80mm) Fan for **Argus Rectifier Cabinet** w/ 2 Wire Right Angle Plug

Lumen/CLK MAT # 1474133

PN # TF-RECARGUS-03

24V (80mm) Fan for **Argus Rectifier Cabinet** w/ 2 Wire Right Angle Plug & Threaded Inserts

"Argus Rectifier, 12V (120mm)"

12VDC (120mm)



PN # TF-RECARGUS-04

12V (120mm) Fan for **Argus Rectifier Cabinet**

w/ 2 Wire Open End

(includes (2) butt splices)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645



PN # TF-COM6DF-01

48V Fan for CommScope Cabinet, 6D/F Bay, HECI VAUCADY(XXX)

w/ Internal Thermal Sensor & 3 Wire, 6 Pin Connector (4' cable)

(Commonly used w/ existing 6 pin to 4 pin adapter cable in fan tray)




PN # TF-COM6DF-04

48V Fan for CommScope Cabinet, 6D/F Bay, HECI VAUCADY(XXX)

w/ Internal Thermal Sensor & w/ 3 Wire, 4 Pin Connector (4' cable) (Commonly used w/ existing 4 pin adapter cable in fan tray)



"ALP" (HX Door)



PN # TF-COM6DF-02

48V Fan for **CommScope Cabinet**, **ALP HX Door** w/ 5 Wire, 6 Pin Connector (4' cable) (Commonly used w/ existing 100k thermistor extension cable)



"6B/C" (HX Door)

Lumen/CLK MAT # 1439621



PN # TF-COM6BC-01

48V Fan for CommScope Cabinet, 6B/C Battery / ALP HX Door w/ 3 Wire, 4 Pin Connector (4' cable)



"52 or 82" (HX Door)

<u>Lumen/CLK MAT #</u> 1465437



PN # TF-COM6DF-02R

48V Fan for **CommScope 52/82 Cabinet**, **HX Door** w/ 5 Wire, 6 Pin Connector (4' cable)

(includes 10k thermistor extension cable, # TFCS-COM6TR - (equiv. to 860 540 530), 5 Wire 6 Pin to 3 Wire 4 Pin)

100k thermistor cables (860 427 335) are also available, # TFCS-COM6TA-01



PN # TF-COM52E-01 48V Fan for

CommScope 52E Cabinet, Battery

w/ (1) 2 Wire, 4 Pin Conn. & (1) 2 Wire, 2 Pin Conn. (4' cable)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

OSP Cabinet Replacement Heat Exchangers / Fans

"Fujitsu 6200"



Lumen/CLK MAT # 1359018

PN # TF-FUJ6200-01
48V Replacement Heat Exchanger for
Fujitsu 6200 Cabinet

w/ 5 Wire Plug



PN # TF-FUJ6200-02 48V Replacement Fan for Fujitsu 6200 Cabinet Tray w/ Power Prongs

FUJITSU 6200 CABINET
HAS (2) HEAT EXCHANGERS
(LEFT & RIGHT SIDES)





PN # TF-FUJ6200-03 48V Replacement Fan for Fujitsu 6200 Cabinet Tray w/ 3 Wire Open End & Power Prongs

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

OSP Cabinet Replacement Fans

"NEC C-REX"

PN # TF-CREX-01

48 Volt Replacement Fan for **NEC C-REX Cabinet Fan Tray** (Round Fan) w/ 4 Wire Plug



ZHONE / NEC ISC-303 FAN TRAY (w/ 2 EXISTING FANS) (fan tray is not included)





<u>Lumen/CLK MAT #</u> 1355240

NEW F2876A
Alarm Control Boards
are also available,
order # TFC-F2876A,
MAT # 1479394

PN # TF-CREX-02

48 Volt Replacement Fan for **NEC C-REX Cabinet Fan Shelf** (Square Fan) w/ 2 Wire Open End





NEC F2876A FAN SHELF (w/ 4 EXISTING FANS) (fan shelf is not included)

PN # TF-CREX-03

48 Volt Replacement Fan for NEC C-REX Cabinet ECU Fan Tray Unit (Square Fan) w/ 3 Wire Open End



NEC Y4899A/74884A ECU

(w/ 4 EXISTING FANS) (ECU fan unit is not included)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com



Telephone: (856) 753-8585

Fax: (856) 768-7645

OSP Cabinet Fans & Heat Exchangers


"AISCOUT"



PN # TF-AI-SCT-01

48V (80mm) Fan for **AISCOUT** w/ 3 Wire Right Angle Plug

"DISC*S CPU"



48V Cooling Fan for **DISC*S CPU**w/ 2 Wire Open End

(includes screws, (2) butt splices & (1) cable tie)

"Opti 6100"



PN # TF-OPTI-01 12V Fan for Opti 6100 Fan Trays w/ 3 Wire Plug

Brightspeed MAT # 1444322

(use in Adtran EFANM tray # 1184508L2)

"Telamon / Ciena 5150"



PN # TF-CN5150HX-01

48V Heat Exchanger for Telamon / Ciena 5150 EMUX Cabinet Door

w/ 4 Wires & Sealed Connector

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

OSP Cabinet Replacement Fans

"SLC96 (36 Type) Cabinet"

PN # TFT-SLC96-AC01

110VAC Replacement Fan w/ Bracket Assembly for SLC96 (36 Type) Cabinet

(Equiv. to Fan Assembly KS22099L5)

(1) 110VAC Replacement Fan *

* fans can also be ordered separately (without mounting), see ordering information below

(1) Mounting Bracket



FAN ASSEMBLY IS FOUND INSIDE **36 TYPE CABINETS**



Ordering Information:

TFT-SLC96-AC01

110VAC Fan w/ Bracket Assembly for

SLC96 (36 Type) Cabinet (Equiv. to Fan Assembly KS22099L5)

TFT-SLC96-AC01L 110VAC (Low Temp) Fan w/ Bracket Assembly for

SLC96 (36 Type) Cabinet (Equiv. to Fan Assembly KS22099L5)

TF-SLC96-AC02 110VAC Fan (fan only) for SLC96 (36 Type) Cabinet

(includes power wire, (3) butt splices & hardware) (fan only)

(use in Fan Assembly KS22099L5)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Brightspeed MAT #

1356198

MAT#

1356199

OSP Cabinet Replacement Fans & Alarm Control Boards

"Litespan PDFA"

PN # TF-LS2000-01

48 Volt Replacement Fan for

Litespan 2000 Power Distribution (PDFA)

w/ 3 Wire Plug & Guard Grill (includes plastic rivets)

USE IN FAN TRAY # 500-1126-723

(fan tray is not included)




_umen/CLK MAT#

1341519

NEW Alarm Control Boards are also available, order # TFC-PDFA-X2, (call for pricing)



(2 ALARM CONTROL BOARDS ARE USED IN EACH TRAY)



PN # TF-LS2000-02 "Litespan High Velocity PDFA" 48 Volt Replacement Fan for Litespan 2000 High Velocity PDFA

w/ 3 Wire Connector



NEW Alarm Control Boards are also available, order # TFC-PDFA-01. (call for pricing)



HIGH VELOCITY PDFA FAN ASSEMBLY, FAN TRAY # 509-0000-086 / 509-0000-163

(fan tray is not included)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

1356400

OSP Cabinet Replacement Fans & Alarm Control Boards



"LS2000 Heat Exchangers"

TF-LS2KSB-01 48V:--DC 0.48A TAG INC. Take to be a few to be a few

PN # TF-LS2KSB-01

48V Heat Exchanger for Litespan 2000 Cabinet Heat Stack

w/ Power Prongs

Lumen/CLK MAT # 1496549

LS2000 CABINET (OUTSIDE VIEW)

PN # TF-LS2000-03 48V Heat Exchanger for

Litespan 2000 Cabinet Heat Stack


w/ 3 Unterminated Leads -Red (+48 Return), Black (-48V), Blue (Sensor) Includes (3) Butt Splices

"DFA Fans & Alarm Control Boards"

PN # TF-LS2000-44 Litespan 2000 DFA Fan Kit <u>Lumen/CLK MAT #</u> 1445489

Kit includes:

- (4) <u>NEW</u> 48V Fans w/ Guard Grills includes (16) plastic rivets & (4) zip ties
- (1) NEW Wiring Harness w/ 12 Wire Plug



*(DFA FAN TRAY IS NOT INCLUDED)

NEW Alarm Control Boards are also available, order # TFC-DFA-01, MAT # 1458948



use in existing DFA, DC Fan Assembly 500-1100-XXX

Individual fans (for splicing) can also be ordered, for a qty of (1) fan, order # TF-LS2000-04 (Lumen/CLK MAT # 1445620)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

"LS2000 / 2030 - Tarzan"

PN # TF-ACABTZ-01A

48V Heat Exchanger (Tarzan) for Litespan 2000 (LSC-2030)
Cabinet Heat Stack

<u>Lumen/CLK MAT #</u> 1359388



Includes: (1) Adapter Cable (# TFCS-ACABTZX) & (3) Butt Splices




w/ (1) - 2 Wire Amp Connector (Power, red / black wires)

&

(1) - 1 Wire Amp Connector (Alarm, blue wire)

DSC LITESPAN 2000 LSC-2030 CABINET (INSIDE VIEW OF HEAT STACK)



"LS2000 / 2030 - Lower"

PN # TF-ACABLHX-01

48V Heat Exchanger (Lower) for Litespan 2000 (LSC-2030) Cabinet

w/ (1) - 2 Wire Amp Connector (Power, red (+) / black (-) wires)

(1) - 1 Wire Amp Connector (Sensor, blue wire)



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585

Fax: (856) 768-7645

OSP Cabinet Replacement Fans

"A25B50 Rectifier"





PN # TF-LRA25B50-01
24 Volt Replacement Fan for
A25B50 Rectifier Unit
(Lorain / Marconi)
w/ 3 Wire Plug

"Current Limiter"



PN # TF-MESACL-01 48 Volt Replacement Fan for Marconi Current Limiter w/ 3 Wire Plug

"Power Conversion Module"



PN # TF-LPCM-01

24 Volt Replacement Fan (80mm) for **Lorain Power Conversion Module** w/ 3 Wire Male Plug

(fan only - use in existing Lorain V15F50/P Power Conversion Module)

"Power Module"



PLUG WIRES: YELLOW (+) BROWN (-)

PN # TF-LPM-01

48 Volt Replacement Fan for Lorain Power Module w/ Power Prongs

(fan only - use in existing Lorain 427215900 Power Modules)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

"Marconi Mesa (Top) - Tarzan"

PN # TF-MCABTZ-01

48 Volt Replacement Heat Exchanger for Marconi Mesa "Top" HX Cabinet (Tarzan)

> w/ 3 Wire Plug Includes (3) Butt Splices

Brightspeed MAT # 1359387

PN # TFCS-MATP-06 Mesa Alarm Test Plug Kit (used to troubleshoot fans at the Mesa 6 ECU) (Pack of 6)







TAG INC.


Marconi Mesa "Bottom" HX Cabinet

w/ 3 Wire Plug

"Marconi Mesa (Bottom)"

PN # TF-MESA6-01

Brightspeed MAT # 1359091



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

OSP Cabinet Replacement Fans & Alarm Control Boards



MAT # 1479565

PN # TFC-FA400-01

Alarm Control Board
Replacement for
Marconi Mesa Master Tray

"Marconi Mesa Fan Tray - Master"

PN # TF-FA400-01

48V Replacement Fan for **Marconi Mesa Master Fan Tray** w/ 3 Wire Plug

> (use in EBM -LP98638, Master Tray # FA-400-175-001) —

(fan tray is not included)





Brightspeed MAT # 1439622



Brightspeed MAT

"Marconi Mesa Fan Tray - Slave"

PN # TF-FA400-02

48V Replacement Fan for **Marconi Mesa Slave Fan Tray** w/ 3 Wire Plug

> (use in EBM / Papst -# FA-400-175-002) -

(fan tray is not included)



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

6 Position Environmental Control Unit (ECU) Replacement for Marconi Cabinet

TFC-MARC6-01


MARCONI CABINET w/ ECU



- Drop-In Replacement for Remote Cabinet (Sites)
- Variable Speed Control 2, 4 or 6 HX Fans
- Battery Life Conservation
- Heat Exchanger Fan Life Conservation
- Reduces Energy Costs
- Plug & Play (no programming)
- Alarms for Fans, Fuses, High Temps & Intrusion

PN # TFC-MARC6-01

6 Position ECU Environmental Control Unit for Marconi Cabinet (supports 6 HX fans)





(FRONT VIEW)



Ordering Information:

TFC-MARC6-01

6 Position Environmental Control Unit (ECU) for Marconi Cabinet (supports 6 HX fans)

Includes: (2) # TFCS-MESA30-12, Temperature Sensors

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telecom Assistance Group

Lumen/CLK MAT #

1461075

Telephone: (856) 753-8585

Fax: (856) 768-7645

Fan Environmental Control Unit (ECU) Replacement for Remote Cabinet Sites

TFC-MESA246-01

REMOTE CABINET w/ ECU



- Drop-In Replacement for Remote Cabinet (Sites)
- Variable Speed Control 2, 4 or 6 Fans
- Battery Life Conservation
- Heat Exchanger Fan Life Conservation
- Reduces Energy Costs
- Plug & Play (no programming)
- Alarms for Fans, Fuses, High Temps & Intrusion


PN # TFC-MESA246-01

Fan Environmental Control Unit (ECU) Replacement

for Remote Cabinet Sites

(BACK VIEW)





(FRONT VIEW)





Ordering Information:

TFC-MESA246-01 Fan Environmental Control Unit (ECU) for Remote Cabinet Sites

Includes: (2) # TFCS-MESA30-12, Temperature Sensors

TFCS-MESA246-08 Extension Cable for Mesa Fan Controllers found in

Mesa, 52, 192 & 384 type cabinets (4 Wire Cable w/ 4 Pin Connectors (8'))

TFCS-M225TP Extension Cable for Mesa 246 ECU to Upper Cabinet Fan, 20' - (not shown)

150 Cooper Rd. (F-15) W. Berlin, NJ <u>08091</u>

www.tagcords.com

Telecom Assistance Group

Lumen/CLK MAT #

1461124

1475550

Telephone: (856) 753-8585

Fax: (856) 768-7645

OSP Cabinet Replacement Fan Trays

TAG UNIVERSAL 19" / 23" CABINET FAN TRAY



NEW FAN TRAY w/ Thermostat, LEDs & Test Button

NICIDE VIEW OF CARINE


PN # TFT-NXWDL-02

TAG Universal 19" / 23"
"<u>Harsh Environment</u>" Cabinet Fan Tray

Includes:

- (1) **NEW** Fan Tray w/ Thermostat, LEDs & Test Button
- (3) **NEW** 48V Fans

<u>Lumen/CLK MAT #</u> 1472248



Ordering Information:

Lumen/CLK MAT #

TFT-NXWDL-02 TAG Universal 19/23 "Harsh Environment" Cabinet Fan Tray (NEW tray & fans) (includes NEW Fan Tray w/ Thermostat, LEDs & Test Button & (3) NEW 48V Fans)

TFT-NXTLEV-03MC TAG Fan Tray for Next Level Cabinet 1444040

(NEW tray & fans) (includes NEW Fan Tray & (3) NEW 48V, 3 Wire Fans) (Equiv. to # 039167, T03MC)

TF-NXTLEV-03 48V Fan Assembly for Next Level Cabinet Fan Trays 1358901

(fans only) (includes (3) 3 Wire Fans w/ R/A Connectors) (use in existing tray: # 039167, T03MC)

TFT-NXWDL-01 TAG Universal 19/23 Cabinet Fan Tray 1451023

(NEW tray & fans) (includes NEW Fan Tray w/ Thermostat, LEDs & Test Button & (3) NEW 48V Fans)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091 Telephone: (856) 753-8585

Fax: (856) 768-7645

www.tagcords.com

Telecom Assistance Group

OSP Cabinet Replacement Fans

"Stromberg Carlson DCO RLS"

PN # TF-DCORLS-01

48 Volt Replacement Fan for Stromberg Carlson DCO RLS Cabinet Fan Trays

w/ 3 Leads, Faston Connectors & Power Prongs





Lumen/CLK MAT # 1481914

← TOP VIEW OF DCO RLS CABINET FAN TRAY

(tray has (4) fans) (fan tray is not included)



"Seiscor / Pulsecom D"

PN # TF-SPD-AC01

110VAC Replacement Fan for Seiscor / Pulsecom "D" Cabinet

w/ Power Prongs & Guard Grill

(includes power wire, (3) butt splices & hardware)

SEISCOR / PULSECOM "D" CABINET — (INSIDE VIEW OF FAN MOUNTED IN THE CEILING)

Fans are also available for the Seiscor / Pulsecom "B" Cabinet (order PN # TF-SPB-AC01)



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

OSP Cabinet Replacement Fans & Alarm Control Boards

"UMC1000 (6-Fan Tray)"

(120mm)



<u>Lumen/CLK MAT #</u>
1466657

PN # TF-UMC1000-01

48V Fan (120mm) for Tellabs UMC1000 Fan Tray

w/ 3 Wire Plug

(use in AFC Tray # 0310-1716 or 8650-0414)

NEW Alarm Control Boards are also available, order # TFC-UMC1000-06

"UMC1000 (8-Fan Tray)"





<u>Lumen/CLK MAT #</u>
1466761

PN # TF-UMC1000-03

48V Fan (120mm) for Tellabs UMC1000 Fan Tray

w/ 4 Wire Plug

(use in Tellabs Tray # 4125013, 4195091, 4515090)

"UMC1000 (10-Fan Tray)"



Lumen/CLK MAT # 1466656

PN # TF-UMC1000-02

48V Fan (80mm) for **Tellabs UMC1000** Fan Tray

w/ 3 Wire Plug

(use in AFC Fan Tray F10 # 0310-1716)

"UMC672 Cabinet"



PN # TF-UMC672-01

48V Fan for

Tellabs UMC672 Cabinet

w/ 2 Wire Plug

(fan only, use with existing metal housing)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

"Mesa 768 Cabinet"

(133mm)

Brightspeed MAT # 1355448

PN # TF-MC133-02

(133mm) Heat Exchanger for Mesa 768 Cabinets w/ 3 Pin Plug





"Mesa Sport Cabinet"

PN # TF-MC133-05

(133mm) Heat Exchanger for Mesa Sport Cabinets

w/ 3 Pin Male Bulkhead Plug

(fan only - use with existing mounting bracket)

"Mesa Sport Cabinet"

PN # TF-CSHX133-01

(133mm) Heat Exchanger for **Cell Site Mesa Sport Cabinets**

w/ 4 Pin Male Weatherproof Plug

(fan only - use with existing mounting bracket)



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

Telecom Assistance Group

1482855

" Purcell FlexAir 741 Cabinet "




Brightspeed MAT # 1358926

fan only use with existing bracket

PN # TF-MC133-01

(133mm) Heat Exchanger for Purcell FlexAir 741 Cabinet (Door)

w/ 4 Leads & Faston Connectors



VIEW OF FLEXAIR 741 CABINET w/
DOOR OPEN & FAN COVER PLATE REMOVED

PN # TF-MC175-04

(175mm) Heat Exchanger for Purcell A009 Cabinet

w/ Weatherproof Connector



" Purcell A009 Cabinet "



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

"SRA-200 Cabinet"

PN # TF-SRA200-01

(175mm) Heat Exchanger for SRA-200 Cabinet

w/ 3 Wire Plug

(fan only, use with existing mounting bracket)





"Mesa 4 NXT Cabinet"

PN # TF-MC175-02

(175mm) Heat Exchanger for Mesa 4 NXT Cell Site Cabinet

w/ 3 Wire Plug

(fan only, use with existing fan assembly)

(Common Fan Replacement for Siemens ICN Assembly: 087-23500-10)

"OSP Cabinet"

PN # TF-MC175-03

(175mm) Heat Exchanger for OSP Cabinet

w/ 3 Wire Plug

(fan only, use with existing fan assembly)



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

OSP Cabinet Replacement Heat Exchangers / Fans

"Siemens 914EX Metro MXU"

PN # TF-MC175-01

(175mm) Heat Exchanger for Siemens 914EX Metro MXU Cabinet

w/ 2 Wire Open End &(2) butt splices / hardware




MAT # 1467133

(175mm)

SHOWN INSTALLED ON EXISTING ASSEMBLY BRACKET

(assembly bracket is not included)



The state of the s

"Siemens 914E RT"

PN # TF-914EHX-01

48V Heat Exchanger for Siemens 914E RT Cabinet

w/ Power Prongs

Brightspeed MAT # 1490825





"Siemens 914EX Metro MXU"

PN # TF-914EXMET-01

48V Replacement Fan for Siemens 914EX Metro MXU Tray

w/ Power Prongs

www.tagcords.com

MAT # 1359017


Telephone: (856) 753-8585

Fax: (856) 768-7645

Telecom Assistance Group

150 Cooper Rd. (F-15)

W. Berlin, NJ 08091



(2) HEAT EXCHANGERS MOUNTED IN EACH DOOR (4) FANS TOTAL

"ODC Cabinet Door HX"

PN # TF-HX175LP-01

(175mm) "Low Profile"
Heat Exchanger for
Calix ODC Cabinet Door

w/ Grommet, 4 Leads & Faston Connectors



CALIX ODC CABINET (DOOR)

"ODC 1000 Cabinet HX"

PN # TF-HX220LP-01

(220mm) "Low Profile"
Heat Exchanger for
Calix ODC 1000 Cabinet

w/ 4 Leads & Faston Connectors

(fan only, use with existing mounting bracket)

MAT # 1477798



150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645



"OPM 640 Cabinet (Retro Fit) HX"

PN # TF-OPM640HX

(175mm) "Low Profile" Heat Exchanger OPM 640 Cabinet (Retro Fit Roof)


w/3 Wire, 4 Pin Plug

"OPM Cabinet HX"

PN # TF-AFCHX-01

(175mm) "Low Profile" Heat Exchanger for AFC Roof Fan Unit in OPM Cabinets

w/ 2 Wire, 4 Pin Plug



(175mm)

low profile




Lumen/CLK MAT # 1475725

"Catena Cabinet HX"

PN # TF-CATNHX-01

(175mm) "Low Profile" Heat Exchanger for Catena Cabinet



w/ (1) 2 Wire Plug & (1) 3 Wire, 4 Pin Plug

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

OSP Cabinet Replacement Heat Exchangers / Fans

"Mesa Bridge Cabinet"

PN # TF-MC179-01A

Heat Exchanger Replacement for Mesa Bridge Cabinet (Upper - Internal) w/ 4 Wire Female Weatherproof Plug

Lumen/CLK MAT # 1490468

PN # TF-MC179-01

Heat Exchanger Replacement for Mesa Bridge Cabinet (Lower - Door) w/ 4 Wire Female Weatherproof Plug





"Ice Qube Cabinet"

PN # TF-CQ250-01


(250mm) Heat Exchanger Replacement for Ice Qube Cabinet w/ 4 Wire Open End

PN # TF-AFC672-01

48 Volt Replacement Fan for AFC Cabinet Heat Stack

w/ Power Prongs

<u>Lumen/CLK MAT #</u> 1456851



"AFC Cabinet"




150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585 Fax: (856) 768-7645

OSP Cabinet Heat Exchanger Fans & Alarm Control Boards



"Calix ODC Stack"

PN # TF-CLXODC-01F

48V Heat Exchanger for Calix ODC Stack

w/ 2 Wires & Faston Connectors

<u>Lumen/CLK MAT #</u> 1456478

CALIX ODC HEAT EXCHANGER UNIT (4 HX)

(heat exchanger unit is not included)



"Calix ODC-2000"

PN # TFC-CALIX2KHX


Alarm Control Board for Calix ODC-2000 Cabinet HX Controller

Lumen/CLK MAT # 1481590



(control board only, use in existing housing)

NEW HX Power Cables are also available, order # TFCS-CLX2KHX, MAT # 1490190



CALIX ODC-2000 CABINET (INSIDE VIEW)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

PN # TF-CLX225-01

(225mm) HX Impeller Fan (Upper) for Calix ODC Cabinet
w/ 4 Wire Female Snap on Plug, (14" cable)

Brightspeed MAT # 1490321

PN # TF-CLX225-02

(225mm) HX Impeller Fan (Upper) for Calix ODC Cabinet w/ 4 Wire Female Snap on Plug, (30" cable)

MAT # 1492772

PN # TF-CLX225-03

(225mm) HX Impeller Fan (Lower) for Calix ODC Cabinet w/ 4 Wire Male Snap on Plug, (30" cable)


MAT # 1492619



"Calix ODC - 225mm"



(4) HEAT EXCHANGERS ARE MOUNTED IN THE HX UNITS ATTACHED TO THE DOORS



"Calix ODC - 133mm"

PN # TF-CLX133-01

(133mm) Heat Exchanger for Calix ODC Cabinet w/ 4 Wire Open End*

*(includes (4) butt splices & (1) 4 pin connector)

(fan only, mounting bracket is not included)

Brightspeed MAT # 1490163

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

"Reltec / McLean"

PN # TF-MCCHX-AC01

110 VAC Replacement Heat Exchanger Blower Reltec / McLean Cabinet

w/ 3 Prong Power Plug & Adapter Plate


<u>Lumen/CLK MAT #</u> 1481410

PN # TF-MCCHX-AC0R (not shown)

110 VAC Replacement
(RIGHT) Heat Exchanger Blower
Reltec / McLean Cabinet

w/ 3 Prong Power Plug & Adapter Plate

Lumen/CLK MAT # 1493505



"McLean ClimaGuard"



(175mm or 225mm)

PN # TF-TX38HX-01

(225mm) Heat Exchanger for McLean ClimaGuard Cabinet Cooler

w/ 4 Wire Weatherproof Connector (use in TX38-5684-001 Cabinet Cooler)

Lumen/CLK MAT # 1473110

PN # TF-TX33HX-01 (not shown)

(175mm) Heat Exchanger for Mclean ClimaGuard Cabinet Cooler

w/ 4 Wire Weatherproof Connector (use in TX33-2848-104 Cabinet Cooler)

Lumen/CLK MAT # 1473428

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

"Noren Cooling Unit"

Brightspeed MAT # 1359090




PN # TF-NP0402-01

48 Volt Replacement Heat Exchanger for Noren Cooling Unit - Internal (6.71K)

w/ 3 Wire Open End & 3 Butt Splices

Internal fan (circulates the air inside the cabinet, located on lower half)



MAT # 1359019



PN # TF-NP0414-02

48 Volt Replacement Heat Exchanger for Noren Cooling Unit - External (8.45K)

w/ 3 Wire Open End & 3 Butt Splices

External fan (circulates the air outside the cabinet, located on top half)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

► <u>Common Replacements for</u>: EBM R1G225-AC73-XX (where XX=36,38,39,52)

EBM R1G225-AF11-XX (where XX=13,14)

► Typically used in Mesa Type Cabinets: (QTY of 1) in a Mesa 2 Cabinet (QTY of 2) in a Mesa 4 Cabinet

TOP OF MESA CABINET
w/ EXISTING FAN
(ORDER PN # TF-MC225-01)





W/ EXISTING FAN (ORDER PN # TF-MC225-02)





PN # TF-MC225-01 *
(225mm) Heat Exchanger for Mesa Cabinet (Top)

w/ Round Weatherproof Connector

* use with existing bracket
(Fans are accessed through
a panel on the solar shield)



PN # TF-MC225-02 **

(225mm) Heat Exchanger for Mesa Cabinet (Bottom)

w/ 4 Wire Plug

** fan only, use with existing bracket -

Fan & Bracket:

TF-MC225-02-KIT, MAT # 1451725

Bracket only:

TFB-MC225-02, **MAT # 1451708**

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645

"Cell Site Mesa XL Cabinet"

PN # TF-MC225-01 *

(225mm) Cell Site Heat Exchanger for Emerson Mesa XL Cabinet Door


w/ Round Weatherproof Connector




Common Replacement for: EBM R1G225-AF11-XX



w/ OLD FANS



CELL SITE LOCATION



Need a
NEW Alarm Controller
ECU for this Cabinet?

(without replacing the whole door)



PN # TFC-MESA-01

Ordering Information:

TF-MC225-01 Cell Site Replacement Heat Exchanger (225mm)

for Emerson Mesa XL Cabinet Door w/ Round Weatherproof Connector

(Common Replacement for EBM R1G225-AF11-XX) (fan only - use with existing bracket)

TFC-MESA-01 2 Port Mesa Cabinet Environmental Control Unit (ECU)

1492180

Brightspeed MAT # 1345222

(used in Mesa Cell Site Cabinets: XL, SOLE, Span XL, Bridge, Edge & Sport)

150 Cooper Rd. (F-15) W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax: (856) 768-7645