

















FEATURES / APPLICATION	FTR UPN #	DESCRIPTION
<p>Protector to Protector "Frogger" with "In-Line Protection", (20')</p> <ul style="list-style-type: none"> Frogger with In-Line Protection Ideal for quick temporary restoral with "protection" 	<p>400300FP</p>	<p>FROGGER W/ IN-LINE PROTECTION</p> 
<p>Protector (non-bridging) to Alligator Clips, (8') Protector (non-bridging) to Alligator Clips, (3')</p> <ul style="list-style-type: none"> Test access at coils 	<p>400300S 400300S-03</p>	<p>PROTECTOR to ALLIGATOR CLIPS</p> 
<p>Protector to Alligator Clips, (3')</p> <ul style="list-style-type: none"> Test access at MDF (coils) 	<p>400300C-3</p>	<p>PROTECTOR to ALLIGATOR CLIPS</p> 
<p>Protector (non-bridging) to Alligator Clips, (3')</p> <ul style="list-style-type: none"> Test access at Porta Frame (coils) 	<p>400300SP-03</p>	<p>PORTA to ALLIGATOR CLIPS</p> 
<p>Dual Push Pins (310 MDF) to Alligator Clips, (3')</p> <ul style="list-style-type: none"> Used to short the tip and ring or to ground the tip and/or ring Plugs to recessed terminals on 310 series connectors Equivalent to P2FM 	<p>400426</p>	<p>DUAL PUSH PINS to ALLIGATOR CLIPS</p> 
<p>RJ11 to Wire Wraps, (6')</p> <ul style="list-style-type: none"> Can be used as a xDSL / Caller ID test cord 	<p>400100WP</p>	<p>RJ11 to WIRE WRAP TERMINALS</p> 




Frontier Frame Cords

FEATURES / APPLICATION	FTR UPN #	DESCRIPTION
<p>Dual 310 (327) plug to Protector, (16')</p> <ul style="list-style-type: none"> Used to make In/Out tests from 302/308 type connectors Equivalent to W4BR 	<p>T-W4BR-16</p>	<p>DUAL 310 (327) to PROTECTOR</p> 
<p>Protector to Alligator Clips, (3')</p> <ul style="list-style-type: none"> 463 type plug (protector) to alligator clips Equivalent to W2GL 	<p>T-W2GL</p>	<p>PROTECTOR to ALLIGATOR CLIPS</p> 
<p>Krone (non-bridging) to (4) Alligator Clips, (3')</p> <ul style="list-style-type: none"> Access to Krone connector blocks to test Central Office Equipment (COE) and/or Customer Premise Equipment (CPE) 	<p>400300K4A</p>	<p>KRONE (non-bridging) to (4) ALLIGATOR CLIPS</p> 
<p>Protector/526A plug to 125 Station Protector, (10')</p> <ul style="list-style-type: none"> Cabinet mounting assembly for performing line tests on SLC-96 & Series 5 	<p>T-6W3F-10</p>	<p>PROTECTOR/526A to STATION PROTECTOR</p> 

Frontier Frame Cords

FEATURES / APPLICATION	PART #	DESCRIPTION
<p>Bantam Looping Plug</p> <ul style="list-style-type: none"> 3 conductor looping plug 	400210LP	<p>BANTAM LOOPING PLUG</p> 
<p>Bantam Terminating Plug</p> <ul style="list-style-type: none"> 100 ohm terminating plug 	400210TP-1	<p>BANTAM TERMINATING PLUG</p> 
<p>310 Looping Plug</p> <ul style="list-style-type: none"> 3 conductor looping plug 	400310LP	<p>310 LOOPING PLUG</p> 
<p>310 Terminating Plug</p> <ul style="list-style-type: none"> 100 ohm terminating plug 	400310TP-1	<p>310 TERMINATING PLUG</p> 
<p>310 (female) to Bantam Conversion Cord, (12")</p> <ul style="list-style-type: none"> 310 Plugs into adapter converting to Bantam 	400238-12	<p>310 to BANTAM CONVERSION CORD</p> 
<p>Bantam to 310 Conversion Plug Bantam to 310 Conversion Plug, Red</p> <ul style="list-style-type: none"> Slides over bantam plug converting it to a 310 	400239BST 400239RD	<p>BANTAM TO 310 CONVERSION PLUG</p> 

Frontier Frame Cords

FEATURES / APPLICATION	FTR UPN #	DESCRIPTION
<p>Dual Plug (327) to 412A/B, (16')</p> <ul style="list-style-type: none"> • Frame Cord - used from jack panels to protector on Vertical side of MDF 	<p>T-4W11A-16</p>	<p>FRAME CORD, 412A/B - RED</p> 
<p>Dual Plug (327) to 252A/B, (16')</p> <ul style="list-style-type: none"> • Frame Cord - used from jack panels to protector on Vertical side of MDF 	<p>T-4W6A-16</p>	<p>FRAME CORD, 252A/B - RED</p> 
<p>Dual Plug (327) to Porta, (16')</p> <ul style="list-style-type: none"> • Frame Cord - used from jack panels to protector on Vertical side of MDF 	<p>T-W4BR-P</p>	<p>FRAME CORD, PORTA - RED</p> 
<p>Dual 327C Plug to 463A, (20')</p> <ul style="list-style-type: none"> • Frame Cord - used from jack panels to protector on Vertical side of MDF 	<p>F44-CJ-20</p>	<p>FRAME CORD, 5 PIN - RED</p> 