Uniti - UBuy

2026 Product Ordering Guide

Issue 1.2



Provided By:

TAG INC.

Telecom Assistance Group, Inc.

856-753-8585

www.tagcords.com

The "Cord Company" and more . . .

"TEST CORDS & ADAPTERS"



"FIBER OPTIC CORDS, KITS, COUPLERS & STREAKERS (VFLs)"



"SWITCH & TRANSPORT TERMINALS"

"CO & OSP FANS"



www.tagcords.com - 856-753-8585

UNITI is a registered Ⓡ trademark

TAG DMS-100 3X9013 Universal Fan Tray

Universal 48VDC Fan Tray

- **No** 24VAC Inverters
  (24VAC inverters cause heat concerns & major equipment failures)

- **No** Mechanical Sensors
  (sensor paddles are known to bend & break)



INSTALLATION VIDEOS:

NT3X90AA/AB

NT3X90AC

NT3X90AF

- **Connectorized Universal metal tray with Fan Alarm Board** *(no sensor paddles)*
- **Pre-assembled & works with NT3X90AA, NT3X90AB, NT3X90AC & NT3X90AF Cooling Units**
- **Adapter cables* are supplied for NT3X90AA/AB & NT3X90AF Cooling Units**
  **(adapter cables are not used with NT3X90AC)*



Ordering Information:

TFT-3X9013T **TAG Universal DMS-100 3X9013 Fan Tray** **Call for Pricing**

Includes: (1) Brand New Fan Tray w/ Universal Mounting Holes,
(5) TF-DMS03, 48VDC Fans w/ TTL Tach & 3 Wire Plug,
(1) Fan Control Board w/ Built in Sensors (no paddles needed), Wiring Labels, Mounting Hardware,
(1) Wiring Harness w/ Connector, NT3X90AA/AB & NT3X90AF Adapter Cables & Installation Guide

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax : (856) 768-7645

Copyright ©2026 by Telecom Assistance Group Inc.

UNITI

FEATURES / APPLICATION	UBUY #	LENGTH	DESCRIPTION
SC to SC, Singlemode Duplex, 2.0mm yellow, UPC	**400766DM05** **400766DM10**	**(5 mtrs)** **(10 mtrs)**	**SC to SC, SINGLEMODE DUPLEX, UPC TEST CORD**
• SINGLEMODE: Link between bulkhead adapters and terminal equipment			
SC to ST, Singlemode Duplex, 2.0mm yellow, UPC	**400771DM05** **400771DM10**	**(5 mtrs)** **(10 mtrs)**	**SC to ST, SINGLEMODE DUPLEX, UPC TEST CORD**
• SINGLEMODE: Link between bulkhead adapters and terminal equipment			
SC to SC, OSP Singlemode Simplex, 2.0mm yellow, APC	**400766AA0SP01**	**(1 ft)**	**SC to SC, SINGLEMODE SIMPLEX, APC TEST CORD**
• SINGLEMODE: Link between bulkhead adapters and terminal equipment			

Copyright © 2026 by Telecom Assistance Group, Inc.

Telecom Assistance Group (TAG)
www.tagcords.com
150 Cooper Rd. (F-15)
W. Berlin, NJ 08091
Telephone: (856) 753-8585
Fax: (856) 768-7645

DB9M / RS232 to USB Adapter Cable

Need access to a Serial Port on your Laptop?

TAG's Adapter Cable will convert your Laptop's USB Port into a Serial Port!

Serial Port on an Older Laptop





System Requirements:

- *Supports Windows® 2000 / XP / Server 2008 / Vista / 7 / 8 / 10*

- Available USB Port

Application:

Plug the USB connector into your computer and the serial connector into your serial device to exchange files, data and more.

Ordering Information:

DB9M/RS232 to USB Adapter Cable
Supports Windows® 2000 / XP / Server 2008 / Vista / 7 / 8 / 10

Uniti UBuy #
400720USB

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax: (856) 768-7645

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

Business Class Network Interface Device (NID)



Application:

- One unit per T1 is required and is installed between the VGW and the customer PBX by the Business Class provider.
- The 400820 (NID) provides an input (Network) RJ45 port to connect the VGW to the NID. *The Business Class provider will be responsible for providing the connection from the VGW to the 400820 (NID).*
- An RJ45 port (CPE) provides Business Class customers a connection from PRI and the CPE PBX. *This connection is the customer's responsibility.*
- Bantam test ports are located on the bottom of the 400820 (NID) for future maintenance and performance testing connected to the preferred test set.

Ordering Information:	**Uniti UBuy #**
T1 Monitor Box	**400820**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax : (856) 768-7645

Copyright ©2026 by Telecom Assistance Group, Inc.

UNITI

FEATURES / APPLICATION	UBUY #	LENGTH	DESCRIPTION
Cat 5 Cable (RJ45 to RJ45) • Standard CAT5 Cable	**RHCAT505** **RHCAT510** **RHCAT515** **RHCAT520** **RHCAT525** **RHCAT530** **RHCAT540** **RHCAT550**	**(5')** **(10')** **(15')** **(20')** **(25')** **(30')** **(40')** **(50')**	**CAT 5 CABLES (RJ45 to RJ45)** **(@ various lengths)**
RJ45/48 Coupler • General purpose coupler adapter	**RJ48C**		**RJ45/48 COUPLER** 
DMX Provisioning (CAT5E) Cross-Over Cable • Cable for testing Lucent's DMX Platforms with the CAT5E Ethernet Cable. The CAT5E cable is designed to work with Windows XP operating systems.	**400448XP10**	**(10')**	**DMX CROSS-OVER CABLE**
RJ45/48 to DB 9 Pin (male) • RJ45 to DB 9 Pin (male) typically used for provisioning	**RHCU720M**	**(6')**	**RJ45/48 to 9 PIN (male)**

Copyright © 2026 by Telecom Assistance Group, Inc.

Remote Network Cable Tester w/ Tone Generator — CAT107G

Simplify Network Cable Testing !!

Cable Test Features:

Displays:
- **Short**
- **Reversed**
- **Miswired**
- **Split Pairs**

Tone Generator* Features:

- **Verification of Shield Integrity**
- **Puts Tracer Tone on Cable**

** Tone Generator function requires customer supplied Cable Tracing Probe*



Additional Features:

- **Specially designed Remote Unit that enables one person to test installed cables**
- **Easy to read Fault Display and high speed testing**
- **Debug mode for detailed fault identification results**
- **Auto Sleep Mode and Power Off Switch to decrease power consumption**
- **Low Battery Indicator**
- **Includes (4) four AAA batteries**

Includes: Soft Vinyl Carrying Pouch & Remote Terminating Cable

Application:

The CAT107G is a small hand-held cable tester, which enables network professionals to quickly and easily verify the integrity of ethernet twisted pair cables for open pairs, shorted pairs, reversed pairs, crossed pairs and split pairs. Push the TEST button and the CAT107G will automatically scan for any existing faults in your cable. The specially designed remote terminator is provided for one-person testing of installed cables. The tone generator function can be used to send a signal through installed cables which can be traced with most cable tracers on the market.

Ordering Information:

	Uniti UBuy #
Remote Network Cable Tester w/ Tone Generator includes: (1) Carrying Pouch, (1) Remote Terminating Cable & (4) AAA Batteries	**CAT107G**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

UNITI

FEATURES / APPLICATION	UBUY #	DESCRIPTION
DB 9 Pin (male) to DB 25 Pin (female), (6') • 9 Pin to 25 Pin conversion cable	**400725**	**9 PIN (male) to 25 PIN (female)**
DB 9 Pin (male) to DB 9 Pin (female), (6') • Commonly used from Laptop to test at Pair Gain (HDSL) • Wired straight	**400720**	**9 PIN (male) to 9 PIN (female)**
DB 25 Pin (male) to DB 25 Pin (female), (6') • Standard Serial Printer Cable, (25 Wires)	**400706**	**25 PIN (male) to 25 PIN (female)**
DB 9 Pin (female) to 25 Pin (male), (6') • IBM AT COM1 Computer Cable	**400703**	**9 PIN (female) to 25 PIN (male)**
HDSL Provisioning Test Cord • DB 25 Pin (male) to DB 9 Pin (male) for HDSL provisioning from "Dumb" terminals	**400703H10 (10')** **400703H25 (25')**	**HDSL PROVISIONING TEST CORD**

Copyright © 2026 by Telecom Assistance Group, Inc.

UNITI

FEATURES / APPLICATION	UBUY #	DESCRIPTION
DB 25 Pin (male) to (male) Gender Changer • Standard Serial Gender Changer	**400701**	**25 PIN (male) to 25 PIN (male) GENDER CHANGER** 
DB 9 Pin (male) to DB 9 Pin (male) Adapter • 9 Pin Adapter - Gender Changer	**400709M**	**9 PIN (male) to 9 PIN (male) ADAPTER** 
DB 9 Pin (female) to DB 9 Pin (female) Gender Changer • 9 Pin Adapter - Gender Changer	**400709F**	**9 PIN (female) to 9 PIN (female) GENDER CHANGER** 
DB 9 Pin (male) to DB 9 Pin (female) "Null Adapter" • Null Adapter	**400709N**	**9 PIN (male) to 9 PIN (female) "NULL" ADAPTER** 
UL Surge Suppressor Outlet Power Strip • 6 outlets with 15A breakout	**400704**	**SURGE SUPPRESSOR - OUTLET POWER STRIP** 

Copyright © 2026 by Telecom Assistance Group, Inc.

Telecom Assistance Group (TAG)
www.tagcords.com
150 Cooper Rd. (F-15)
W. Berlin, NJ 08091
Telephone: (856) 753-8585
Fax: (856) 768-7645

UNITI

FEATURES / APPLICATION	UBUY #	DESCRIPTION
Protector/526A plug to 125 Station Protector, (10') • Cabinet mounting assembly for performing line tests on SLC-96 & Series 5	**T6W3F10**	**PROTECTOR/526A to STATION PROTECTOR** 
Wire Wraps to Mini Alligator Clips, (4') • Slides on wire wraps • Alligator Clip connections to butt sets, Caller ID, etc.	**400200MA04**	**WIRE WRAPS to MINI ALLIGATOR CLIPS**
RJ48 to 6P Alligator Clips, (6') • Test cord used from TPI (ISDN) test set (RJ48 - ISDN) to Alligator Clips • Pin 4 - Ring/Pin 5 - Tip (RJ48)	**400448AP2**	**RJ48 to 6P ALLIGATOR CLIPS**
RLS Plug to Round Lugs, (8') • Used for testing Reltec Systems	**400196KIT2**	**RLS PLUG to ROUND LUGS** 

Copyright © 2026 by Telecom Assistance Group, Inc.

The "Multi" Cord

Butt-In Connectors



1 Hardwire (Standard)



2 471A Jack (Quick Disconnect)



3 Modular
- 3A.) 4 Position, 2 conductor
- 3B.) 6 Position, 2 conductor
- 3C.) 8 Position, 2 conductor

4 Hardwire (Weatherproof)

ORDERING SAMPLE

Butt-In		Plugs				Length
1	–	A	C	_	_	– 6

Choose (1 to 4 Ends)

Uniti UBuy # 1AC6

Hardwire to Alligators / Wire Wraps, (6')



Alligator	A	
Mini Test	B	
Wire Wrap	C	
Protector	D	
453A	E	
Bantam	F	
310	G	
526A	H	
88 Type (D Clip)	I	
526P (Porta)	J	
Snagless RJ11	K	
SLC 96	L	
Modular (RJ11)	M	
6P Alligator	O	
310 MDF	P	
110 Clip (C Clip)	Q	
76 Clip	R	
SLC 5	S	
360 Tools	T	
66 Blk Adapter	X	
Mini Alligator	Y	
Porta	Z	

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

UNITI

FEATURES / APPLICATION	UBUY #	DESCRIPTION
526A plug to Alligator Clips, (6') • Monitor access to Protectors via test points without pulling Protector • Equivalent to P2FL	**400526A**	**526A PLUG to ALLIGATOR CLIPS**
453A plug to Alligator Clips, (3') • Used to short the tip and ring or to ground the tip and/or ring • Plugs to recessed terminals on 300 series connectors (except 310) • Equivalent to P2EF	**400430**	**453A PLUG to ALLIGATOR CLIPS**
Dual Push Pins (310 MDF) to Alligator Clips, (3') • Used to short the tip and ring or to ground the tip and/or ring • Plugs to recessed terminals on 310 series connectors • Equivalent to P2FM	**400426**	**DUAL PUSH PINS to ALLIGATOR CLIPS**
Protector (non-bridging) to Alligator Clips, (8') • Test access at coils	**400300S**	**PROTECTOR to ALLIGATOR CLIPS**
Protector to Alligator Clips, (3') • Test access at MDF (coils)	**400300C3**	**PROTECTOR to ALLIGATOR CLIPS**

Copyright © 2026 by Telecom Assistance Group, Inc.

UNITI

FEATURES / APPLICATION	UBUY #	DESCRIPTION
Bantam Looping Plug • 3 conductor looping plug	**400210LP**	**BANTAM LOOPING PLUG** 
MDF Shorting cord • 453A plug looped • Used at 303, 304, and 308 MDF frames	**400430L**	**MDF SHORTING CORD** 
SLC-96 Looping Plug • Loops SLC-96 circuits at the LIU	**400396L**	**SLC 96 LOOPING PLUG** 
15 Pin (female) to LIU "low profile" connector, (8') • Connects Power Panel to LIU for test jack access • "Low Profile" allows greater door clearance at SLC cabinets	**400442FL**	**15 PIN to LIU**
Bantam Terminating Plug • 100 ohm Terminating Plug	**B004210TP100**	**BANTAM TERMINATING PLUG** 

Copyright © 2026 by Telecom Assistance Group, Inc.

Telecom Assistance Group (TAG)
www.tagcords.com
150 Cooper Rd. (F-15)
W. Berlin, NJ 08091
Telephone: (856) 753-8585
Fax: (856) 768-7645

UNITI

FEATURES / APPLICATION	UBUY #	DESCRIPTION
Bantam to Bantam, (6') (RED) **Bantam to Bantam, (6') (BLACK)** • Patching or Test Set Application • Red / Black colors for Transmit / Receive	**400210RD06** **400210BK06**	**BANTAM to BANTAM - RED** **BANTAM to BANTAM - BLACK**
Dual Bantam to Dual Bantam, (10') **Dual Bantam to Dual Bantam, (20')** **Dual Bantam to Dual Bantam, (42')** • Patch cord	**400210DD10** **400210DD20** **400210DD42**	**DUAL BANTAM to DUAL BANTAM**
Dual Bantam to Mini Test Clips, (6') • "Mini Grabbers" excellent for access to various connectors, wire terminals	**400210DT**	**DUAL BANTAM to MINI TEST CLIPS**
Bantam to Mini Test Clips, (6') • "Mini Grabbers" excellent for access to various connectors, wire terminals	**400210TTELE**	**BANTAM to MINI TEST CLIPS**
Bantam to Wire Wrap Terminals, (6') • Slides on standard CO terminal block pins (.045) for test access	**400210WP**	**BANTAM to WIRE WRAP TERMINALS**
Bantam to (2) Alligator Clips, (6') • Access to various connectors, bare cable	**400210A**	**BANTAM to ALLIGATOR CLIPS**
Bantam to 310 Conversion Plug • Slides over bantam plug converting it to a 310	**400239BST**	**BANTAM TO 310 CONVERSION PLUG** 

Copyright © 2026 by Telecom Assistance Group, Inc.

UNITI

FEATURES / APPLICATION	UBUY #	DESCRIPTION
Bantam "Y" (Tx & Rx) to RJ48C - (T1), (8') • Commonly used to Transmit (TX) and Receive (RX) from T1 tests • The RJ48C plugs into the faceplate of T1 cards allowing test access	**40024808**	**BANTAM "Y" to RJ48C, (8')** 
Bantam "Y" (Tx & Rx) to RJ48S - (DDS), (8') • Commonly used to Transmit (TX) and Receive (RX) from DDS tests • The RJ48S plugs into the faceplate of DDS cards allowing test access	**400248S**	**BANTAM "Y" to RJ48S, (8')**
310 "Y" (Tx & Rx) to 15 Pin D (male), (4') • 3101596 • Commonly used to Transmit (TX) and Receive (RX) from Customer Service Unit (CSU) from T1 test sets • Also used with T1 power lids	**400315M04**	**310 "Y" to 15 PIN D (male), (4')** 
RJ48 (T1) to 4 Alligator Clips, (6') • 597243 • Alligator Clip Access to RJ48 (Pins 1,2,4,5)	**400448A406**	**RJ48 (T1) to 4 ALLIGATOR CLIPS, (6')**

Copyright © 2026 by Telecom Assistance Group, Inc.

Telecom Assistance Group (TAG)
www.tagcords.com
150 Cooper Rd. (F-15)
W. Berlin, NJ 08091
Telephone: (856) 753-8585
Fax: (856) 768-7645

UNITI

FEATURES / APPLICATION	UBUY #	DESCRIPTION
"The SLICK CORD", (2') • Dual Purpose cord for Series 5/SLC 2000 and/or SLC-96/DISC*S faceplate access	**4003956**	**"SLICK CORD"**   **Series 5** **SLC-96**
SLC-96 Line Adapter • Hollow post and/or modular access to Odd/Even Channels at faceplate of SLC-96/DISC*S	**4003962M**	**SLC-96 LINE ADAPTER**   **SLC-96**
SLC-96 Line Adapter • Hollow post access to Odd/Even Channels at faceplate of SLC-96/DISC*S channel units	**400396**	**SLC-96 LINE ADAPTER**   **SLC-96**
SLC Series 5 Test Cord, (3') • Hollow post (Alligator Clip access) and/or modular (RJ11) access to Odd/Even channels • Dial tone access at faceplate of Series 5 or SLC 2000	**400395**	**SLC SERIES 5 TEST CORD**   **Series 5** **SLC 2000**

Copyright © 2026 by Telecom Assistance Group, Inc.

UNITI

FEATURES / APPLICATION	UBUY #	DESCRIPTION
440A to 440A, (6') - Black **440A to 440A, (6') - Red** • Coax Patch / Test Cord • Available in various lengths	**400440ABK** **400440ARD**	**440A to 440A**
440A to BNC, (6') - Black **440A to BNC, (6') - Red** • Coax Test Cord • Available in various lengths	**400440BBK** **400440BRD**	**440A to BNC**
440A to 358A, (12') • Coax Patch / Test Cord • Available in various lengths	**B40358A12**	**440A to 358A**
358A to 358A, (12') • Coax Patch / Test Cord • Available in various lengths	**B00358A12**	**358A to 358A**
358A to BNC, (12') • Coax Test Cord • Available in various lengths	**B00358B12**	**358A to BNC**

Copyright © 2026 by Telecom Assistance Group, Inc.

Telecom Assistance Group (TAG)
www.tagcords.com
150 Cooper Rd. (F-15)
W. Berlin, NJ 08091
Telephone: (856) 753-8585
Fax: (856) 768-7645

FEATURES / APPLICATION	UBUY #	DESCRIPTION
BNC Loopback Cord, (9") • Coax Test Cord • Available in various lengths	**400440BLP**	**BNC LOOPBACK CORD**
Dual BNC Coax Loopback Tool • Used to verify Dual BNC Coax cabling	**400600LPT**	**DUAL BNC COAX LOOPBACK TOOL** FRONT BACK
358A Coax Loopback Tool • Used to verify 358A Coax cabling	**400358LPT**	**358A COAX LOOPBACK TOOL**
Dual 440D Coax Loopback Tool • Used to verify Dual 440D Coax cabling	**400440LPT**	**DUAL 440D COAX LOOPBACK TOOL (Female)**

Copyright © 2026 by Telecom Assistance Group, Inc.

COAX PATCH CORDS



Ordering Information:

	Uniti UBuy #
Dual BNC to Dual BNC w/ tracer, (5')	400440BB05
Dual BNC to Dual BNC w/ tracer, (10')	400440BB10
Dual BNC to Dual BNC w/ tracer, (15')	400440BB15
Dual BNC to Dual BNC w/ tracer, (20')	400440BB20
Dual BNC to Dual BNC w/ tracer, (25')	400440BB25
Dual BNC to Dual BNC w/ tracer, (30')	400440BB30
Dual BNC to Dual BNC w/ tracer, (35')	400440BB35
Dual BNC to Dual BNC w/ tracer, (40')	400440BB40
Dual BNC to Dual BNC w/ tracer, (45')	400440BB45



Ordering Information:

	Uniti UBuy #
Dual 440D to Dual 440D w/ tracer, (5')	400440DD05
Dual 440D to Dual 440D w/ tracer, (10')	400440DD10
Dual 440D to Dual 440D w/ tracer, (15')	400440DD15
Dual 440D to Dual 440D w/ tracer, (20')	400440DD20
Dual 440D to Dual 440D w/ tracer, (25')	400440DD25
Dual 440D to Dual 440D w/ tracer, (30')	400440DD30
Dual 440D to Dual 440D w/ tracer, (40')	400440DD40
Dual 440D to Dual 440D w/ tracer, (50')	400440DD50

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax: (856) 768-7645

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

ADSL Test Cord — 400548ADSL

Protector to RJ48 "Y" - 6' (ADSL)





Black
Coil Test
(Long Pins)
T R

Red
Sync Test
(Short Pins)
T_1 R_1

WIRING NOTES:



Application:

Used with Sunrise ADSL Test Set.
Plug Red RJ48 in test set to perform Sync Test.
Plug Black RJ48 in test set to perform Coil Test.

Ordering Information:	**Uniti UBuy #**
ADSL Test Cord, (6')	**400548ADSL**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

MLT Load / Test Box 400300MLT



TAG's MLT Load/Test Box (400300MLT) provides a convenient and easy means to **Test** with **MLT** on **New Installs** and **Calibrate "Loop Resistance**.

Simply plug the MLT Load/Test Box on the circuit to test with MLT. Establish communication with a MLT tester to verify results.

Note: TAG offers a "Hands Free" Telephone Set - Model WT-1K for added convenience.
A sturdy switch on the MLT Load/Test Box allows selecting the following tests:

- **Tip to Ring Short**
- **Tip to Ring Load (10K)**
- **Tip to Ground (10K)**
- **Ring to Ground (10K)**
- **Ringer Test Load (>.75A)**
- **Thru to Hollow Posts and RJ11** (just in case)

The MLT Load/Test Box plugs to various interface points for ease of testing with MLT. The 400300MLT can be equipped with "coil access" at the RT, RJ11 access at the NID or Alligator Clips for general purpose.

Ordering Information:	**Uniti UBuy #**
Cord Protector MLT Test Box, (6')	**400300MLT**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

HST-3000 / CopperPro 990 Cord Kit — KITCP990BST

Kit Designed for HST-3000 / CopperPro Test Set & Far End Device



(1) # FL-FED463G
RJ45 to
Blue 463A / Red 463A / Gnd, (6')
(call for individual pricing)



Fluke TN2100 & CopperPro not included

KIT INCLUDES CARRYING CASE

(1) # TCC-001P
8 Pouch Carrying Case
(call for individual pricing)

(1) Uniti UBuy # FL400100SBY
HST / Fluke to 463A Protector (Blue), (6')



(1) Uniti UBuy # FL400100SRD
HST / Fluke to 463A Protector (Red), (6')



(1) Uniti UBuy # FL400100WPBY
HST / Fluke to Wire Wraps (Blue), (6')



(1) Uniti UBuy # FL400100WPRD
HST / Fluke to Wire Wraps (Red), (6')



(1) Uniti UBuy # FL400100BY
HST / Fluke to Bantam (Blue), (6')



(1) Uniti UBuy # FL400100BR
HST / Fluke to Bantam (Red), (6')



(1) Uniti UBuy # FL400409
Ground Cord, (8')

Ordering Information:

HST-3000 / CopperPro 990 Cord Kit

includes: (1) FL-FED463G, (1) FL400100SBY, (1) FL400100SRD, (1) FL400100WPBY, (1) FL400100WPRD, (1) FL400100BBY, (1) FL400100BRD, (1) FL400409 & (1) TCC-001P

Uniti UBuy # KITCP990BST

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

JDSU HST-3000 Test Cords



Uniti UBuy #
FL400409
Ground Cord, (8')

**** Kits are Available - Please Call for more Information ****

 # TCC-001P
8 Pouch Carrying Case
(call for pricing)

Uniti UBuy # FL400100SRD
HST to 463A Protector (Red), (6')

Uniti UBuy # FL400100SBY
HST to 463A Protector (Blue), (6')

Uniti UBuy # FL400100WPRD
HST to Wire Wraps (Red), (6')

Uniti UBuy # FL400100WPBY
HST to Wire Wraps (Blue), (6')

Uniti UBuy # FL400100BR
HST to Bantam (Red), (6')



Uniti UBuy # FL400100BY
HST to Bantam (Blue), (6')

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

BST - DLC Cord Kit — DLCKITBST

(1) # TCC-001P - 8 Pouch Carrying Case



(1) # 4003956 -"The Slick Cord" - Series 5 & SLC 96

(2) # 400210A - Bantam to (2) Alligator Clips, (6')

(1) # 40070325 - DB9 Pin (f) to DB25 Pin (m), (25')

(2) # 408210 - Bantam to 800 DSX, (6')

(1) # 400722ADSL - Catena DB9 Pin (f) to RJ45, (6')

(2) # 400210WP - Bantam to Wire Wraps, (6')

(1) # 400720 - DB9 Pin (m) to DB9 Pin (f), (6')



(2) # 400239BST - Bantam to 310 Conversion Plug

(1) # 400703H25 - DB9 Pin (m) to DB25 Pin (m), (25')

(1) # 400440BLP - BNC Loopback Cord, (9")



(1) # 400725N - 25 Pin (m) to 25 Pin (f) "NULL" Adapter

(1) # 400210BK06 - Bantam to Bantam, RX - Black, (6')

(1) # 400448XP10 - DMX Provisioning (CAT5E) Cable, (10')

(1) # 400210RD06 - Bantam to Bantam, TX - Red, (6')

(1) # 40044806 - RJ48 to RJ48, (6')

Ordering Information:

BST - DLC Cord Kit

Uniti UBuy # DLCKITBST

includes: (2) 400210A, (1) 400210BK06, (1) 400210RD06, (2) 408210, (1) 400720, (2) 400210WP,(2) 400239BST, (1) 4003956, (1) 400725N, (1) 40070325, (1) 400448XP10, (1) 400440BLP, (1) 400703H25, (1) 400722ADSL, (1) 40044806 & (1) TCC-001P

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

"Green Coil Cord" 400300FP

"Frogger" Protector Test Cord, (20')



1. Insert "Good" (green) plug into known good line.

2. Insert "Bad" (red) plug into bad line for temporary restoration.



Application:

TAG's Temporary Restoral Cord (400300FP) allows you to add protection back to the telephone line when testing. TAG's test cord features a built-in protector socket that accepts any 5-pin protector module. A 5-pin module with the same specifications as the line you are testing on must be inserted before the test cord can function. Once inserted, the cord will now function and protection has been restored to the line.

In the event of a power or lightning strike, TAG's 400300FP can save thousands of dollars by eliminating dangers that can destroy expensive equipment or possibly harm a technician. One plug is Green "GOOD" & the other plug is Red "BAD". When the repair is made, the circuit can be identified as to which pair is good or bad.

Ordering Information:	Uniti UBuy #
"Frogger" Protector Test Cord - (20')*	**400300FP**

Available in various lengths. Call for Pricing.

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

Colt 250 / Exfo 635 Test Cords



Uniti UBuy #
400250SV
RJ45 to Alligator Clips / Wire Wraps, (6')



Uniti UBuy #
400250DSL
RJ45 to 6P Alligator Clips / RJ11, (6')

Exfo 635 & Colt 250 Test Sets
(not included)

Application:
The cords shown above are used with the Colt 250 and/or Exfo 635 test set to perform DSL testing.

Ordering Information:	**Uniti UBuy #**
RJ45 to Mini Alligator Clips / Wire Wraps, (6')	**400250SV**
RJ45 to 6P Alligator Clips / RJ11, (6')	**400250DSL**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091
Telephone: (856) 753-8585
Fax : (856) 768-7645
www.tagcords.com
Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

Calix C7 Streaker Kit — C7KIT01

"Calix C7"

The (# C7KIT01) Kit Includes:

(1) ST-CALIX-C7
Calix C7 Streaker Card w/ LEDs

Application:

The ST-CALIX-C7 provides a quick method to "streak", verify wiring via LEDs, from the backplane of the Calix C7 to the Frame. At the Frame simply ground the corresponding pins and the ST-CALIX-C7 will light the LED associated with that connection.

KIT INCLUDES CARRYING CASE

Approx. Dimensions: 13" (H) x 20" (L)

(1) P2000
Protected (-48V) Test Probe w/ LED, (6')

(1) 400409
Pin Plug to Alligator, (6')

(1) 600209F
Carrying Case

Ordering Information:

Calix C7 Streaker Kit
includes: (1) ST-CALIX-C7, (1) 400409, (1) P2000 & (1) 600209F

Uniti UBuy # C7KIT01

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

Apparatus Cases (T1, HDSL, DDS)

Uniti UBuy # EXT209B *(w/ Bantam Jacks)*
T1 Loopback Extender



Application:
- Universal interface to all test sets
- Loops signal and simplex current
- Isolates trouble to repeater or cable
- Bantam Jack access eliminates special probes and cables
- Direct metallic bridging allows current, voltage and loop resistance measurements

Uniti UBuy # EXT209TB *(w/ Bantam Jacks)*
T1 Repeater Extender

Application:
- Span current test points
- Loops signal and simplex current
- Test repeaters in the field
- Bantam Jack access to monitor/transmit QRSS, 3 in 24 from test sets
- Direct metallic bridging allows current, voltage and loop resistance measurements

Uniti UBuy # CT239239
T1 Line Repeater Cut Thru Card

Application:
The CT239239 plugs into T1, 56KB, HDSL, and ISDN apparatus cases. Plug the CT239239 into non-powered mini T1 line repeater slots to bypass unused pairs for line testing.

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091
www.tagcords.com
Telephone: (856) 753-8585
Fax: (856) 768-7645
Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

T1 Repeater Test Kit — EXT238K3

The EXT238K3 Kit is designed for technicians who test at T1 Line Repeater Housings, such as 818 apparatus cases. (see Fig. 1) The Kit Includes:

Fig. 1

(1) Uniti UBuy # EXT238
T1 Line Repeater Access Board

(1) # 600209
Carrying Case

(1) # 400210RD-03
Bantam to Bantam - Red, (3')



(1) # 400210ARD-03
Bantam to Alligator Clips - Red, (3')

(1) # 400210BK-03
Bantam to Bantam - Black, (3')

(1) # 400210ABK-03
Bantam to Alligator Clips - Black, (3')

Ordering Information:

Uniti UBuy # EXT238K3

T1 Repeater Access Kit
includes: (1) EXT238, (1) 400210RD-03, (1) 400210BK-03,
(1) 400210ARD-03, (1) 400210ABK-03 & (1) 600209 - carrying case

T1 Line Repeater Wiring Access Board (w/ Bantam Jacks) **EXT238**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091
Telephone: (856) 753-8585
Fax : (856) 768-7645
www.tagcords.com
Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

Apparatus Cases (T1, HDSL, DDS)



Uniti UBuy # EXT239E
Plugs into T1, 56KB, HDSL, ISDN Apparatus Cases



Bantam Jacks





** Replaces 254A

Features:

- Enhanced switch settings for Thru, Norm, and Loop testing at T1 line repeater apparatus cases
- Metallic access at T1 line repeater slots
- Use with test sets to perform Cable Loss, Resistance, or TDR test set to locate load coils

Ordering Information:	Uniti UBuy #
T1 Wiring Access Board	EXT239E
Bantam to Alligator Clips, (6')	400210A

Carrying Case is available (PN # 600209) - Call for Pricing

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091
Telephone: (856) 753-8585
Fax : (856) 768-7645
www.tagcords.com
Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

ORB Test Kit — KITTB0RBB

Uniti UBuy # TB86B
"DDM Plus" Office Repeater
Test Board w/ Bantam Jacks



Uniti UBuy # TB3192B
3190/3192 Office Repeater
Test Board w/ Bantam Jacks

 # TB-231B
220 (Kentrox size) Office Repeater
Test Board w/ Bantam Jacks

 # TB-400B
HDSL Remote HRU-200/400
Mechanics w/ Bantam Jacks

Uniti UBuy # EXT239E
T1 Line Repeater Access Board
w/ Bantam Jacks

Uniti UBuy # 400210A
(1) Bantam to Alligator Clips-Red, (6')

Uniti UBuy # 400210A
(1) Bantam to Alligator Clips-Black, (6')



 # 600209N
Carrying Case

Ordering Information:

ORB Test Kit
includes: (1) TB86B, (1) TB-231B, (1) TB3192B, (1) TB-400B,
(1) EXT239E, (2) 400210A & (1) 600209N - carrying case

Uniti UBuy # KITTB0RBB

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

ORB Test Kit — KITTB0RBB02

Uniti UBuy # TB86B
"DDM Plus" Office Repeater
Test Board w/ Bantam Jacks



Uniti UBuy # TB3192B
3190/3192 Office Repeater
Test Board w/ Bantam Jacks

 # TB-231B
220 (Kentrox size) Office Repeater
Test Board w/ Bantam Jacks

Uniti UBuy # TBTA30000RB
Adtran Total Access 3000 Test Board
w/ Bantam Jacks

 # TB-400B
HDSL Remote HRU-200/400
Mechanics w/ Bantam Jacks

Uniti UBuy # EXT239E
T1 Line Repeater Access Board
w/ Bantam Jacks

Uniti UBuy # 400210A
(1) Bantam to Alligator Clips-Red, (6')

Uniti UBuy # 400210A
(1) Bantam to Alligator Clips-Black, (6')

 # 600209N
Carrying Case

Ordering Information:

Uniti UBuy # KITTB0RBB02

ORB Test Kit
includes: (1) TB86B, (1) TB-231B, (1) TB3192B, (1) TB-400B,
(1) TBTA3000ORB, (1) EXT239E, (2) 400210A & (1) 600209N - carrying case

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

Portable "R" - HDSL Test Kit

Uniti UBuy # RHDSLBST01
Portable "R" - HDSL Test Kit

(1) # T-RHDSL
Portable "R" HDSL Test Unit

(cards not included)

KIT INCLUDES CARRYING CASE

(1) # 600509
Carrying Case
Approx. Dimensions:
8" (H) x 9" (L)

- **4 Slots for 200/400 Mech. HDSL "R" Cards**
- **Rugged Connectors**
- **Various Test Cords**

(1) Uniti UBuy # 4W6P08
Female Lock Plug to
(4) 6P Alligator Clips, (8')



(1) Uniti UBuy # 4W463Y08
Female Lock Plug to
5 Pin "Y" Protector, (8')



Ordering Information:

Uniti UBuy # RHDSLBST01

Portable "R" - HDSL Test Kit
includes: (1) T-RHDSL, (1) 4W6P08, (1) 4W463Y08 & (1) 600509 - carrying case

Female Lock Plug to (4) 6P Alligator Clips, (8')	**4W6P08**
Female Lock Plug to 5 Pin "Y" Protector, (8')	**4W463Y08**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091
www.tagcords.com
Telephone: (856) 753-8585
Fax: (856) 768-7645
Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

Portable HDSL "C" Test Unit - 3192 & 220 Kit

Uniti UBuy # PHTUC02KIT01
Portable "C" - HDSL Test Kit

(1) # PHTUC-02
Portable HDSL
Powering / Test Unit
(3192 & 220 Cards)





ON / OFF Switch

AC Powered
(cord included)

Slot for 3192 Cards
(card not included)

Slot for 220 Cards
(card not included)

- **2 Slots (3192 & 220)**
- **Bantam Jacks for T1 Test Sets**
- **Isolates Troubles**
- **New Installs**

(1) # 600510
Carrying Case
Approx. Dimensions:
14" (H) x 9" (L) x 7" (D)



(1) # 4C-6P-08
Male Lock Plug to (4) 6P Alligator Clips
w/ GND, (8')



(1) # 4C-463Y-08
Male Lock Plug to 5 Pin "Y" Protector, (8')



(1) Uniti UBuy # 400210BK06
Bantam to Bantam Test Set Cord - Black, (6')



(1) Uniti UBuy # 400210RD
Bantam to Bantam Test Set Cord - Red, (6')

Ordering Information:

Portable HDSL "C" Test Unit - 3192 & 220 Kit
includes: (1) PHTUC-02, (1) 4C-463Y-08, (1) 4C-6P-08, (1) 400210RD06,
(1) 400210BK06 & (1) 600510 - carrying case

Uniti UBuy #
PHTUC02KIT01

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

New Replacement Dumb Terminals - Transport / DACS Equipment

NEW TERMINAL WORKS ON
Titan 5500, CS1, CS1L, DACS II, III, IV, Alcatel 1631 & HDSL
(Titan 5500 shown below)

REMOVE & REPLACE OLD / BROKEN CRTs



SPECIFICATIONS

- VT-100 COMPATIBLE
- RS-232 INPUT(S)
- PRINTER OUTPUT
- LOW POWER

Ordering Information:

	Uniti UBuy #
Single Session Dumb Terminal - Transport includes: (1) 17" Flat Screen Monitor, (1) Keyboard, (1) Single Session Terminal Controller, (1) DB25M Gender Changer & (1) Quick Guide	**TTVT100S**
Single Session Dumb Terminal - 1631 DACS includes: (1) 17" Flat Screen Monitor, (1) Keyboard w/ 1631 labels, (1) Pre-configured 1631 Single Session Terminal Controller, (1) DB25M Gender Changer & (1) 1631 Quick Guide	**TTSCA1631**
Dual Session Dumb Terminal - Titan 5500 includes: (1) 17" Flat Screen Monitor, (1) Keyboard, (1) Pre-configured Titan 5500 Dual Session Terminal Controller, (2) DB25F Gender Changers & (1) Titan 5500 Quick Guide	**TTDCT55**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

DMS Terminal Replacements - Dual Session

Model:

TTDCAPDMSKIT2



Kit Includes:

(1) 17" Flat Screen Monitor

(1) Dumb Terminal Controller

(1) Keyboard

(1) Quick Guide

(2) 400725SBW,
(Hardwire Adapter for 400725SB2)

(2) 400700,
(DB25F Gender Changer)

(2) 400725SB2,
(DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector)

SPECIFICATIONS

- VT-100 COMPATIBLE
- DUAL RS-232 INPUTS
- PRINTER OUTPUT
- LOW POWER

Printer Port Type:

Parallel * ** If a Serial Port is needed, please order a Parallel to Serial Adapter # TT-PSA, call for pricing.*

Ordering Information:

Uniti UBuy #

Dual Craft Access System - DMS (Kit 2) — **TTDCAPDMSKIT2**
includes: (1) 17" Flat Screen Monitor, (1) Keyboard,
(1) Dual Session Dumb Terminal Controller, (1) Quick Guide,
(2) # 400700 (DB25F Gender Changer),
(2) # 400725SB2 (DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector) &
(2) # 400725SBW (Hardwire Adapter for 400725SB2)

Dual Craft Access System - DMS — **TTDCAP**
includes: (1) 17" Flat Screen Monitor, (1) Keyboard,
(1) Dual Session Dumb Terminal Controller, (1) Quick Guide &
(2) # 400700 (DB25F Gender Changer)

Replacement Power Pack for DMS Terminal, 5VDC *(not shown)* — **TT-DCA5-PP** (call for pricing)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

DMS Replacement Terminals - Single Session

Model:

TTSCAPDMSKIT



Kit Includes:

(1) 17" Flat Screen Monitor

(1) Dumb Terminal Controller

(1) Keyboard

(1) Quick Guide

(1) 400700,
(DB25F Gender Changer)

(1) 400725SB2,
(DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector)

SPECIFICATIONS

- VT-100 COMPATIBLE
- SINGLE RS-232 INPUT
- PRINTER OUTPUT
- LOW POWER

Printer Port Type:

Parallel * ** If a Serial Port is needed, please order a Parallel to Serial Adapter # TT-PSA, call for pricing.*

Ordering Information:

	Uniti UBuy #
DMS Single Session Replacement Terminal Kit includes: (1) 17" Flat Screen Monitor, (1) Keyboard, (1) Single Session Dumb Terminal Controller, (1) Quick Guide, (1) # 400700 (DB25F Gender Changer) & (1) # 400725SB2 (DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector)	**TTSCAPDMSKIT**
DMS Single Session Replacement Terminal Kit 2 includes: (1) 17" Flat Screen Monitor, (1) Keyboard, (1) Single Session Dumb Terminal Controller, (1) Quick Guide, (1) # 400700 (DB25F Gender Changer) & (1) # 400725SB2 (DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector) (1) # 400725SBW** (Hardwire Adapter for 400725SB2) ***not shown*	**TTSCAPDMSKIT2**
Replacement Power Pack for DMS Terminal, 5VDC *(not shown)*	**TT-DCA5-PP** (call for pricing)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

Siemens EWSD OMT* Terminal Replacements

Model:

TTDCAM0T

(1) 17" Flat Screen Monitor

(1) EWSD OMT Controller

(1) Keyboard

(1) TT-MOUSEPS
(Optical Mouse)

(1) 400700
(DB25F Gender Changer)

Back of Terminal Controller:

Ordering Information:

	Uniti UBuy #
Siemens EWSD OMT Craft Access System includes: (1) 17" Flat Screen Monitor, (1) Keyboard, (1) EWSD OMT Controller, (1) # TT-MOUSEPS & (1) # 400700	**TTDCAM0T**
Replacement Power Pack for EWSD Terminal, 5VDC	**TT-DCA5-PP** (call for pricing)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright ©2026 by Telecom Assistance Group, Inc.
*EWSD® OMT® are registered Trademarks of Siemens AG

GTD5 Terminal Replacements - Dual Session

Model:

TTDCAG5KIT1



Kit Includes:

(1) 17" Flat Screen Monitor

(1) Dumb Terminal Controller

(1) TT-MTG5
(Vertical Mounting Kit)

(1) Keyboard

(1) Quick Guide

(2) 400701,
(DB25M Gender Changer)

(1) TT-PSA,
(Parallel to Serial Printer Adapter)

SPECIFICATIONS

- VT-100 COMPATIBLE
- DUAL RS-232 INPUTS
- PRINTER OUTPUT
- LOW POWER

Printer Port Type:

Parallel *

** If a Serial Port is needed, use the Parallel to Serial Adapter (# TT-PSA) that is included in the kit.*

Ordering Information:

Uniti UBuy #

Dual Craft Access System - GTD5 Kit 1 — **TTDCAG5KIT1**

includes: (1) 17" Flat Screen Monitor, (1) Keyboard,
(1) Dual Session Dumb Terminal Controller, (1) Quick Guide,
(1) # TT-MTG5 (Vertical Mounting Kit),
(2) # 400701 (DB25M Gender Changer) &
(1) # TT-PSA** (Parallel to Serial Printer Adapter w/ AC Power Pack) ***not shown*

Replacement Power Pack for GTD5 Terminal, 5VDC *(not shown)* — **TT-DCA5-PP** (call for pricing)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

5ESS Terminal Replacements - Dual Session

Model:

TTDCAPCE

Includes:

(1) 17" Flat Screen Monitor

(1) Dumb Terminal Controller

(1) Keyboard

(1) Quick Guide

(2) 400701,
(DB25M Gender Changer)

SPECIFICATIONS

- VT-100 COMPATIBLE
- DUAL RS-232 INPUTS
- PRINTER OUTPUT
- LOW POWER

Printer Port Type:

Parallel * ** If a Serial Port is needed, please order a Parallel to Serial Adapter # TT-PSA, call for pricing.*

Ordering Information:

Uniti UBuy #

Dual Craft Access System - 5ESS — **TTDCAPCE**
includes: (1) 17" Flat Screen Monitor, (1) Keyboard,
(1) Dual Session Dumb Terminal Controller, (1) Quick Guide &
(2) # 400701 (DB25M Gender Changer)

Replacement Power Pack for 5ESS Terminal, 5VDC *(not shown)* — **TT-DCA5-PP** (call for pricing)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

5ESS Terminal Replacements - Single Session

Model:

TTSCAPCE

Includes:

(1) 17" Flat Screen Monitor

(1) Dumb Terminal Controller

(1) Keyboard

(1) Quick Guide

(1) 400701,
(DB25M Gender Changer)

SPECIFICATIONS

- VT-100 COMPATIBLE
- SINGLE RS-232 INPUT
- PRINTER OUTPUT
- LOW POWER

Printer Port Type:

Parallel * ** If a Serial Port is needed, please order a Parallel to Serial Adapter # TT-PSA, call for pricing.*

Ordering Information:

	Uniti UBuy #
Single Craft Access System - 5ESS includes: (1) 17" Flat Screen Monitor, (1) Keyboard, (1) Single Session Dumb Terminal Controller, (1) Quick Guide & (1) # 400701 (DB25M Gender Changer)	**TTSCAPCE**
Replacement Power Pack for 5ESS Terminal, 5VDC *(not shown)*	**TT-DCA5-PP** (call for pricing)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

DMS-100 Replacement Fans

"DMS-100"

Uniti UBuy # TFDMS01
48 Volt Replacement Fan for
DMS-100 NT3X90AC / NTBX63AA Fan Trays

w/ Power Prongs &
(4) Threaded* Mounting Holes
(screws included)

** also available unthreaded - see ordering information below*

DO YOU HAVE BROKEN DMS SENSOR PADDLES THAT NEED TO BE REPLACED?
TAG HAS NEW OPTIONS (where you won't need paddles anymore)
call 856-753-8585 or email www.custsvcs@tagcords.com

EXISTING NT3X90AC FAN TRAY w/ NEW FANS

Ordering Information:

	Uniti UBuy #
48V Fan for DMS-100 NT3X90AC / NTBX63AA Fan Trays w/ Power Prongs & (4) Threaded Mounting Holes *(screws included)*	**TFDMS01**
48V Fan for DMS-1U NT3X90AC / NTBX63AA Fan Trays w/ Power Prongs & (4) Clear, Unthreaded Mounting Holes *(not shown)*	**TF-DMS02** (call for pricing)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

DMS-100 Replacement Fans

Uniti UBuy # TFDMSNTRX91
DMS-100, 48 Volt Replacement Fan
w/ 3 Wire Plug

(use in DMS-100 NTRX91AA / NT0X91AA fan units (MVIE and CSDM bays), CLEI: ENMYACM)



DMS-100 (NTRX91AA) FAN TRAY

Uniti UBuy # TFDMS03
DMS-100, 48 Volt Replacement Fan
w/ TTL Tach & 3 Wire Plug



NEW Alarm Control Boards are also available, order **# TFC-3X90AF-01** (call for pricing)



DMS-100 (NT3X90AF) FAN TRAY

Uniti UBuy # TF-DMS04AC
DMS-100, 24VAC Replacement Fan
w/ Power Prongs



DMS-100 (NT3X90AA/AB) (AC) FAN TRAY

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

Replacement Fans & Blowers (DMS-10 / DMS-100)

"DMS-10"

Power Prongs

Uniti UBuy # TFDMS1001
DMS-10, 48 Volt Replacement Fan
w/ Power Prongs
(fan only, use with existing mounting)



FAN SHOWN w/ EXISTING
DMS-10 MOUNTING BRACKET *
** (mounting bracket is not included)*

Uniti UBuy # TFDMSLGN5
DMS-100 DPCC
SuperNode Blower "Squirrel Cage"
Replacement w/ Internal Sensor

"DMS-100"

*(use in **NT9X01XX DPCC**,*
*(replaces **A0345301**))*

NT9X01XX DPCC HAS
(4) BLOWER UNITS PER BAY

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

Replacement Fans (TA5000 / Edgelink 100 / Cisco ONS 15454)

"ADTRAN TA5000"

Uniti UBuy # TFTA5K01
48V "High Flow" Fan for
Adtran TA5000
w/ 4 Wire Plug



Uniti UBuy # TFTA5K02
48V Fan for
Adtran TA5000
w/ 3 Wire Plug



 # TFTA5K01

"EDGELINK 100"

40mm



Uniti UBuy # TFEL100KIT2
(**40mm**) Fan Kit for
Edgelink 100

Kit includes:

(1) TF-EL100, Edgelink 100 Replacement Fan (40mm) **&**
(1) TF-EL100DET, Edgelink 100 Replacement Detector PC Board

- *35mm Edgelink 100 fans are also available, order Uniti UBuy # TFEL10002*

"ONS 15454"

Uniti UBuy # TFC1545401
48V Fan for **Cisco ONS 15454**
w/ 3 Wire Right Angle Connector



CISCO ONS 15454 FAN UNIT (6 FANS)

(use in Fan Tray # 800-21448-02, HECI: WMMYAFEGAA)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

5ESS Replacement Fans

- ***All TAG Fans are <u>NEW</u> (No Refurbs)***
- ***Exact Drop-in Replacements***
- ***48V ⎓ DC 0.40A***

DON'T SEE THE FAN YOU NEED?

Send us a Sample
& we will Find a Match!

KS22501L3 Models:

Uniti UBuy # TF5ESS01F
5ESS Replacement Fan
w/ 3 Leads & Faston Connectors
(fan w/ power prongs)

Uniti UBuy # TF5ESS01P
5ESS Replacement Fan
w/ 3 Leads & AMP Connector
(fan w/ power prongs)

DC Fan Power Cords are available for KS22501L3 type fans (order TAG MODEL # TF-DCPWR-01)

KS23912L1A Models:

PN # TF-5ESS-02F
5ESS Replacement Fan
w/ 5 Leads & Faston Connectors
w/ Internal Thermal Speed Control Sensor

(call for pricing)

PN # TF-5ESS-02P
5ESS Replacement Fan
w/ 5 Leads & AMP Connector
w/ Internal Thermal Speed Control Sensor

(call for pricing)

KS23912L2 Model:

PN # TF-5ESS-03P
5ESS Replacement Fan
w/ 4 Leads & AMP Connector



(call for pricing)

KS22501L3A Models:

Uniti UBuy # TF5ESS04F
5ESS Replacement Fan
w/ 5 Leads & Faston Connectors

Uniti UBuy # TF5ESS04P
5ESS Replacement Fan
w/ 5 Leads & AMP Connector

KS23398L2 Model:

Square 5ESS Fans are also available

PN # TF-5ESS-10P
ISLU (Square Fan)
48V ⎓ DC 0.13A
w/ 5 Leads &
AMP Connector

(call for pricing)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

OSP Cabinet Heat Exchanger Fans

"Noren Cooling Unit"

Uniti UBuy # TFNP040201
48 Volt Replacement Heat Exchanger for
Noren Cooling Unit - Internal (6.71K)

w/ 3 Wire Open End & 3 Butt Splices

Internal fan (circulates the air inside the cabinet, located on lower half)



Uniti UBuy # TFNP041402
48 Volt Replacement Heat Exchanger for
Noren Cooling Unit - External (8.45K)

w/ 3 Wire Open End & 3 Butt Splices

External fan (circulates the air outside the cabinet, located on top half)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

OSP Cabinet Replacement Fans

"SLC96 (36 Type) Cabinet"

Uniti UBuy # TFTSLC96AC01
110VAC Replacement Fan
w/ Bracket Assembly for
SLC96 (36 Type) Cabinet

(Equiv. to Fan Assembly KS22099L5)

(1) 110VAC Replacement Fan *
** fans can also be ordered separately (without mounting), see ordering information below*

&

(1) Mounting Bracket

FAN ASSEMBLY IS FOUND INSIDE 36 TYPE CABINETS

Ordering Information:	**Uniti UBuy #**
110VAC Fan w/ Bracket Assembly for SLC96 (36 Type) Cabinet *(Equiv. to Fan Assembly KS22099L5)*	**TFTSLC96AC01**

Also Available: *(call for pricing)*

110VAC (Low Temp) Fan w/ Bracket Assembly for SLC96 (36 Type) Cabinet *(Equiv. to Fan Assembly KS22099L5)*	**TFTSLC96AC01L**
110VAC Fan (fan only) for SLC96 (36 Type) Cabinet *(includes power wire, (3) butt splices & hardware) (use in Fan Assembly KS22099L5)*	**TFSLC96AC02** (fan only)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

OSP Cabinet Heat Exchanger Fans

"LS2000 / 2030 - Tarzan"

Uniti UBuy # TFACABTZ01A
48V Heat Exchanger **(Tarzan)** for
Litespan 2000 (LSC-2030)
Cabinet Heat Stack



DSC LITESPAN 2000
LSC-2030 CABINET
(INSIDE VIEW OF HEAT STACK)



Includes: (1) Adapter Cable (# TFCS-ACABTZX)
& (3) Butt Splices

w/ (1) - 2 Wire Amp Connector
(Power, red / black wires)
&
(1) - 1 Wire Amp Connector
(Alarm, blue wire)

"Mesa 768 Cabinet"

(133mm)

Uniti UBuy # TFMC13302
(133mm) Heat Exchanger for
Mesa 768 Cabinets
w/ 3 Pin Male Connector



INSIDE VIEW OF MESA 768 CABINET

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

OSP Cabinet Heat Exchanger Fans



(175mm)
low profile

(2) HEAT EXCHANGERS MOUNTED IN EACH DOOR
(4) FANS TOTAL

"ODC Cabinet Door HX"

Uniti UBuy # TFHX175LP01
(175mm) "Low Profile"
Heat Exchanger for **Asymblix, Calix ODC Cabinet Door**

w/ Grommet, 4 Leads & Faston Connectors

CALIX ODC CABINET (DOOR)

"ODC 1000 Cabinet HX"

Uniti UBuy # TFHX220LP01
(220mm) "Low Profile"
Heat Exchanger for
Calix ODC 1000 Cabinet

w/ 4 Leads & Faston Connectors

(fan only, use with existing mounting bracket)



(220mm)
low profile

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

OSP Cabinet Heat Exchanger Fans

- ***Commonly used in Mesa type Cabinets***
- ***Common Replacements for :*** **EBM R1G225-AC73-XX (where XX=36,38,39,52)**
  EBM R1G225-AF11-XX (where XX=13,14)
  EBM R1G225-AE07-11 **EBM R1G225-AG39-10**
  EBM R1F250-AQ00-XK **EBM R1G225-AG15-AA**
- ***All TAG Fans are NEW (No Refurbs)***

TOP OF MESA CABINET
w/ EXISTING FAN
(ORDER UBUY # TFMC22501)

BOTTOM OF MESA CABINET
w/ EXISTING FAN
(ORDER UBUY # TFMC22502)



Uniti UBuy # TFMC22501 *
(225mm) Heat Exchanger for
Mesa Cabinet (Top)

w/ Round Weatherproof Connector

**** use with existing bracket***

(Fans are accessed through a panel on the solar shield)

Uniti UBuy # TFMC22502 **
(225mm) Heat Exchanger for
Mesa Cabinet (Bottom)

w/ 4 Wire Plug

***** fan only, use with existing bracket -***

(order # TF-MC225-02-KIT
for w/ fan & bracket - call for pricing)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

OSP Cabinet Heat Exchangers & Environmental Control Unit (ECU)

"Mesa DSLAM 384 Cabinet"

Uniti UBuy # TFMESA38401
48V (**External**) Heat Exchanger for
Mesa DSLAM 384 Cabinet
w/ 4 Wire Round
Female Weatherproof Plug

(Internal Fans are also available, order Uniti UBuy # TFMESA38402
(see ordering information below))



(OUTSIDE - HEAT EXCHANGERS)

TOP EXTERNAL (order # TFMESA38401)





LOWER INTERNAL (order # TFMESA38402)

(INSIDE - HEAT EXCHANGERS & ECU)

Need a Replacement ECU for this Cabinet ?



PN # TFC-MESA-04

Ordering Information:

	Uniti UBuy #
48V Heat Exchanger for Mesa DSLAM 384 Cabinet w/ 4 Wire (Round) Female Weatherproof Plug *(Top External Fans)*	**TFMESA38401**
48V Heat Exchanger for Mesa DSLAM 384 Cabinet w/ 4 Wire (Square) Female Plug, (8' cable) *(Lower Internal Fans)*	**TFMESA38402**
4 Port Environmental Control Unit (ECU) Replacement *(used in Mesa 2 - DSLAM 192 & DSLAM 384 Type Cabinets)*	**TFC-MESA-04** (call for pricing)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

OSP Cabinet Heat Exchanger Fans

"Marconi Mesa (Bottom)"

Uniti UBuy # TFMESA601
48V Replacement Heat Exchanger for
Marconi Mesa "Bottom" HX Cabinet

w/ 3 Wire Plug





"Calix ODC Stack"

Uniti UBuy # TFCLX0DC01F
48V Replacement Heat Exchanger for
Calix ODC Heat Stack

w/ 2 Wires &
Faston Connectors

"AFC Cabinet Stack"

Uniti UBuy # TFAFC67201
48V Replacement Fan for
AFC Cabinet Heat Stack

w/ Power Prongs

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

OSP Cabinet Replacement Fans

"OPAC / OPM"

Uniti UBuy # TFNT0PAC
48 Volt Replacement Fan for
Nortel Opac / OPM Cabinet
w/ Round Weatherproof Connector

(Replaces Nortel # A0381740 / # A33230 (-51)),
Fits first generation
Access Node 800A heat exchangers

(fan only - use with existing guard grill)



WEATHERPROOF CONNECTOR on # TFNT0PAC



Looking for fans w/ sealed 3 pin plugs?



(# TF-NTOPAC-04 - CALL) | **Uniti UBuy # TFNT0PAC02)**

Ordering Information:

	Uniti UBuy #
48V Replacement Fan for Nortel Opac / OPM Cabinet w/ Round Weatherproof Connector *(Replaces Nortel # A0381740 / # A33230 (-51)), Fits first generation Access Node 800A heat exchangers*	**TFNT0PAC**
48V Replacement Fan for Nortel Opac / OPM Cabinet *- (not shown)* **w/ 3 Wire Open End (no connector)** *(Splicing Replacement option for both Access Node 800A & OPAC Cabinets)*	**TFNT0PAC3**
48V Replacement Fan for Nortel Opac / OPM Cabinet w/ Sealed 3 Pin Plug *(Replaces Nortel # A0640820 / # A33230 (-51))*	**TFNT0PAC02**

Also Available: *(call for pricing)*

48V Replacement Fan for Nortel Opac / OPM Cabinet w/ Sealed 3 Pin Plug *(Used with NT7A6986 adapter)*	**TF-NTOPAC-04**
Guard Grill Replacement Kit for Round 162mm Fans *(includes hardware) - (not shown)*	**TFG-162KIT-01**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

OSP Cabinet Replacement Fans

"DMS-100 OPM BFU / DMS-1 URBAN"

(Not for use in Nortel Access Node Fan Trays)

Uniti UBuy # TFDMS06
48V Replacement Fan for
Booster Fan Unit (BFU) found in
DMS-100 OPM Cabinets

w/ Power Prongs,
Unterminated Tach Lead
& (1) Butt Splice



DMS-100 OPM CABINET
BOOSTER FAN UNIT (BFU) w/ EXISTING FANS

Also used in DMS-1
URBAN EMC RT BAY
*(**NT4A44AA** fan unit)*

Ordering Information:

Uniti UBuy #

TFDMS06

48 Volt Replacement Fan for Booster Fan Unit (BFU) found in DMS-100 OPM Cabinets
w/ Power Prongs, Unterminated Tach Lead & (1) Butt Splice
*(also used in DMS-1 URBAN EMC RT BAY (**NT4A44AA** fan unit))*

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

OSP Cabinet Replacement Fans & Alarm Control Boards

"Lucent 4A / 4B"

Uniti UBuy # TFSLC201
48 Volt Replacement Fan for
SLC 2000 4A / 4B Fan Trays

w/ 5 Wire Plug

(Equiv. to KS23912L6)

(80 Type Cabinet, SLC 2000 Tray - Internal)

SLC 2000 EQUIPMENT - 4B FAN UNIT w/ (2) FANS
(fan tray is not included)



NEW Alarm Control Boards are also available, order **Uniti UBuy # TFCLU401**

Ordering Information:	Uniti UBuy #
48V Fan w/ 5 Wire Plug for SLC 2000 4A / 4B Fan Trays *(Equiv. to KS23912L6) (80 Type Cabinet, SLC 2000 Tray - Internal)*	**TFSLC201**
Alarm Control Board for 4A/4B, 4G/SLC 2000 Trays & 114A Control Units *(control board only - customer supplied fan trays / 114A housing)*	**TFCLU401**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

OSP Cabinet Heat Exchanger Fans

"Calix ODC - 225mm"

Uniti UBuy # TFCLX22501
(**225mm**) HX Impeller Fan (**Upper**) for
Calix ODC Cabinet
w/ 4 Wire Female Snap on Plug, (14" cable)

PN # TF-CLX225-02 (call for pricing)
(**225mm**) HX Impeller Fan (**Upper**) for
Calix ODC Cabinet
w/ 4 Wire Female Snap on Plug, (30" cable)

PN # TF-CLX225-03 (call for pricing)
(**225mm**) HX Impeller Fan (**Lower**) for
Calix ODC Cabinet
w/ 4 Wire Male Snap on Plug, (30" cable)

*(fan only,
mounting bracket
is not included)*

(4) HEAT EXCHANGERS ARE MOUNTED IN THE HX UNITS ATTACHED TO THE DOORS

"Calix ODC - 133mm"



*(thread the fan wires
through the existing mounting bracket
& splice on the supplied connector)*

Uniti UBuy # TFCLX13301
(**133mm**) Heat Exchanger for
Calix ODC Cabinet
*w/ 4 Wire Open End**

**(includes (4) butt splices
& (1) 4 pin connector)*

*(fan only,
mounting bracket
is not included)*

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

Calix E7 Replacement Fans

"Calix E7"



(40mm x 20mm)

Uniti UBuy # TFCLXE701
12 Volt Replacement Fan for
Calix E7-2 FTA2 Fan Unit
w/ 4 Wire Plug

(front view)

CALIX E7-2 FTA2 FAN UNIT w/ (4) EXISTING FANS
(fan unit is not included)



Ordering Information:

12V (40mm x 20mm) Replacement Fan for
Calix E7-2 FTA2 Fan Unit w/ 4 Wire Plug

Uniti UBuy #
TFCLXE701

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

OSP Cabinet Heat Exchanger Fans

"Adtran TA5000 - Delta HX"

Uniti UBuy # TFTA5KHX02
48VDC (**Low Profile**) **Delta**
Heat Exchanger Fan for
Adtran TA5000 Cabinet Door

w/ 4 Wire Plug

(fan only, use with existing guard grill)

ADTRAN TA5000 CABINET WITH DELTA HEAT EXCHANGER (6 HEAT EXCHANGER FANS)



Ordering Information:

	Uniti UBuy #
48VDC (Low Profile) Delta Heat Exchanger Fan for Adtran TA5000 Cabinet Door w/ 4 Wire Plug	**TFTA5KHX02**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

Fiber Optic Test Cord Kit 2

FOTC-KIT2

14 Fiber Optic Test Cords Included in Kit

(2) 430766AM-03
SC/APC to SC/UPC, Singlemode Simplex, 3.0mm yellow, Test Cord, 3 Meters

(2) 430766AAM-03
SC/APC to SC/APC, Singlemode Simplex, 3.0mm yellow, Test Cord, 3 Meters

(2) 430779AM-03
SC/APC to ST/UPC, Singlemode Simplex, 3.0mm yellow, Test Cord, 3 Meters

(2) 430770AM-03
SC/APC to FC/UPC, Singlemode Simplex, 3.0mm yellow, Test Cord, 3 Meters

Ordering Information: *(Call for More Information)*
 # FOTC-KIT2 Fiber Optic Test Cord Kit 2

(2) 430773UAM-03
SC/APC to LC/UPC, Singlemode Simplex, 3.0mm yellow, Test Cord, 3 Meters

(2) 430773AAM-03
SC/APC to LC/APC, Singlemode Simplex, 3.0mm yellow, Test Cord, 3 Meters

(2) 430778AM-03
SC/APC to D4/UPC, Singlemode Simplex, 3.0mm yellow, Test Cord, 3 Meters

7 Fiber Optic Adapters Included in Kit

(1) UBUY # 400766C
SC to SC Simplex UPC Coupler

(1) UBUY # 400766AC
SC to SC Simplex APC Coupler

(1) 400781C
LC to LC Simplex UPC Coupler

(1) UBUY # 400781AC
LC to LC Simplex APC Coupler

(1) 400758C
ST to ST Simplex UPC Coupler

(1) 400752C
FC to FC Simplex UPC Coupler

(1) 400756C
D4 to D4 Simplex UPC Coupler

Kit Also Includes Adapter Case & Carrying Case

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax : (856) 768-7645

Copyright ©2026 by Telecom Assistance Group Inc.

Visual Fault Locator for 1.25mm & 2.5mm Connectors

Uniti UBuy # TFS210
Visual Fault Locator
(for 1.25mm & 2.5mm Connectors - Including SC, ST, FC & LC)

1.25mm (LC/UPC) Adapter Included*

Converts 2.5mm to 1.25mm

**APC adapters are also available*

PRODUCT PARAMETERS

MODES:
Continuous / Flashing

CONNECTOR TYPE:
SC / FC / ST (LC w/ Adapter)

DIMENSIONS:
5" x 1.5" x 1"

WEIGHT:
1.5 Ounces

TESTING DISTANCE:
15-20km

UTILITIES:
Laser / Flashlight

WAVELENGTH:
650nm Red

POWER SUPPLY:
includes (2) AAA batteries

Ordering Information:

Uniti UBuy #

Visual Fault Locator — **TFS210**
(for 1.25mm & 2.5mm Connectors - Including SC, ST, FC & LC)
(includes LC / UPC adapter, (2) AAA batteries & carrying case)

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

Telephone: (856) 753-8585
Fax : (856) 768-7645

www.tagcords.com

Telecom Assistance Group

Copyright © 2026 by Telecom Assistance Group, Inc.

Fiber Optic Test Cord Kit — F0TCKIT

20 Fiber Optic Test Cords Included in Kit:

(Adapter Case & Carrying Case included with Kit)

(2) 430766M-03
SC to SC, Singlemode Simplex, 3.0mm yellow, UPC Test Cord, 3 Meters

(2) 430766AAM-03
SC to SC, Singlemode Simplex, 3.0mm yellow, APC Test Cord, 3 Meters

(2) 430766AM-03
SC/UPC to SC/APC, Singlemode Simplex, 3.0mm yellow, Test Cord, 3 Meters

(2) 430779AM-03
SC/APC to ST/UPC, Singlemode Simplex, 3.0mm yellow, Test Cord, 3 Meters

(2) 430779M-03
SC to ST, Singlemode Simplex, 3.0mm yellow, UPC Test Cord, 3 Meters

(2) 430766MM-03
SC to SC, Multimode Simplex, 3.0 mm 62.5 µm orange, UPC Test Cord, 3 Mtrs

(2) 430773M-03
SC to LC, Singlemode Simplex, 3.0mm yellow, UPC Test Cord, 3 Meters

(2) 430773AM-03
SC/UPC to LC/APC, Singlemode Simplex, 3.0mm yellow, Test Cord, 3 Meters

(2) 430770M-03
SC to FC, Singlemode Simplex, 3.0mm yellow, UPC Test Cord, 3 Meters

(2) 430778M-03
SC to D4, Singlemode Simplex, 3.0mm yellow, UPC Test Cord, 3 Meters

7 Fiber Optic Adapters Included in Kit:

(1) UBuy # 400766C
SC to SC
Simplex
UPC Coupler

(1) UBuy # 400766AC
SC to SC
Simplex
APC Coupler

(1) 400781C
LC to LC
Simplex
UPC Coupler

(1) UBuy # 400781AC
LC to LC
Simplex
APC Coupler

(1) 400758C
ST to ST
Simplex
UPC Coupler

(1) 400752C
FC to FC
Simplex
UPC Coupler

(1) 400756C
D4 to D4
Simplex
UPC Coupler

Ordering Information:

Fiber Optic Test Cord Kit
includes: (20) Test Cords, (7) Adapters, (1) Adapter Case & (1) Carrying Case (cases not shown)

Uniti UBuy # F0TCKIT

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax : (856) 768-7645

Copyright ©2026 by Telecom Assistance Group Inc.