

2025

Central Office Tools for AT&T

Provided By:



The "Cord Company" and more . . .

For a Complete
PID / OIN List & Catalog visit:

www.tagcords.com


or email:

custsvcs@tagcords.com

REPLACEMENT TERMINALS



SPECIALTY TEST CORDS







- **NEW SS7 Auditing** (Dummy Plugs, Labels & Tags)
- **NEW Replacement Terminals** (DMS, 5ESS, Transport / DACS & More)
- **Portable HDSL "Smart Jacks"** (for 2W & 4W Cards, 220 Mech.)
- **"Froggers" & Coax**
- **Multi-Cords** (Quick Disconnect)

856-753-8585




SS7 Audit Accessories for AT&T

Dummy Plugs







Kits are Available

PN # / Desc. / QTY	(not to scale)
310DP-5 310 Dummy Plug (QTY of 5) AT&T PID # ATT.200012469	
210DP-5 Bantam Dummy Plug (QTY of 5) AT&T PID # ATT.200012468	
800DP-5 800 DSX Dummy Plug (QTY of 5) AT&T PID # ATT.200012470	
453ADP-5 453A Dummy Plug (QTY of 5)	

Protective Caps

PN #	Description / QTY	(not to scale)
SS7-2PR	SS7 2 Pin Cap (1/2) (QTY of 50)	
SS7-3PR	SS7 3 Pin Cap (5/8) (QTY of 50)	
SS7-6PR	SS7 6 Pin Cap (1 3/8) (QTY of 24)	

Labels & Tags

PN # / Description / QTY	(approx. size)
SS7-LB1 SS7 Labels, (SM) (QTY of 50) AT&T PID # ATT.200012471	.25" 
SS7-LB2 SS7 Labels, Rectangle (SM) (QTY of 50) AT&T PID # ATT.200012472	.875" .25" 
SS7-LB3 SS7 Labels, Rectangle (LG) (QTY of 25) AT&T PID # ATT.200012474	1.5" .25" 
SS7-LBL3B SS7 Labels, Rectangle (XLG) (QTY of 25) AT&T PID # ATT.200012475	2.5" 
SS7-TAG SS7 Threaded Tag (QTY of 50) AT&T PID # ATT.200012476	1"  .75" 

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091


www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax: (856) 768-7645

CO Portable HDSL "Hot Shoe" Kit

**The CO Portable HDSL
"Hot Shoe" Kit
is Designed for Central Offices**

- ▶ 4 Slots for 200/400 Mech. HDSL "R" Cards
- ▶ Rugged Connectors



(cards not included)



4W-A-20 →



Ordering Information:

RHDSL-HDCO-01

CO Portable HDSL "Hot Shoe" Kit

includes: (1) T-RHDSL, (1) 4W-A-20 &
(1) 600509 - carrying case


AT&T PID # (KIT)
ATT.100090480

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax : (856) 768-7645


20' - 4W Frame Cords for Central Office Portable "R" - HDSL Test Unit



4W-A-20

Female Lock Plug to
(4) Std Alligator Clips, (20')


AT&T PID # ATT.100090481



4W-463Y-20

Female Lock Plug to
Protector "Y", (20')


AT&T PID # ATT.100090482



4W-6P-20

Female Lock Plug to
(4) 6P Alligator Clips, (20')


AT&T PID # ATT.100090483



4W-PORTY-20

Female Lock Plug to
Porta "Y", (20')


AT&T PID # ATT.100090484



4W-252Y-20

Female Lock Plug to
252 "Y" Plugs, (20')

AT&T PID # ATT.100090485



4W-412Y-20

Female Lock Plug to
412 "Y" Plugs, (20')

AT&T PID # ATT.100090486

- All Cords are available in other lengths -

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax : (856) 768-7645

Portable "R" - HDSL Test Unit Kit

RHDSL-BST01

RHDSL-BST01

Portable "R" -
HDSL Test Unit Kit

12 STATE (KIT)


ATT.100071972

SOUTHEAST (KIT)

ATT.100011889



(1) 600509
Carrying Case




(cards not included)


4W-6P-08

- ▶ **4 Slots for 200/400 Mech. HDSL "R" Cards**
- ▶ **Rugged Connectors**
- ▶ **Various Test Cords**

(1) 4W-6P-08
Female Lock Plug to
(4) 6P Alligator Clips, (8')



(1) 4W-463Y-08
Female Lock Plug to
5 Pin "Y" Protector, (8')



Ordering Information:

RHDSL-BST01 Portable "R" - HDSL Test Unit Kit
includes: (1) T-RHDSL, (1) 4W-6P-08,
(1) 4W-463Y-08 & (1) 600509

12 STATE (KIT)

ATT.100071972

SOUTHEAST (KIT)

ATT.100011889

T-RHDSL	Portable "R" HDSL Test Unit <i>(requires test cords)</i>	ATT.100071981	ATT.100011557
4W-463Y-08	Lock Plug (F) to 5 Pin "Y" Protector, (8')	ATT.100039928	ATT.100011859
4W-6P-08	Lock Plug (F) to (4) 6P Alligator Clips, (8')	AT&T PID #	
600509	Carrying Case	ATT.100022122	ATT.100001661




**** Cords are Required for Testing ****



150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax: (856) 768-7645



AT&T Coax

FEATURES / APPLICATION	DESCRIPTION	PART #	PID #
		<u>PART #</u>	<u>12 STATE</u> <u>SOUTHEAST</u>
DSX-3/4 Patch / Test Cord w/ Tracer ("messenger") Wire <ul style="list-style-type: none"> A convenient way of patching Tx & Rx circuits at the same time Available in all lengths 	Dual 440D to Dual BNC w/ tracer, (15')	B00440DR-15	ATT.100038521 ATT.100000829
	Dual 440D to Dual BNC w/ tracer, (25')	B00440DR-25	ATT.100041988 ATT.100000879
	Dual 440D to Dual BNC w/ tracer, (36')	B00440DR-36	ATT.100041989 ATT.100000909
			
		<u>PART #</u>	<u>12 STATE</u> <u>SOUTHEAST</u>
DSX-3/4 Patch / Test Cord w/ Tracer ("messenger") Wire <ul style="list-style-type: none"> A convenient way of patching Tx & Rx circuits at the same time Available in all lengths 	Dual 440D to Dual 440D w/ tracer, (6')	400440DD-06	CALL ATT.100002579
	Dual 440D to Dual 440D w/ tracer, (14')	400440DD-14	CALL ATT.100002581
	Dual 440D to Dual 440D w/ tracer, (25')	400440DD-25	CALL ATT.100002585
	Dual 440D to Dual 440D w/ tracer, (32')	400440DD-32	CALL ATT.100002591
			
		<u>PART #</u>	<u>12 STATE</u> <u>SOUTHEAST</u>
DSX-3/4 Patch / Test Cord w/ Tracer ("messenger") Wire <ul style="list-style-type: none"> A convenient way of patching Tx & Rx circuits at the same time Available in all lengths 	Dual BNC to Dual LCC Loopback	400470CB-LP	CALL ATT.100002553
	Dual BNC to Dual LCC w/ tracer, (5')	400470CB-05	CALL ATT.100014855
	Dual BNC to Dual LCC w/ tracer, (15')	400470CB-15	CALL ATT.100014857
	Dual BNC to Dual LCC w/ tracer, (20')	400470CB-20	CALL ATT.100002567
	Dual BNC to Dual LCC w/ tracer, (30')	400470CB-30	CALL ATT.100002575
			

FEATURES / APPLICATION	DESCRIPTION	PART #	PID #
DSX-3/4 Patch/Test Cord w/ Tracer ("messenger") Wire <ul style="list-style-type: none"> A convenient way of patching Tx & Rx circuits at the same time Available in all lengths Locking Tabs & Spanners 	Dual 440D to Dual LCC Loopback	PART # 400470CD-LP	12 STATE CALL
	Dual 440D to Dual LCC w/ tracer, (3')	B00470CD-03	ATT.100041990
	Dual 440D to Dual LCC w/ tracer, (5')	B00470CD-05	ATT.100038523
	Dual 440D to Dual LCC w/ tracer, (6')	400470CD-06	CALL
	Dual 440D to Dual LCC w/ tracer, (12')	400470CD-12	CALL
	Dual 440D to Dual LCC w/ tracer, (20')	400470CD-20	CALL
	Dual 440D to Dual LCC w/ tracer, (24')	B00470CD-24	ATT.100041991
	Dual 440D to Dual LCC w/ tracer, (30')	400470CD-30	CALL
	Dual 440D to Dual LCC w/ tracer, (36')	B00470CD-36	ATT.100038522
	Dual 440D to Dual LCC w/ tracer, (45')	400470CD-45	CALL
		PART #	12 STATE
DSX-3/4 Patch/Test Cord w/ Tracer ("messenger") Wire <ul style="list-style-type: none"> A convenient way of patching Tx & Rx circuits at the same time Available in all lengths Locking Tabs 	Dual LCC to Dual LCC Loopback	400470CC-LP	CALL
	Dual LCC to Dual LCC w/ tracer, (5')	400470CC-05	CALL
	Dual LCC to Dual LCC w/ tracer, (15')	400470CC-15	CALL
	Dual LCC to Dual LCC w/ tracer, (30')	400470CC-30	CALL
	Dual LCC to Dual LCC w/ tracer, (45')	400470CC-45	CALL
		PART #	12 STATE
DSX-3/4 Patch/Test Cord w/ Tracer ("messenger") Wire	Dual LCC to Dual 440 (<i>custom length</i>)	470CD-CONN	CALL
	Dual LCC to Dual LCC (<i>custom length</i>)	470CC-CONN	CALL
	Dual LCC to Dual BNC (<i>custom length</i>)	470CB-CONN	CALL

"Green Coil Cord"**400300FP****"Frogger" Protector Test Cord, (20')**

1. Insert "Good" (green) plug into known good line.
2. Insert "Bad" (red) plug into bad line for temporary restoration.

**Application:**

TAG's Temporary Restoral Cord (400300FP) allows you to add protection back to the telephone line when testing. TAG's test cord features a built-in protector socket that accepts any 5-pin protector module. A 5-pin module with the same specifications as the line you are testing on must be inserted before the test cord can function. Once inserted, the cord will now function and protection has been restored to the line.

In the event of a power or lightning strike, TAG's 400300FP can save thousands of dollars by eliminating dangers that can destroy expensive equipment or possibly harm a technician. One plug is Green "GOOD" & the other plug is Red "BAD". When the repair is made, the circuit can be identified as to which pair is good or bad.

Ordering Information:**400300FP****"Frogger" Protector Test Cord - (20')****AT&T PID #****ATT.100111566**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group

Remote Network Cable Tester w/ Tone Generator & CAT 5 Cables

Simplify Network Cable Testing !!

Cable Test Features:

- Displays:**
- Short
 - Reversed
 - Miswired
 - Split Pairs


Tone Generator* Features:

- Verification of Shield Integrity
- Puts Tracer Tone on Cable

* Tone Generator function requires customer supplied Cable Tracing Probe

Additional Features:

- Specially designed Remote Unit that enables one person to test installed cables.
- Easy to read Fault Display and high speed testing.
- Debug mode for detailed fault identification results.
- Auto Sleep Mode and Power Off Switch to decrease power consumption.
- Low Battery Indicator
- Includes (4) four AAA batteries



Includes: Soft Vinyl Carrying Pouch & Remote Terminating Cable

Ordering Information:

CAT-107G

Remote Network Cable Tester w/ Tone Generator

includes: (1) Carrying Pouch, (1) Remote Terminating Cable & (4) AAA Batteries

RH-CAT5-10

Cat 5 Cable (RJ45 to RJ45), (10')

RH-CAT5-15

Cat 5 Cable (RJ45 to RJ45), (15')

RH-CAT5-20

Cat 5 Cable (RJ45 to RJ45), (20')

RH-CAT5-25

Cat 5 Cable (RJ45 to RJ45), (25')

RH-CAT5-30

Cat 5 Cable (RJ45 to RJ45), (30')

RH-CAT5-40

Cat 5 Cable (RJ45 to RJ45), (40')

RH-CAT5-50

Cat 5 Cable (RJ45 to RJ45), (50')

RH-CAT5-75

Cat 5 Cable (RJ45 to RJ45), (75')

RH-CAT5-100

Cat 5 Cable (RJ45 to RJ45), (100')

RH-CAT5-125

Cat 5 Cable (RJ45 to RJ45), (125')

RH-CAT5-150

Cat 5 Cable (RJ45 to RJ45), (150')

RH-CAT5-200

Cat 5 Cable (RJ45 to RJ45), (200')

RH-CAT5-250

Cat 5 Cable (RJ45 to RJ45), (250')

AT&T PID

ATT.100035180

ATT.100111579

ATT.100000977

ATT.100000979

ATT.100000981

ATT.100000983

ATT.100000985

ATT.100111581

ATT.100111583

ATT.100000991

ATT.100412390

ATT.100000995

ATT.100412400

ATT.100412410

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645


Telecom Assistance Group

DB9M / RS232 to USB Adapter Cable

Need access to a Serial Port on your Laptop?

TAG's Adapter Cable will convert your Laptop's USB Port into a Serial Port!

Serial Port on an Older Laptop



System Requirements:

- Supports Windows® 2000 / XP / Server 2008 / Vista / 7 / 8 / 10, Linux, Mac os V8.6 or higher
- Available USB Port

Application:

Plug the USB connector into your computer and the serial connector into your serial device to exchange files, data and more.



Ordering Information:

400720USB

DB9M/RS232 to USB Adapter Cable

*Supports Windows®2000 / XP / Server 2008 / Vista / 7 / 8 / 10, Linux, Mac os V8.6 or higher
includes: (1) 400720USB, (1) Installation CD with User Manual*


AT&T PID #

ATT.100000993

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax: (856) 768-7645

USB-C to DB9 Pin (male)**400721USBC****PLUG TO USB-C PORT ON LAPTOP****Ordering Information:****400721USBC****USB-C to DB9 Pin (male)****AT&T PID #****ATT.200009155**

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091


www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group


Telecom Assistance Group (TAG)
856-753-8585 www.tagcords.com

Quick Disconnect Multi-Cords



Alligator	A	
Mini Test	B	
Wire Wrap	C	
Protector	D	
453A	E	
Bantam	F	
310	G	
526A	H	
88 Type (D Clip)	I	
526P (Porta)	J	
Snagless RJ11	K	
SLC 96	L	
Modular (RJ11)	M	
6P Alligator	O	
310 MDF	P	
110 Clip (C Clip)	Q	
76 Clip	R	
SLC 5	S	
360 Tools	T	
66 Blk Adapter	X	
Mini Alligator	Y	
Porta	Z	

D4 Monitor Cord, (5')

400480MHS


Application:

TAG's D4 Monitor Cord (PN# 400480MHS) is used to access dial tone from FXS and FXO cards. The D4 Monitor Cord directional switch enables dial tone to be pulled from the far end when plugged into the FXS card or near end (SMAS/Frame) when plugged into the FXO card.

Ordering Information:

400480MHS
D4 Monitor w/ Switch to 471A, (D4 Monitor Cord), (5')
AT&T PID #
ATT.100090489

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com
Telecom Assistance Group

Telephone: (856) 753-8585
Fax: (856) 768-7645

D4 Channel Check Unit

T-D4CC

Need a CMC 5151 Channel Chek Unit ?

***TAG has a
Replacement Model for this
previously discontinued part....***

**DISCONTINUED
CMC 5151
CHANNEL CHEK UNIT
(YELLOW BOX)**



PN # T-D4CC
D4 Channel Check Unit



Application:

- With the switch in the idle "MONITOR" position, insert the # T-D4CC channel checker into the port on the face of the D4 card.
- Slide the switch to "DROP" & observe the led's for a green-red-green sequence indicating a "wink" from the local PBX equipment.

Ordering Information:

T-D4CC

D4 Channel Check Unit

AT&T PID #

ATT.100090490

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585

Fax : (856) 768-7645

Telecom Assistance Group

New Replacement Dumb Terminals - Transport / DACS Equipment

NEW TERMINAL WORKS ON
Titan 5500, CS1, CS1L, DACS II, III, IV, Alcatel 1631 & HDSL
(Titan 5500 shown below)

**REMOVE & REPLACE
OLD / BROKEN CRTs**

**AT&T PID #
ATT.100087610**



SPECIFICATIONS

- VT-100 COMPATIBLE
- SINGLE RS-232 INPUT
- PRINTER OUTPUT
- LOW POWER

New Terminal Includes:

- (1) 17" Flat Screen Monitor
- (1) Dumb Terminal Controller
- (1) Keyboard
- (1) Quick Guide
- (1) 400701, (DB25M Gender Changer)

Ordering Information:

TT-VT100S TAG Replacement Dumb Terminal - Transport / DACS
 includes: (1) 17" Flat Screen Monitor, (1) Keyboard, (1) DB25M Gender Changer,
 (1) Single Session Dumb Terminal Controller & (1) Quick Guide

**AT&T PID #
ATT.100087610**

400705-XX* DB25M to DB25M - Serial Cable, (XX') (optional - call for pricing)
** Please specify length of cable when ordering - Ex: 400706-25 = 25'*

150 Cooper Rd. (F-15)
 W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
 Fax : (856) 768-7645

Telecom Assistance Group

5ESS MCC / ROP Terminal


***TAG offers a New Feature on our 5ESS MCC Dumb Terminal,
The "Glass Printer" Feature***

REMOVE & REPLACE OLD / BROKEN CRTs & PRINTERS

OLD



NEW



**TOGGLE
SCREENS
(F12)**

*new label on
the keyboard
above the
F12 key*

**MCC
ROP**

F12

SPECIFICATIONS

- VT-100 COMPATIBLE
- LOW POWER
- AUTO-BAUD

Ordering Information:

TT-VT100DB

5ESS MCC / ROP Terminal

**AT&T PID #
ATT.200006843**

includes: (1) 17" Flat Screen Monitor, (1) Keyboard,
(1) MCC Terminal Controller w/ ROP Glass Printer & Auto Baud Feature,
(2) # 400701, DB25M Gender Changers & (1) Quick Guide

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com


Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group


DMS Terminal Replacements - Dual Session

Model:

TT-DCAP-DMSKIT



Kit Includes (TT-DCAP-DMSKIT):

- (1) 17" Flat Screen Monitor
- (1) Dumb Terminal Controller
- (1) Keyboard
- (1) Quick Guide
- (2) 400700,
(DB25F Gender Changer) 
- (2) 400725SB2,
(DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector)



SPECIFICATIONS

- VT-100 COMPATIBLE
- DUAL RS-232 INPUTS
- PRINTER OUTPUT
- LOW POWER

Printer Port Type:



Parallel * * If a Serial Port is needed, please order a Parallel to Serial Adapter # TT-PSA, Call for Pricing.

Ordering Information:

TT-DCAP-DMSKIT

Dual Craft Access System - DMS Kit

includes: (1) 17" Flat Screen Monitor, (1) Keyboard,
(1) Dual Session Dumb Terminal Controller, (1) Quick Guide,
(2) # 400700 (DB25F Gender Changer) &
(2) # 400725SB2 (DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector)

AT&T PID #
ATT.200007660

TT-DCAP-DMSKIT1

Dual Craft Access System - DMS (Kit 1)

includes: (1) 17" Flat Screen Monitor, (1) Keyboard,
(1) Dual Session Dumb Terminal Controller, (1) Quick Guide,
(2) # 400700 (DB25F Gender Changer) &
(1) # 400725SB2 (DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector)

AT&T PID #
ATT.200007657

TT-DCAP-DMSKIT2

Dual Craft Access System - DMS (Kit 2)

includes: (1) 17" Flat Screen Monitor, (1) Keyboard,
(1) Dual Session Dumb Terminal Controller, (1) Quick Guide,
(2) # 400700 (DB25F Gender Changer),
(2) # 400725SB2 (DMS Quick Connect Current Loop Adapter Cable w/ DEC Connector) &
(2) # 400725SBW** (Hardwire Adapter for 400725SB2) **not shown

AT&T PID #
ATT.200007655

TT-DCAP

Dual Craft Access System - DMS

includes: (1) 17" Flat Screen Monitor, (1) Keyboard,
(1) Dual Session Dumb Terminal Controller, (1) Quick Guide &
(2) # 400700 (DB25F Gender Changer)

AT&T PID #
ATT.200007659

150 Cooper Rd. (F-15)
W. Berlin, NJ 08091

www.tagcords.com

Telephone: (856) 753-8585
Fax : (856) 768-7645

Telecom Assistance Group